



2025

COMPREHENSIVE FORMULARY

List of Covered Drugs

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION ABOUT THE DRUGS WE COVER IN THIS PLAN.

Formulary ID: 25501 Version:

This formulary was updated on [REDACTED]. For more recent information or other questions, please contact Optum Rx at 1-800-707-8194 (TTY: 711), 24 hours a day, 7 days per week or visit www.KelseyCareAdvantage.com/TWU.



1-866-535-8343 (TTY: 711)

KelseyCareAdvantage.com/TWU

Note to existing members: This Formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take.

When this Drug List (Formulary) refers to “we,” “us”, or “our,” it means KelseyCare Advantage. When it refers to “plan” or “our plan,” it means KelseyCare Advantage Preferred Rx (HMO).

This document includes a Drug List (formulary) for our plan which is current as of 07/01/2025. For an updated Drug List (formulary), please contact us. Our contact information, along with the date we last updated the Drug List (formulary), appears on the front and back cover pages.

You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1, 2025 and from time to time during the year.

What is the KelseyCare Advantage formulary?

In this document, we use the terms Drug List and formulary to mean the same thing. A formulary is a list of covered drugs selected by KelseyCare Advantage in consultation with a team of health care providers, which represents the prescription therapies believed to be a necessary part of a quality treatment program.

KelseyCare Advantage will generally cover the drugs listed in our formulary as long as the drug is medically necessary, the prescription is filled at a KelseyCare Advantage network pharmacy, and other plan rules are followed. For more information on how to fill your prescriptions, please review your Evidence of Coverage.

For a complete listing of all prescription drugs covered by KelseyCare Advantage please visit our website or call us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the formulary during the year, move them to different cost-sharing tiers, or add new restrictions. We must follow the Medicare rules in making these changes. Updates to the formulary are posted monthly to our website here: <http://www.kelseycareadvantage.com/TWU>.

Changes that can affect you this year: In the below cases, you will be affected by coverage changes during the year:

- **Immediate substitutions of certain new versions of brand name drugs and original biological products.** We may immediately remove a drug from our formulary if we are replacing it with a certain new version of that drug that will appear on the same or lower cost-sharing tier and with the same or fewer restrictions. When we add a new version of a drug to our formulary, we may decide to keep the brand name drug or original biological product on our formulary, but immediately move it to a different cost-sharing tier or add new restrictions.

We can make these immediate changes only if we are adding a new generic version of a brand name drug, or adding certain new biosimilar versions of an original biological product, that was already on the formulary (for example, adding an interchangeable biosimilar that can be substituted for an original biological product by a pharmacy without a new prescription).

If you are currently taking the brand name drug or original biological product, we may not tell you in advance before we make an immediate change, but we will later provide you with information about the specific change(s) we have made.

If we make such a change, you or your prescriber can ask us to make an exception and continue to cover for you the drug that is being changed. For more information, see the section below titled “How do I request an exception to KelseyCare Advantage’s Formulary?”

Some of these drug types may be new to you. For more information, see the section below titled “What are original biological products and how are they related to biosimilars?”

- **Drugs removed from the market.** If a drug is withdrawn from sale by the manufacturer or the Food and Drug Administration (FDA) determines to be withdrawn for safety or effectiveness reasons, we may immediately remove the drug from our formulary and later provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a new generic drug to replace a brand-name drug currently on the formulary, or add a new biosimilar to replace an original biological product currently on the formulary, or add new restrictions or move a drug we are keeping on the formulary to a higher cost-sharing tier or both after we add a corresponding drug. We may remove a brand name drug from the formulary when adding a generic equivalent or remove an original biological product when adding a biosimilar. We may also apply new restrictions to the brand name drug or original biological product, or move it to a different cost-sharing tier, or both. We may make changes based on new clinical guidelines. If we remove drugs from our formulary, add prior authorization, quantity limits and/or step therapy restrictions on a drug, or move a drug to a higher cost-sharing tier, we must notify affected members of the change at least 30 days before the change becomes effective. Alternatively, when a member requests a refill of the drug, they may receive a 30-day supply of the drug and notice of the change.

If we make these other changes, you or your prescriber can ask us to make an exception for you and continue to cover the drug you have been taking. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled “How do I request an exception to KelseyCare Advantage’s Formulary?”

Changes that will not affect you if you are currently taking the drug. Generally, if you are taking a drug on our 2025 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2025 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the formulary for the new benefit year for any changes to drugs.

The enclosed formulary is current as of 07/01/2025. To get updated information about the drugs covered by KelseyCare Advantage please contact us. Our contact information appears on the front and back cover pages. Formulary changes are updated monthly in the Formulary Addendum. To review and/or print formulary changes during the year, please visit our website at KelseyCareAdvantage.com/TWU. You may also contact us to send you a copy of the Formulary Addendum.

How do I use the Formulary?

There are two ways to find your drug within the formulary:

Medical Condition

The formulary begins on page 1. The drugs in this formulary are grouped into categories depending on the type of medical conditions that they are used to treat. For example, drugs used to treat a heart condition are listed under the category, CARDIOVASCULAR. If you know what your drug is used for, look for the category name in the list that begins on page 1. Then look under the category name for your drug.

Alphabetical Listing

If you are not sure what category to look under, you should look for your drug in the Index that begins on page 89. The Index provides an alphabetical list of all of the drugs included in this document. Both brand name drugs and generic drugs are listed in the Index. Look in the Index and find your drug. Next to your drug, you will see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of your drug in the first column of the list.

What are generic drugs?

KelseyCare Advantage covers both brand name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand name drug. Generally, generic drugs work just as well as and usually cost less than brand name drugs. There are generic drug substitutes available for many brand name drugs. Generic drugs usually can be substituted for the brand name drug at the pharmacy without needing a new prescription, depending on state laws.

What are original biological products and how are they related to biosimilars?

On the formulary, when we refer to drugs, this could mean a drug or a biological product. Biological products are drugs that are more complex than typical drugs. Since biological products are more complex than typical drugs, instead of having a generic form, they have alternatives that are called biosimilars. Generally, biosimilars work just as well as the original biological product and may cost less. There are biosimilar alternatives for some original biological products. Some biosimilars are interchangeable biosimilars and, depending on state laws, may be substituted for the original biological product at the pharmacy without needing a new prescription, just like generic drugs can be substituted for brand name drugs.

- For discussion of drug types, please see the Evidence of Coverage, Chapter 5, Section 3.1, “The ‘Drug List’ tells which Part D drugs are covered.”

Are there any restrictions on my coverage?

Some covered drugs may have additional requirements or limits on coverage. These requirements and limits may include:

- **Prior Authorization:** KelseyCare Advantage requires you or your prescriber to get prior authorization for certain drugs. This means that you will need to get approval from KelseyCare Advantage before you fill your prescriptions. If you don't get approval, KelseyCare Advantage may not cover the drug.
- **Quantity Limits:** For certain drugs, KelseyCare Advantage limits the amount of the drug that KelseyCare Advantage will cover. For example, KelseyCare Advantage provides 30 tablets per prescription for rosuvastatin. This may be in addition to a standard one-month or three-month supply.
- **Step Therapy:** In some cases, KelseyCare Advantage requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, KelseyCare Advantage may not cover Drug B unless you try Drug A first. If Drug A does not work for you, KelseyCare Advantage will then cover Drug B.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 1. You can also get more information about the restrictions applied to specific covered drugs by visiting our website. We have posted online documents that explain our prior authorization and step therapy restrictions. You may also ask us to send you a copy. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

You can ask KelseyCare Advantage to make an exception to these restrictions or limits or for a list of other, similar drugs that may treat your health condition. See the section, "How do I request an exception to KelseyCare Advantage's formulary?" on the next page for information about how to request an exception.

What if my drug is not on the Formulary?

If your drug is not included in this formulary (list of covered drugs), you should first contact Member Services and ask if your drug is covered.

If you learn that KelseyCare Advantage does not cover your drug, you have two options:

- You can ask Member Services for a list of similar drugs that are covered by KelseyCare Advantage. When you receive the list, show it to your doctor and ask them to prescribe a similar drug that is covered by KelseyCare Advantage.
- You can ask KelseyCare Advantage to make an exception and cover your drug. See below for information about how to request an exception.

How do I request an exception to KelseyCare Advantage's Formulary?

You can ask KelseyCare Advantage to make an exception to our coverage rules. There are several types of exceptions that you can ask us to make.

- You can ask us to cover a drug even if it is not on our formulary. If approved, this drug will be covered at a pre-determined cost-sharing level, and you would not be able to ask us to provide the drug at a lower cost-sharing level.
- You can ask us to waive a coverage restriction including prior authorization, step therapy, or a quantity limit on your drug. For example, for certain drugs, KelseyCare Advantage limits the amount of the drug that we will cover. If your drug has a quantity limit, you can ask us to waive the limit and cover a greater amount.
- You can ask us to cover a formulary drug at a lower cost-sharing level unless the drug is on a specialty tier.

Generally, KelseyCare Advantage will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost-sharing drug, or applying the restriction would not be as effective for you and/or would cause you to have adverse effects.

You or your prescriber should contact us to ask for a tiering or formulary exception, including an exception to a coverage restriction. **When you request an exception, your prescriber will need to explain the medical reasons why you need the exception.** Generally, we must make our decision within 72 hours of getting your prescriber's supporting statement. You can ask for an expedited (fast) decision if you believe, and we agree, that your health could be seriously harmed by waiting up to 72 hours for a decision. If we agree, or if your prescriber asks for a fast decision, we must give you a decision no later than 24 hours after we get your prescriber's supporting statement.

What can I do if my drug is not on the formulary or has a restriction?

As a new or continuing member in our plan you may be taking drugs that are not on our formulary. Or, you may be taking a drug that is on our formulary but has a coverage restriction, such as prior authorization. You should talk to your prescriber about requesting a coverage decision to show that you meet the criteria for approval, switching to an alternative drug that we cover, or requesting a formulary exception so that we will cover the drug you take. While you and your doctor determine the right course of action for you, we may cover your drug in certain cases during the first 90 days you are a member of our plan.

For each of your drugs that is not on our formulary or has a coverage restriction, we will cover a temporary 30-day supply. If your prescription is written for fewer days, we'll allow refills to provide up to a maximum 30-day supply of medication. If coverage is not approved, after your first 30-day supply, we will not pay for these drugs, even if you have been a member of the plan less than 90 days.

If you are a resident of a long-term care facility and you need a drug that is not on our formulary or if your ability to get your drugs is limited, but you are past the first 90 days of membership in our plan, we will cover a 31-day emergency supply of that drug while you pursue a formulary exception.

For more information

For more detailed information about your KelseyCare Advantage prescription drug coverage, please review your Evidence of Coverage and other plan materials.

If you have questions about KelseyCare Advantage please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages.

If you have general questions about Medicare prescription drug coverage, please call Medicare at 1-800-MEDICARE (1-800-633-4227) 24 hours a day/7 days a week. TTY users should call 1-877-486-2048. Or, visit <http://www.medicare.gov>.

KelseyCare Advantage Formulary

The formulary that begins on page 1 provides coverage information about the drugs covered by KelseyCare Advantage. If you have trouble finding your drug in the list, turn to the Index that begins on page 89.

The first column of the chart lists the drug name. Brand name drugs are capitalized (e.g., HUMALOG) and generic drugs are listed in lower-case italics (e.g., *metformin*).

The information in the Requirements/Limits column tells you if KelseyCare Advantage has any special requirements for coverage of your drug.

| Requirements/Limits | Helpful Tips |
|---------------------|---|
| B/D | Covered Under Medicare Part B or Part D. This prescription drug has a Part B versus Part D administrative prior authorization requirement. This drug may be covered under Medicare Part B or Part D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination. |
| PA | Prior Authorization. KelseyCare Advantage requires you or your physician to get prior authorization for certain drugs. This means you will need to get approval before you fill your prescriptions. If you do not get approval, your drug may not be covered. |
| QL | Quantity Limit. For certain drugs, KelseyCare Advantage limits the amount of the drug that will be covered. |
| ST | Step Therapy. In some cases, KelseyCare Advantage requires you to first try certain drugs to treat your medical condition before we will cover another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, Drug B may not be covered unless you try Drug A first. |

Next to the “Drug Name” column is a column labeled “**Tier**”. This identifies the tier to which the drug is assigned and will determine the amount you pay for your prescription. The amount you pay for your prescription drugs depends on the medication’s tier. Every drug on the plan’s Drug List is in one of six cost sharing tiers. In general, the higher the cost-sharing tier number, the higher your cost for the drug.

| Cost-Sharing Tier | Drugs Included in Tier |
|--------------------------|-------------------------------|
| Tier 1 | Preferred Generic |
| Tier 2 | Generic |
| Tier 3 | Preferred Brand |
| Tier 4 | Non-Preferred Drug |
| Tier 5 | Specialty Tier |
| Tier 6 | Select Care Drugs |

Tier 1 Preferred Generic

Includes preferred generic drugs. Generic drugs have the same active ingredient formula as a brand name drug. Generic drugs usually cost less than brand name drugs and are rated by the Food and Drug Administration (FDA) to be safe and effective as brand name drugs. Not all generic drugs on the drug list (formulary) are included in this tier.

Tier 2 Generic

Includes generics that are high-cost generic drugs and/or generic drugs only available from one manufacturer, and some brand drugs.

Tier 3 Preferred Brand

Includes preferred brand drugs and non-preferred generic drugs.

Tier 4 Non-Preferred Drug

Includes non-preferred brand and generic drugs.

Tier 5 Specialty Tier

Highest cost tier. Contains very high-cost brand and generic drugs that may require special handling and/or close monitoring. Specialty drugs may be brand or generic.

Tier 6 Select Care Drugs

Lowest-cost tier. Contains select care generic drugs for treating conditions such as diabetes, high blood pressure, and high cholesterol.

KelseyCare Advantage TWU Preferred Rx (HMO)

Preferred Cost-Sharing

| Tier | 30-Day Supply | 90-Day Supply |
|------|-----------------|-------------------|
| 1 | \$10.00 | \$0.00 |
| 2 | \$20.00 | \$40.00 |
| 3 | \$20.00 | \$40.00 |
| 4 | \$40.00 | \$80.00 |
| 5 | 25% coinsurance | N/A± |
| 6 | \$0.00 | \$0.00 [100-days] |

Standard Cost-Sharing

| Tier | 30-Day Supply | 90-Day Supply |
|------|-----------------|-------------------|
| 1 | \$15.00 | \$0.00 |
| 2 | \$25.00 | \$50.00 |
| 3 | \$25.00 | \$50.00 |
| 4 | \$50.00 | \$100.00 |
| 5 | 25% coinsurance | N/A± |
| 6 | \$0.00 | \$0.00 [100-days] |

±A long-term supply is not available for drugs in Tier 5.

KelseyCare Advantage's pharmacy network includes pharmacies that offer standard cost-sharing and pharmacies that offer preferred cost-sharing. You may go to either type of network pharmacy to receive your covered prescription drugs. Your cost-sharing may be less at pharmacies with preferred cost-sharing.

Important Message About What You Pay for Vaccines - Our plan covers most Part D vaccines at no cost to you, even if you haven't paid your deductible. Call Member Services for more information.

Message About What You Pay for Insulin - You won't pay more than \$35 for a one-month (30-day) supply of each insulin product covered by our plan, no matter what cost-sharing tier it's on, even if you haven't paid your deductible.

Comprehensive Member Formulary

KelseyCare Advantage

Effective: 08/01/2025

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------|
| Analgesics | | |
| Nonsteroidal Anti-inflammatory Drugs | | |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> | 3 | QL (60 EA per 30 days) |
| <i>diclofenac sodium external solution 1.5 %</i> | 4 | PA |
| <i>diclofenac sodium oral tablet delayed release 25 mg, 50 mg, 75 mg</i> | 2 | |
| <i>flurbiprofen oral tablet 100 mg</i> | 3 | |
| <i>ibu oral tablet 600 mg, 800 mg</i> | 1 | |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | 1 | |
| <i>indomethacin er oral capsule extended release 75 mg</i> | 3 | |
| <i>indomethacin oral capsule 25 mg, 50 mg</i> | 2 | |
| <i>ketorolac tromethamine oral tablet 10 mg</i> | 4 | QL (20 EA per 30 days) |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i> | 1 | |
| <i>nabumetone oral tablet 500 mg, 750 mg</i> | 2 | |
| <i>naproxen dr oral tablet delayed release 500 mg</i> | 4 | |
| <i>naproxen oral tablet 250 mg, 375 mg, 500 mg</i> | 1 | |
| <i>oxaprozin oral tablet 600 mg</i> | 4 | |
| <i>piroxicam oral capsule 10 mg, 20 mg</i> | 3 | |
| <i>sulindac oral tablet 150 mg, 200 mg</i> | 2 | |
| Opioid Analgesics, Long-acting | | |
| <i>buprenorphine transdermal patch weekly 10 mcg/hr, 15 mcg/hr, 20 mcg/hr, 5 mcg/hr, 7.5 mcg/hr</i> | 4 | QL (4 EA per 28 days) |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i> | 4 | |
| <i>methadone hcl oral solution 10 mg/5ml, 5 mg/5ml</i> | 3 | |
| <i>methadone hcl oral tablet 10 mg, 5 mg</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>morphine sulfate er oral tablet extended release 100 mg, 15 mg, 200 mg, 30 mg, 60 mg</i> | 3 | |
| <i>XTAMPZA ER ORAL CAPSULE ER 12 HOUR ABUSE-DETERRENT 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG</i> | 3 | |
| Opioid Analgesics, Short-acting | | |
| <i>acetaminophen-codeine oral solution 120-12 mg/5ml</i> | 2 | |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg, 300-60 mg</i> | 2 | |
| <i>endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 3 | |
| <i>hydrocodone-acetaminophen oral solution 7.5-325 mg/15ml</i> | 4 | |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 3 | |
| <i>hydromorphone hcl oral tablet 2 mg, 4 mg</i> | 3 | |
| <i>hydromorphone hcl oral tablet 8 mg</i> | 4 | |
| <i>hydromorphone hcl pf injection solution 10 mg/ml, 50 mg/5ml</i> | 4 | |
| <i>morphine sulfate (concentrate) oral solution 100 mg/5ml</i> | 3 | |
| <i>morphine sulfate oral solution 10 mg/5ml, 20 mg/5ml</i> | 3 | |
| <i>morphine sulfate oral tablet 15 mg, 30 mg</i> | 3 | |
| <i>oxycodone hcl oral solution 5 mg/5ml</i> | 4 | |
| <i>oxycodone hcl oral tablet 10 mg, 15 mg, 20 mg, 30 mg, 5 mg</i> | 3 | |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg</i> | 3 | |
| <i>tramadol hcl oral tablet 50 mg</i> | 2 | |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i> | 3 | |
| Anesthetics | | |
| Local Anesthetics | | |
| <i>lidocaine external ointment 5 %</i> | 4 | PA; QL (150 GM per 30 days) |
| <i>lidocaine external patch 5 %</i> | 4 | PA |
| <i>lidocaine-prilocaine external cream 2.5-2.5 %</i> | 3 | PA; QL (30 GM per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------|
| Anti-Addiction/Substance Abuse Treatment Agents | | |
| Alcohol Deterrents/Anti-craving | | |
| acamprosate calcium oral tablet delayed release 333 mg | 4 | |
| disulfiram oral tablet 250 mg, 500 mg | 3 | |
| naltrexone hcl oral tablet 50 mg | 2 | |
| VIVITROL INTRAMUSCULAR SUSPENSION RECONSTITUTED 380 MG | 5 | |
| Opioid Dependence | | |
| buprenorphine hcl sublingual tablet sublingual 2 mg, 8 mg | 3 | |
| buprenorphine hcl-naloxone hcl sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg | 4 | |
| buprenorphine hcl-naloxone hcl sublingual tablet sublingual 2-0.5 mg, 8-2 mg | 2 | |
| Opioid Reversal Agents | | |
| naloxone hcl injection solution 0.4 mg/ml | 2 | |
| naloxone hcl injection solution cartridge 0.4 mg/ml | 2 | |
| naloxone hcl injection solution prefilled syringe 2 mg/2ml | 3 | |
| OPVEE NASAL SOLUTION 2.7 MG/0.1ML | 3 | |
| Smoking Cessation Agents | | |
| bupropion hcl er (smoking det) oral tablet extended release 12 hour 150 mg | 3 | QL (60 EA per 30 days) |
| NICOTROL NS NASAL SOLUTION 10 MG/ML | 4 | QL (360 ML per 365 days) |
| TYRVAYA NASAL SOLUTION 0.03 MG/ACT | 4 | QL (8.4 ML per 30 days) |
| varenicline tartrate (starter) oral tablet therapy pack 0.5 mg x 11 & 1 mg x 42 | 4 | QL (504 EA per 365 days) |
| varenicline tartrate oral tablet 0.5 mg, 1 mg, 1 mg (56 pack) | 4 | QL (504 EA per 365 days) |
| Antibacterials | | |
| Aminoglycosides | | |
| amikacin sulfate injection solution 500 mg/2ml | 4 | |
| ARIKAYCE INHALATION SUSPENSION 590 MG/8.4ML | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| gentamicin sulfate external cream 0.1 % | 3 | |
| gentamicin sulfate external ointment 0.1 % | 3 | |
| gentamicin sulfate injection solution 40 mg/ml | 3 | |
| HUMATIN ORAL CAPSULE 250 MG | 5 | |
| neomycin sulfate oral tablet 500 mg | 2 | |
| streptomycin sulfate intramuscular solution reconstituted 1 gm | 5 | |
| tobramycin sulfate injection solution 10 mg/ml, 80 mg/2ml | 4 | |
| Antibacterials, Other | | |
| aztreonam injection solution reconstituted 1 gm | 4 | |
| aztreonam injection solution reconstituted 2 gm | 5 | |
| clindacin etz external swab 1 % | 3 | |
| clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg | 2 | |
| clindamycin palmitate hcl oral solution reconstituted 75 mg/5ml | 4 | |
| clindamycin phosphate external swab 1 % | 3 | |
| clindamycin phosphate injection solution 300 mg/2ml, 600 mg/4ml, 900 mg/6ml | 3 | |
| clindamycin phosphate vaginal cream 2 % | 4 | |
| colistimethate sodium (cba) injection solution reconstituted 150 mg | 5 | |
| daptomycin intravenous solution reconstituted 350 mg, 500 mg | 5 | |
| IMPAVIDO ORAL CAPSULE 50 MG | 5 | |
| linezolid intravenous solution 600 mg/300ml | 4 | |
| linezolid oral suspension reconstituted 100 mg/5ml | 5 | QL (1800 ML per 28 days) |
| linezolid oral tablet 600 mg | 4 | QL (56 EA per 28 days) |
| metronidazole intravenous solution 500 mg/100ml | 3 | |
| metronidazole oral tablet 250 mg, 500 mg | 2 | |
| metronidazole vaginal gel 0.75 % | 3 | |
| nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| <i>nitrofurantoin monohyd macro oral capsule 100 mg</i> | 3 | |
| <i>tigecycline intravenous solution reconstituted 50 mg</i> | 5 | |
| <i>tinidazole oral tablet 250 mg, 500 mg</i> | 4 | |
| <i>trimethoprim oral tablet 100 mg</i> | 3 | |
| <i>vancomycin hcl intravenous solution reconstituted 1 gm, 10 gm, 500 mg, 750 mg</i> | 4 | |
| <i>vancomycin hcl oral capsule 125 mg</i> | 4 | QL (120 EA per 30 days) |
| <i>vancomycin hcl oral capsule 250 mg</i> | 4 | QL (240 EA per 30 days) |
| Beta-lactam, Cephalosporins | | |
| <i>cefaclor oral capsule 250 mg, 500 mg</i> | 3 | |
| <i>cefadroxil oral capsule 500 mg</i> | 2 | |
| <i>cefadroxil oral suspension reconstituted 250 mg/5ml, 500 mg/5ml</i> | 3 | |
| <i>cefazolin sodium injection solution reconstituted 1 gm</i> | 4 | |
| <i>cefdinir oral capsule 300 mg</i> | 2 | |
| <i>cefdinir oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i> | 3 | |
| <i>cefepime hcl injection solution reconstituted 1 gm</i> | 4 | |
| <i>cefepime hcl intravenous solution reconstituted 2 gm</i> | 4 | |
| <i>cefixime oral capsule 400 mg</i> | 4 | |
| <i>cefotetan disodium injection solution reconstituted 1 gm, 2 gm</i> | 4 | |
| <i>cefoxitin sodium intravenous solution reconstituted 1 gm, 10 gm, 2 gm</i> | 4 | |
| <i>cefpodoxime proxetil oral suspension reconstituted 100 mg/5ml, 50 mg/5ml</i> | 4 | |
| <i>cefpodoxime proxetil oral tablet 100 mg, 200 mg</i> | 4 | |
| <i>cefprozil oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i> | 3 | |
| <i>cefprozil oral tablet 250 mg, 500 mg</i> | 3 | |
| <i>ceftazidime injection solution reconstituted 1 gm, 6 gm</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| ceftazidime intravenous solution reconstituted 2 gm | 4 | |
| ceftriaxone sodium injection solution reconstituted 1 gm, 2 gm, 250 mg, 500 mg | 4 | |
| ceftriaxone sodium intravenous solution reconstituted 10 gm | 4 | |
| cefuroxime axetil oral tablet 250 mg, 500 mg | 3 | |
| cefuroxime sodium injection solution reconstituted 750 mg | 3 | |
| cefuroxime sodium intravenous solution reconstituted 1.5 gm | 4 | |
| cephalexin oral capsule 250 mg, 500 mg | 2 | |
| cephalexin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml | 3 | |
| tazicef injection solution reconstituted 1 gm | 4 | |
| tazicef intravenous solution reconstituted 2 gm | 4 | |
| TAZICEF INTRAVENOUS SOLUTION RECONSTITUTED 6 GM | 4 | |
| TEFLARO INTRAVENOUS SOLUTION RECONSTITUTED 400 MG, 600 MG | 5 | |
| Beta-lactam, Penicillins | | |
| amoxicillin oral capsule 250 mg, 500 mg | 2 | |
| amoxicillin oral suspension reconstituted 125 mg/5ml, 200 mg/5ml, 250 mg/5ml, 400 mg/5ml | 2 | |
| amoxicillin oral tablet 500 mg, 875 mg | 2 | |
| amoxicillin oral tablet chewable 125 mg, 250 mg | 2 | |
| amoxicillin-pot clavulanate er oral tablet extended release 12 hour 1000-62.5 mg | 4 | |
| amoxicillin-pot clavulanate oral suspension reconstituted 200-28.5 mg/5ml, 400-57 mg/5ml, 600-42.9 mg/5ml | 3 | |
| amoxicillin-pot clavulanate oral suspension reconstituted 250-62.5 mg/5ml | 4 | |
| amoxicillin-pot clavulanate oral tablet 250-125 mg | 4 | |
| amoxicillin-pot clavulanate oral tablet 500-125 mg, 875-125 mg | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| ampicillin oral capsule 500 mg | 2 | |
| ampicillin sodium injection solution reconstituted 1 gm | 4 | |
| ampicillin sodium intravenous solution reconstituted 10 gm | 4 | |
| ampicillin-sulbactam sodium injection solution reconstituted 1.5 (1-0.5) gm, 3 (2-1) gm | 4 | |
| ampicillin-sulbactam sodium intravenous solution reconstituted 15 (10-5) gm | 4 | |
| AUGMENTIN ORAL SUSPENSION RECONSTITUTED 125-31.25 MG/5ML | 4 | |
| BICILLIN L-A INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1200000 UNIT/2ML, 2400000 UNIT/4ML, 600000 UNIT/ML | 4 | |
| dicloxacillin sodium oral capsule 250 mg, 500 mg | 3 | |
| nafcillin sodium injection solution reconstituted 1 gm, 2 gm | 4 | |
| nafcillin sodium intravenous solution reconstituted 10 gm | 5 | |
| penicillin g sodium injection solution reconstituted 5000000 unit | 5 | |
| penicillin v potassium oral solution reconstituted 125 mg/5ml, 250 mg/5ml | 2 | |
| penicillin v potassium oral tablet 250 mg, 500 mg | 2 | |
| piperacillin sod-tazobactam so intravenous solution reconstituted 2.25 (2-0.25) gm, 3.375 (3-0.375) gm, 4.5 (4-0.5) gm, 40.5 (36-4.5) gm | 4 | |
| Carbapenems | | |
| ertapenem sodium injection solution reconstituted 1 gm | 4 | |
| imipenem-cilastatin intravenous solution reconstituted 250 mg, 500 mg | 3 | |
| meropenem intravenous solution reconstituted 1 gm, 500 mg | 3 | |
| Macrolides | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>azithromycin intravenous solution reconstituted 500 mg</i> | 3 | |
| <i>azithromycin oral suspension reconstituted 100 mg/5ml, 200 mg/5ml</i> | 3 | |
| <i>azithromycin oral tablet 250 mg, 250 mg (6 pack)</i> | 2 | |
| <i>azithromycin oral tablet 500 mg, 500 mg (3 pack), 600 mg</i> | 3 | |
| <i>clarithromycin er oral tablet extended release 24 hour 500 mg</i> | 4 | |
| <i>clarithromycin oral suspension reconstituted 125 mg/5ml, 250 mg/5ml</i> | 4 | |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i> | 3 | |
| DIFICID ORAL TABLET 200 MG | 5 | |
| <i>erythromycin oral tablet delayed release 250 mg, 333 mg, 500 mg</i> | 4 | |
| Quinolones | | |
| <i>ciprofloxacin hcl oral tablet 250 mg, 500 mg, 750 mg</i> | 1 | |
| <i>ciprofloxacin in d5w intravenous solution 200 mg/100ml</i> | 3 | |
| <i>levofloxacin in d5w intravenous solution 500 mg/100ml, 750 mg/150ml</i> | 4 | |
| <i>levofloxacin oral solution 25 mg/ml</i> | 4 | |
| <i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i> | 2 | |
| <i>moxifloxacin hcl in nacl intravenous solution 400 mg/250ml</i> | 4 | |
| <i>moxifloxacin hcl oral tablet 400 mg</i> | 4 | |
| Sulfonamides | | |
| <i>sulfadiazine oral tablet 500 mg</i> | 5 | |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i> | 3 | |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg, 800-160 mg</i> | 2 | |
| Tetracyclines | | |
| <i>demeclocycline hcl oral tablet 150 mg, 300 mg</i> | 4 | |
| <i>doxy 100 intravenous solution reconstituted 100 mg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>doxycycline hyclate intravenous solution reconstituted 100 mg</i> | 4 | |
| <i>doxycycline hyclate oral capsule 100 mg, 50 mg</i> | 3 | |
| <i>doxycycline hyclate oral tablet 100 mg</i> | 3 | |
| <i>doxycycline monohydrate oral capsule 100 mg, 50 mg</i> | 2 | |
| <i>doxycycline monohydrate oral suspension reconstituted 25 mg/5ml</i> | 3 | |
| <i>doxycycline monohydrate oral tablet 100 mg, 50 mg</i> | 3 | |
| <i>minocycline hcl oral capsule 100 mg, 50 mg, 75 mg</i> | 3 | |
| <i>tetracycline hcl oral capsule 250 mg, 500 mg</i> | 4 | |
| Anticonvulsants | | |
| Anticonvulsants, Other | | |
| <i>BRIVIACT ORAL SOLUTION 10 MG/ML</i> | 5 | PA |
| <i>BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG</i> | 5 | PA |
| <i>EPIDIOLEX ORAL SOLUTION 100 MG/ML</i> | 5 | PA |
| <i>EPRONTIA ORAL SOLUTION 25 MG/ML</i> | 4 | |
| <i>felbamate oral suspension 600 mg/5ml</i> | 4 | |
| <i>felbamate oral tablet 400 mg, 600 mg</i> | 4 | |
| <i>FINTEPLA ORAL SOLUTION 2.2 MG/ML</i> | 5 | PA |
| <i>FYCOMPA ORAL SUSPENSION 0.5 MG/ML</i> | 5 | |
| <i>FYCOMPA ORAL TABLET 10 MG, 12 MG, 4 MG, 6 MG, 8 MG</i> | 5 | |
| <i>FYCOMPA ORAL TABLET 2 MG</i> | 4 | |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> | 2 | |
| <i>lamotrigine oral tablet chewable 25 mg, 5 mg</i> | 3 | |
| <i>lamotrigine starter kit-blue oral kit 35 x 25 mg</i> | 4 | |
| <i>lamotrigine starter kit-green oral kit 84 x 25 mg & 14x100 mg</i> | 4 | |
| <i>lamotrigine starter kit-orange oral kit 42 x 25 mg & 7 x 100 mg</i> | 4 | |
| <i>levetiracetam er oral tablet extended release 24 hour 500 mg, 750 mg</i> | 3 | |
| <i>levetiracetam oral solution 100 mg/ml</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| levetiracetam oral tablet 1000 mg, 250 mg, 500 mg, 750 mg | 3 | |
| levetiracetam oral tablet disintegrating soluble 250 mg | 4 | |
| NAYZILAM NASAL SOLUTION 5 MG/0.1ML | 4 | QL (10 EA per 30 days) |
| roweepra oral tablet 500 mg | 3 | |
| SPRITAM ORAL TABLET DISINTEGRATING SOLUBLE 1000 MG, 250 MG, 500 MG, 750 MG | 4 | |
| subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg | 2 | |
| subvenite starter kit-blue oral kit 35 x 25 mg | 4 | |
| subvenite starter kit-green oral kit 84 x 25 mg & 14x100 mg | 4 | |
| subvenite starter kit-orange oral kit 42 x 25 mg & 7 x 100 mg | 4 | |
| topiramate oral capsule sprinkle 15 mg, 25 mg, 50 mg | 3 | |
| topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg | 2 | |
| valproic acid oral capsule 250 mg | 3 | |
| valproic acid oral solution 250 mg/5ml | 3 | |
| Calcium Channel Modifying Agents | | |
| ethosuximide oral capsule 250 mg | 3 | |
| ethosuximide oral solution 250 mg/5ml | 3 | |
| methsuximide oral capsule 300 mg | 4 | |
| Gamma-aminobutyric Acid (GABA) Modulating Agents | | |
| clobazam oral suspension 2.5 mg/ml | 4 | |
| clobazam oral tablet 10 mg, 20 mg | 4 | |
| clonazepam oral tablet 0.5 mg, 1 mg | 2 | QL (90 EA per 30 days) |
| clonazepam oral tablet 2 mg | 2 | QL (300 EA per 30 days) |
| clonazepam oral tablet dispersible 0.125 mg, 0.25 mg, 0.5 mg, 1 mg | 4 | QL (90 EA per 30 days) |
| clonazepam oral tablet dispersible 2 mg | 4 | QL (300 EA per 30 days) |
| DIACOMIT ORAL CAPSULE 250 MG, 500 MG | 5 | PA |
| DIACOMIT ORAL PACKET 250 MG, 500 MG | 5 | PA |
| diazepam rectal gel 10 mg, 2.5 mg, 20 mg | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| divalproex sodium er oral tablet extended release 24 hour 250 mg, 500 mg | 3 | |
| divalproex sodium oral capsule delayed release sprinkle 125 mg | 4 | |
| divalproex sodium oral tablet delayed release 125 mg, 250 mg, 500 mg | 2 | |
| gabapentin oral capsule 100 mg, 300 mg | 2 | QL (360 EA per 30 days) |
| gabapentin oral capsule 400 mg | 2 | QL (270 EA per 30 days) |
| gabapentin oral solution 250 mg/5ml | 4 | QL (2160 ML per 30 days) |
| gabapentin oral tablet 600 mg | 2 | QL (180 EA per 30 days) |
| gabapentin oral tablet 800 mg | 2 | QL (150 EA per 30 days) |
| phenobarbital oral elixir 20 mg/5ml | 4 | |
| phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg | 4 | |
| pregabalin oral capsule 100 mg, 150 mg, 200 mg, 225 mg, 25 mg, 50 mg, 75 mg | 3 | QL (90 EA per 30 days) |
| pregabalin oral capsule 300 mg | 3 | QL (60 EA per 30 days) |
| pregabalin oral solution 20 mg/ml | 4 | QL (900 ML per 30 days) |
| primidone oral tablet 125 mg, 250 mg, 50 mg | 2 | |
| SYMPAZAN ORAL FILM 10 MG, 20 MG | 5 | |
| SYMPAZAN ORAL FILM 5 MG | 4 | |
| tiagabine hcl oral tablet 12 mg, 16 mg, 2 mg, 4 mg | 4 | |
| VALTOCO 10 MG DOSE NASAL LIQUID 10 MG/0.1ML | 5 | QL (10 EA per 30 days) |
| VALTOCO 15 MG DOSE NASAL LIQUID THERAPY PACK 2 X 7.5 MG/0.1ML | 5 | QL (10 EA per 30 days) |
| VALTOCO 20 MG DOSE NASAL LIQUID THERAPY PACK 2 X 10 MG/0.1ML | 5 | QL (10 EA per 30 days) |
| VALTOCO 5 MG DOSE NASAL LIQUID 5 MG/0.1ML | 5 | QL (10 EA per 30 days) |
| vigabatrin oral packet 500 mg | 5 | PA |
| vigabatrin oral tablet 500 mg | 5 | PA |
| vigadroner oral packet 500 mg | 5 | PA |
| vigadroner oral tablet 500 mg | 5 | PA |
| VIGAFYDE ORAL SOLUTION 100 MG/ML | 5 | PA |
| vigpoder oral packet 500 mg | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| ZTALMY ORAL SUSPENSION 50 MG/ML | 5 | PA |
| Sodium Channel Agents | | |
| APTIOM ORAL TABLET 200 MG, 400 MG, 600 MG, 800 MG | 5 | |
| <i>carbamazepine er oral capsule extended release 12 hour 100 mg, 200 mg, 300 mg</i> | 4 | |
| <i>carbamazepine er oral tablet extended release 12 hour 100 mg, 200 mg, 400 mg</i> | 4 | |
| <i>carbamazepine oral suspension 100 mg/5ml</i> | 4 | |
| <i>carbamazepine oral tablet 200 mg</i> | 3 | |
| <i>carbamazepine oral tablet chewable 100 mg</i> | 3 | |
| DILANTIN ORAL CAPSULE 30 MG | 4 | |
| <i>epitol oral tablet 200 mg</i> | 3 | |
| <i>eslicarbazepine acetate oral tablet 200 mg, 400 mg, 600 mg, 800 mg</i> | 4 | |
| <i>lacosamide oral solution 10 mg/ml</i> | 4 | |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> | 4 | |
| <i>oxcarbazepine oral suspension 300 mg/5ml</i> | 4 | |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> | 3 | |
| PHENYTEK ORAL CAPSULE 200 MG, 300 MG | 4 | |
| <i>phenytoin oral suspension 125 mg/5ml</i> | 3 | |
| <i>phenytoin oral tablet chewable 50 mg</i> | 3 | |
| <i>phenytoin sodium extended oral capsule 100 mg</i> | 3 | |
| <i>rufinamide oral suspension 40 mg/ml</i> | 5 | |
| <i>rufinamide oral tablet 200 mg</i> | 4 | |
| <i>rufinamide oral tablet 400 mg</i> | 5 | |
| XCOPRI (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 100 & 150 MG | 5 | PA |
| XCOPRI (350 MG DAILY DOSE) ORAL TABLET THERAPY PACK 150 & 200 MG | 5 | PA |
| XCOPRI ORAL TABLET 100 MG, 150 MG, 200 MG, 25 MG, 50 MG | 5 | PA |
| XCOPRI ORAL TABLET THERAPY PACK 14 X 12.5 MG & 14 X 25 MG | 4 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| XCOPRI ORAL TABLET THERAPY PACK 14 X 150 MG & 14 X200 MG, 14 X 50 MG & 14 X100 MG | 5 | PA |
| ZONISADE ORAL SUSPENSION 100 MG/5ML | 4 | ST |
| <i>zonisamide oral capsule 100 mg, 25 mg, 50 mg</i> | 2 | |
| Antidementia Agents | | |
| Antidementia Agents, Other | | |
| <i>memantine hcl-donepezil hcl oral capsule extended release 24 hour 14-10 mg, 21-10 mg, 28-10 mg</i> | 3 | QL (30 EA per 30 days) |
| NAMZARIC ORAL CAPSULE EXTENDED RELEASE 24 HOUR 14-10 MG, 21-10 MG, 28-10 MG, 7-10 MG | 3 | QL (30 EA per 30 days) |
| Cholinesterase Inhibitors | | |
| <i>donepezil hcl oral tablet 10 mg, 5 mg</i> | 2 | |
| <i>donepezil hcl oral tablet dispersible 10 mg, 5 mg</i> | 2 | |
| <i>galantamine hydrobromide er oral capsule extended release 24 hour 16 mg, 24 mg, 8 mg</i> | 4 | |
| <i>galantamine hydrobromide oral solution 4 mg/ml</i> | 4 | |
| <i>galantamine hydrobromide oral tablet 12 mg, 4 mg, 8 mg</i> | 4 | |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i> | 3 | |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24hr, 4.6 mg/24hr, 9.5 mg/24hr</i> | 4 | |
| N-methyl-D-aspartate (NMDA) Receptor Antagonist | | |
| <i>memantine hcl oral tablet 10 mg, 28 x 5 mg & 21 x 10 mg, 5 mg</i> | 2 | |
| Antidepressants | | |
| Antidepressants, Other | | |
| AUVELITY ORAL TABLET EXTENDED RELEASE 45-105 MG | 4 | ST; QL (60 EA per 30 days) |
| <i>bupropion hcl er (sr) oral tablet extended release 12 hour 100 mg</i> | 3 | QL (90 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| bupropion hcl er (sr) oral tablet extended release 12 hour 150 mg, 200 mg | 3 | QL (60 EA per 30 days) |
| bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg | 2 | QL (90 EA per 30 days) |
| bupropion hcl er (xl) oral tablet extended release 24 hour 300 mg | 2 | QL (30 EA per 30 days) |
| bupropion hcl oral tablet 100 mg, 75 mg | 3 | |
| mirtazapine oral tablet 15 mg, 30 mg, 45 mg | 2 | |
| mirtazapine oral tablet 7.5 mg | 3 | |
| mirtazapine oral tablet dispersible 15 mg, 30 mg, 45 mg | 3 | |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG | 5 | PA; QL (28 EA per 14 days) |
| ZURZUVAE ORAL CAPSULE 30 MG | 5 | PA; QL (14 EA per 14 days) |
| Monoamine Oxidase Inhibitors | | |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24HR, 6 MG/24HR, 9 MG/24HR | 5 | ST; QL (30 EA per 30 days) |
| MARPLAN ORAL TABLET 10 MG | 4 | |
| phenelzine sulfate oral tablet 15 mg | 3 | |
| tranylcypromine sulfate oral tablet 10 mg | 4 | |
| SSRIs/SNRIs (Selective Serotonin Reuptake Inhibitors/Serotonin and Norepinephrine Reuptake Inhibitor | | |
| citalopram hydrobromide oral solution 10 mg/5ml | 4 | |
| citalopram hydrobromide oral tablet 10 mg, 20 mg, 40 mg | 1 | |
| desvenlafaxine succinate er oral tablet extended release 24 hour 100 mg | 4 | QL (120 EA per 30 days) |
| desvenlafaxine succinate er oral tablet extended release 24 hour 25 mg, 50 mg | 4 | QL (30 EA per 30 days) |
| DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 20 MG, 60 MG | 4 | QL (60 EA per 30 days) |
| DRIZALMA SPRINKLE ORAL CAPSULE DELAYED RELEASE SPRINKLE 30 MG, 40 MG | 4 | QL (90 EA per 30 days) |
| duloxetine hcl oral capsule delayed release particles 20 mg, 60 mg | 2 | QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| duloxetine hcl oral capsule delayed release particles 30 mg | 2 | QL (90 EA per 30 days) |
| escitalopram oxalate oral solution 5 mg/5ml | 4 | |
| escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg | 2 | |
| FETZIMA ORAL CAPSULE EXTENDED RELEASE 24 HOUR 120 MG, 20 MG, 40 MG, 80 MG | 4 | ST; QL (30 EA per 30 days) |
| FETZIMA TITRATION ORAL CAPSULE ER 24 HOUR THERAPY PACK 20 & 40 MG | 4 | ST; QL (56 EA per 365 days) |
| fluoxetine hcl oral capsule 10 mg, 20 mg, 40 mg | 1 | |
| fluoxetine hcl oral solution 20 mg/5ml | 4 | |
| fluvoxamine maleate oral tablet 100 mg, 25 mg, 50 mg | 3 | |
| nefazodone hcl oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg | 4 | |
| paroxetine hcl oral suspension 10 mg/5ml | 4 | |
| paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg | 2 | |
| RALDESY ORAL SOLUTION 10 MG/ML | 5 | |
| sertraline hcl oral concentrate 20 mg/ml | 3 | |
| sertraline hcl oral tablet 100 mg, 25 mg, 50 mg | 1 | |
| trazodone hcl oral tablet 100 mg, 150 mg, 50 mg | 2 | |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG | 4 | QL (30 EA per 30 days) |
| venlafaxine hcl er oral capsule extended release 24 hour 150 mg, 37.5 mg, 75 mg | 2 | |
| venlafaxine hcl oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg | 2 | |
| vilazodone hcl oral tablet 10 mg, 20 mg, 40 mg | 4 | QL (30 EA per 30 days) |
| Tricyclics | | |
| amitriptyline hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg | 3 | |
| amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| clomipramine hcl oral capsule 25 mg, 50 mg, 75 mg | 4 | |
| desipramine hcl oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg | 4 | |
| doxepin hcl oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg | 3 | |
| doxepin hcl oral concentrate 10 mg/ml | 4 | |
| imipramine hcl oral tablet 10 mg, 25 mg, 50 mg | 4 | |
| nortriptyline hcl oral capsule 10 mg, 25 mg, 50 mg, 75 mg | 2 | |
| nortriptyline hcl oral solution 10 mg/5ml | 4 | |
| protriptyline hcl oral tablet 10 mg, 5 mg | 4 | |
| trimipramine maleate oral capsule 100 mg, 25 mg, 50 mg | 4 | |
| Antiemetics | | |
| Antiemetics, Other | | |
| compro rectal suppository 25 mg | 4 | |
| meclizine hcl oral tablet 12.5 mg, 25 mg | 4 | |
| prochlorperazine maleate oral tablet 10 mg, 5 mg | 2 | |
| prochlorperazine rectal suppository 25 mg | 4 | |
| promethazine hcl oral solution 6.25 mg/5ml | 3 | |
| promethazine hcl oral tablet 12.5 mg, 25 mg, 50 mg | 3 | |
| promethazine hcl rectal suppository 12.5 mg, 25 mg | 4 | |
| promethegan rectal suppository 25 mg | 4 | |
| scopolamine transdermal patch 72 hour 1 mg/3days | 4 | |
| Emetogenic Therapy Adjuncts | | |
| aprepitant oral capsule 125 mg | 4 | B/D; QL (2 EA per 30 days) |
| aprepitant oral capsule 40 mg | 4 | B/D; QL (1 EA per 30 days) |
| aprepitant oral capsule 80 & 125 mg | 4 | B/D; QL (6 EA per 30 days) |
| aprepitant oral capsule 80 mg | 4 | B/D; QL (8 EA per 30 days) |
| dronabinol oral capsule 10 mg, 2.5 mg, 5 mg | 4 | PA; QL (60 EA per 30 days) |
| ondansetron hcl oral solution 4 mg/5ml | 4 | B/D; QL (450 ML per 30 days) |
| ondansetron hcl oral tablet 4 mg, 8 mg | 3 | B/D |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| ondansetron oral tablet dispersible 4 mg, 8 mg | 3 | B/D |
| Antifungals | | |
| Antifungals | | |
| ABELCET INTRAVENOUS SUSPENSION 5 MG/ML | 4 | B/D |
| amphotericin b intravenous solution reconstituted 50 mg | 4 | B/D |
| amphotericin b liposome intravenous suspension reconstituted 50 mg | 5 | B/D |
| caspofungin acetate intravenous solution reconstituted 50 mg | 4 | |
| CASPOFUNGIN ACETATE INTRAVENOUS SOLUTION RECONSTITUTED 70 MG | 4 | |
| clotrimazole external cream 1 % | 2 | QL (90 GM per 30 days) |
| clotrimazole mouth/throat troche 10 mg | 3 | |
| econazole nitrate external cream 1 % | 2 | |
| fluconazole in sodium chloride intravenous solution 200-0.9 mg/100ml-%, 400-0.9 mg/200ml-% | 3 | |
| fluconazole oral suspension reconstituted 10 mg/ml, 40 mg/ml | 3 | |
| fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg | 2 | |
| flucytosine oral capsule 250 mg, 500 mg | 5 | |
| griseofulvin microsize oral suspension 125 mg/5ml | 4 | |
| griseofulvin microsize oral tablet 500 mg | 4 | |
| griseofulvin ultramicrosize oral tablet 125 mg, 250 mg | 4 | |
| itraconazole oral capsule 100 mg | 4 | PA |
| JUBLIA EXTERNAL SOLUTION 10 % | 5 | |
| ketoconazole external cream 2 % | 3 | QL (90 GM per 30 days) |
| ketoconazole external shampoo 2 % | 2 | |
| ketoconazole oral tablet 200 mg | 3 | |
| nyamyc external powder 100000 unit/gm | 3 | QL (120 GM per 30 days) |
| nystatin external cream 100000 unit/gm | 2 | |
| nystatin external ointment 100000 unit/gm | 2 | |
| nystatin external powder 100000 unit/gm | 3 | QL (120 GM per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------|
| nystatin mouth/throat suspension 100000 unit/ml | 2 | |
| nystatin oral tablet 500000 unit | 3 | |
| nystop external powder 100000 unit/gm | 3 | QL (120 GM per 30 days) |
| posaconazole oral suspension 40 mg/ml | 5 | PA |
| posaconazole oral tablet delayed release 100 mg | 5 | PA |
| terbinafine hcl oral tablet 250 mg | 2 | QL (84 EA per 180 days) |
| terconazole vaginal cream 0.4 %, 0.8 % | 3 | |
| voriconazole intravenous solution reconstituted 200 mg | 5 | PA |
| voriconazole oral suspension reconstituted 40 mg/ml | 5 | |
| voriconazole oral tablet 200 mg, 50 mg | 4 | |
| Antigout Agents | | |
| Antigout Agents | | |
| allopurinol oral tablet 100 mg, 300 mg | 2 | |
| colchicine oral tablet 0.6 mg | 3 | |
| colchicine-probenecid oral tablet 0.5-500 mg | 3 | |
| probenecid oral tablet 500 mg | 3 | |
| Antimigraine Agents | | |
| Calcitonin Gene-Related Peptide (CGRP) Receptor Antagonists | | |
| AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML | 3 | PA; QL (1 ML per 28 days) |
| AIMOVIG SUBCUTANEOUS SOLUTION AUTO-INJECTOR 70 MG/ML | 3 | PA; QL (2 ML per 28 days) |
| EMGALITY (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | 5 | PA; QL (3 ML per 28 days) |
| EMGALITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 120 MG/ML | 3 | PA; QL (2 ML per 28 days) |
| EMGALITY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 120 MG/ML | 3 | PA; QL (2 ML per 28 days) |
| QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG | 5 | PA; QL (30 EA per 30 days) |
| UBRELVY ORAL TABLET 100 MG, 50 MG | 5 | PA; QL (16 EA per 30 days) |
| Ergot Alkaloids | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------|
| dihydroergotamine mesylate nasal solution 4 mg/ml | 5 | PA; QL (8 ML per 30 days) |
| ergotamine-caffeine oral tablet 1-100 mg | 3 | QL (24 EA per 28 days) |
| Prophylactic | | |
| timolol maleate oral tablet 10 mg, 20 mg, 5 mg | 3 | |
| Serotonin (5-HT) Receptor Agonist | | |
| rizatriptan benzoate oral tablet 10 mg, 5 mg | 3 | QL (18 EA per 30 days) |
| rizatriptan benzoate oral tablet dispersible 10 mg, 5 mg | 3 | QL (18 EA per 30 days) |
| sumatriptan nasal solution 20 mg/act, 5 mg/act | 4 | QL (12 EA per 30 days) |
| sumatriptan succinate oral tablet 100 mg, 25 mg, 50 mg | 2 | QL (9 EA per 30 days) |
| sumatriptan succinate refill subcutaneous solution cartridge 6 mg/0.5ml | 4 | QL (5 ML per 30 days) |
| sumatriptan succinate subcutaneous solution 6 mg/0.5ml | 4 | QL (5 ML per 30 days) |
| sumatriptan succinate subcutaneous solution auto-injector 6 mg/0.5ml | 4 | QL (5 ML per 30 days) |
| zolmitriptan oral tablet 2.5 mg, 5 mg | 4 | QL (12 EA per 30 days) |
| Antimyasthenic Agents | | |
| Parasympathomimetics | | |
| pyridostigmine bromide oral tablet 60 mg | 3 | |
| Antimycobacterials | | |
| Antimycobacterials, Other | | |
| dapsone oral tablet 100 mg, 25 mg | 3 | |
| rifabutin oral capsule 150 mg | 4 | |
| Antituberculars | | |
| cycloserine oral capsule 250 mg | 5 | |
| ethambutol hcl oral tablet 100 mg, 400 mg | 3 | |
| isoniazid oral syrup 50 mg/5ml | 4 | |
| isoniazid oral tablet 100 mg, 300 mg | 1 | |
| PRIFTIN ORAL TABLET 150 MG | 4 | |
| pyrazinamide oral tablet 500 mg | 4 | |
| rifampin intravenous solution reconstituted 600 mg | 4 | |
| rifampin oral capsule 150 mg, 300 mg | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| SIRTURO ORAL TABLET 100 MG, 20 MG | 5 | |
| TRECATOR ORAL TABLET 250 MG | 4 | |
| Antineoplastics | | |
| Alkylating Agents | | |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i> | 3 | B/D |
| GLEOSTINE ORAL CAPSULE 10 MG, 40 MG | 4 | |
| GLEOSTINE ORAL CAPSULE 100 MG | 5 | |
| LEUKERAN ORAL TABLET 2 MG | 5 | |
| MATULANE ORAL CAPSULE 50 MG | 5 | |
| VALCHLOR EXTERNAL GEL 0.016 % | 5 | PA |
| Antiandrogens | | |
| <i>abiraterone acetate oral tablet 250 mg, 500 mg</i> | 5 | PA |
| <i>abirtega oral tablet 250 mg</i> | 2 | PA |
| <i>bicalutamide oral tablet 50 mg</i> | 2 | |
| ERLEADA ORAL TABLET 240 MG, 60 MG | 5 | PA |
| EULEXIN ORAL CAPSULE 125 MG | 4 | |
| <i>nilutamide oral tablet 150 mg</i> | 5 | |
| NUBEQA ORAL TABLET 300 MG | 5 | PA |
| XTANDI ORAL CAPSULE 40 MG | 5 | PA |
| XTANDI ORAL TABLET 40 MG, 80 MG | 5 | PA |
| Antiangiogenic Agents | | |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> | 5 | PA |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG | 5 | PA |
| REVLIMID ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG | 5 | PA |
| THALOMID ORAL CAPSULE 100 MG, 50 MG | 5 | PA |
| Antiestrogens/Modifiers | | |
| ORSERDU ORAL TABLET 345 MG, 86 MG | 5 | PA |
| SOLTAMOX ORAL SOLUTION 10 MG/5ML | 5 | |
| <i>tamoxifen citrate oral tablet 10 mg, 20 mg</i> | 2 | |
| <i>toremifene citrate oral tablet 60 mg</i> | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------|
| Antimetabolites | | |
| hydroxyurea oral capsule 500 mg | 2 | |
| mercaptopurine oral suspension 2000 mg/100ml | 5 | |
| mercaptopurine oral tablet 50 mg | 4 | |
| PURIXAN ORAL SUSPENSION 2000 MG/100ML | 5 | |
| TABLOID ORAL TABLET 40 MG | 5 | |
| Antineoplastics, Other | | |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG | 5 | PA |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG | 5 | PA |
| INREBIC ORAL CAPSULE 100 MG | 5 | PA |
| ITOVEBI ORAL TABLET 3 MG | 5 | PA; QL (60 EA per 30 days) |
| ITOVEBI ORAL TABLET 9 MG | 5 | PA |
| IWILFIN ORAL TABLET 192 MG | 5 | PA |
| KISQALI FEMARA (400 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG | 5 | PA |
| KISQALI FEMARA (600 MG DOSE) ORAL TABLET THERAPY PACK 200 & 2.5 MG | 5 | PA |
| LAZCLUZE ORAL TABLET 240 MG | 5 | PA |
| LAZCLUZE ORAL TABLET 80 MG | 5 | PA; QL (60 EA per 30 days) |
| leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg | 3 | |
| LONSURF ORAL TABLET 15-6.14 MG, 20-8.19 MG | 5 | PA |
| LYSODREN ORAL TABLET 500 MG | 5 | |
| OGSIVEO ORAL TABLET 100 MG, 150 MG, 50 MG | 5 | PA |
| OJEMDA ORAL SUSPENSION RECONSTITUTED 25 MG/ML | 5 | PA |
| OJEMDA ORAL TABLET 100 MG, 100 MG (16 PACK), 100 MG (24 PACK) | 5 | PA |
| ONUREG ORAL TABLET 200 MG, 300 MG | 5 | PA |
| REVUFORJ ORAL TABLET 110 MG, 160 MG, 25 MG | 5 | PA |
| VONJO ORAL CAPSULE 100 MG | 5 | PA |
| ZOLINZA ORAL CAPSULE 100 MG | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| Aromatase Inhibitors, 3rd Generation | | |
| <i>anastrozole oral tablet 1 mg</i> | 2 | |
| <i>exemestane oral tablet 25 mg</i> | 3 | |
| <i>letrozole oral tablet 2.5 mg</i> | 2 | |
| Molecular Target Inhibitors | | |
| ALECENSA ORAL CAPSULE 150 MG | 5 | PA |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG | 5 | PA; QL (30 EA per 30 days) |
| ALUNBRIG ORAL TABLET 30 MG | 5 | PA; QL (120 EA per 30 days) |
| ALUNBRIG ORAL TABLET THERAPY PACK 90 & 180 MG | 5 | PA; QL (60 EA per 365 days) |
| AUGTYRO ORAL CAPSULE 160 MG, 40 MG | 5 | PA |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG | 5 | PA; QL (30 EA per 30 days) |
| BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG | 5 | PA |
| BOSULIF ORAL CAPSULE 100 MG, 50 MG | 5 | PA |
| BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG | 5 | PA |
| BRAFTOVI ORAL CAPSULE 75 MG | 5 | PA |
| BRUKINSA ORAL CAPSULE 80 MG | 5 | PA |
| CABOMETYX ORAL TABLET 20 MG | 5 | PA; QL (30 EA per 30 days) |
| CABOMETYX ORAL TABLET 40 MG, 60 MG | 5 | PA |
| CALQUENCE ORAL CAPSULE 100 MG | 5 | PA |
| CALQUENCE ORAL TABLET 100 MG | 5 | PA |
| CAPRELSA ORAL TABLET 100 MG | 5 | PA; QL (60 EA per 30 days) |
| CAPRELSA ORAL TABLET 300 MG | 5 | PA |
| COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG | 5 | PA |
| COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG | 5 | PA |
| COMETRIQ (60 MG DAILY DOSE) ORAL KIT 20 MG | 5 | PA |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG | 5 | PA |
| COTELLIC ORAL TABLET 20 MG | 5 | PA |
| DANZITEN ORAL TABLET 71 MG, 95 MG | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| <i>dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg</i> | 5 | PA |
| DAURISMO ORAL TABLET 100 MG, 25 MG | 5 | PA |
| ERIVEDGE ORAL CAPSULE 150 MG | 5 | PA |
| <i>erlotinib hcl oral tablet 100 mg, 150 mg, 25 mg</i> | 5 | PA |
| <i>everolimus oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i> | 5 | PA; QL (30 EA per 30 days) |
| <i>everolimus oral tablet soluble 2 mg, 3 mg, 5 mg</i> | 5 | PA |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG | 5 | PA |
| FRUZAQLA ORAL CAPSULE 1 MG, 5 MG | 5 | PA |
| GAVRETO ORAL CAPSULE 100 MG | 5 | PA |
| <i>gefitinib oral tablet 250 mg</i> | 5 | PA |
| GILOTrif ORAL TABLET 20 MG, 30 MG, 40 MG | 5 | PA; QL (30 EA per 30 days) |
| GOMEKLI ORAL CAPSULE 1 MG, 2 MG | 5 | PA |
| GOMEKLI ORAL TABLET SOLUBLE 1 MG | 5 | PA |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG | 5 | PA |
| ICLUSIG ORAL TABLET 10 MG, 15 MG | 5 | PA; QL (30 EA per 30 days) |
| ICLUSIG ORAL TABLET 30 MG, 45 MG | 5 | PA |
| IDHIFA ORAL TABLET 100 MG, 50 MG | 5 | PA; QL (30 EA per 30 days) |
| <i>imatinib mesylate oral tablet 100 mg</i> | 3 | PA |
| <i>imatinib mesylate oral tablet 400 mg</i> | 5 | PA |
| IMBRUVICA ORAL CAPSULE 140 MG, 70 MG | 5 | PA |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML | 5 | PA |
| IMBRUVICA ORAL TABLET 420 MG | 5 | PA |
| IMKELDI ORAL SOLUTION 80 MG/ML | 5 | PA |
| INLYTA ORAL TABLET 1 MG, 5 MG | 5 | PA |
| INQOVI ORAL TABLET 35-100 MG | 5 | PA |
| JAKAFI ORAL TABLET 10 MG | 5 | PA; QL (60 EA per 30 days) |
| JAKAFI ORAL TABLET 15 MG, 20 MG, 25 MG, 5 MG | 5 | PA |
| JAYPIRCA ORAL TABLET 100 MG | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| JAYPIRCA ORAL TABLET 50 MG | 5 | PA; QL (30 EA per 30 days) |
| KISQALI (200 MG DOSE) ORAL TABLET THERAPY PACK 200 MG | 5 | PA |
| KISQALI (400 MG DOSE) ORAL TABLET THERAPY PACK 200 MG | 5 | PA |
| KISQALI (600 MG DOSE) ORAL TABLET THERAPY PACK 200 MG | 5 | PA |
| KOSELUGO ORAL CAPSULE 10 MG, 25 MG | 5 | PA |
| KRAZATI ORAL TABLET 200 MG | 5 | PA |
| <i>lapatinib ditosylate oral tablet 250 mg</i> | 5 | PA |
| LENVIMA (10 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG | 5 | PA |
| LENVIMA (12 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 3 X 4 MG | 5 | PA |
| LENVIMA (14 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 & 4 MG | 5 | PA |
| LENVIMA (18 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 10 MG & 2 X 4 MG | 5 | PA |
| LENVIMA (20 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG | 5 | PA |
| LENVIMA (24 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 10 MG & 4 MG | 5 | PA |
| LENVIMA (4 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 4 MG | 5 | PA |
| LENVIMA (8 MG DAILY DOSE) ORAL CAPSULE THERAPY PACK 2 X 4 MG | 5 | PA |
| LORBRENA ORAL TABLET 100 MG, 25 MG | 5 | PA |
| LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG | 5 | PA |
| LYNPARZA ORAL TABLET 100 MG, 150 MG | 5 | PA |
| LYTGOBI (12 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG | 5 | PA |
| LYTGOBI (16 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG | 5 | PA |
| LYTGOBI (20 MG DAILY DOSE) ORAL TABLET THERAPY PACK 4 MG | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| MEKINIST ORAL SOLUTION RECONSTITUTED 0.05 MG/ML | 5 | PA |
| MEKINIST ORAL TABLET 0.5 MG, 2 MG | 5 | PA |
| MEKTOVI ORAL TABLET 15 MG | 5 | PA |
| NERLYNX ORAL TABLET 40 MG | 5 | PA; QL (180 EA per 30 days) |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG | 5 | PA |
| ODOMZO ORAL CAPSULE 200 MG | 5 | PA |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG | 5 | PA |
| <i>pazopanib hcl oral tablet 200 mg</i> | 5 | PA |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG | 5 | PA; QL (30 EA per 30 days) |
| PIQRAY (200 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 MG | 5 | PA |
| PIQRAY (250 MG DAILY DOSE) ORAL TABLET THERAPY PACK 200 & 50 MG | 5 | PA |
| PIQRAY (300 MG DAILY DOSE) ORAL TABLET THERAPY PACK 2 X 150 MG | 5 | PA |
| QINLOCK ORAL TABLET 50 MG | 5 | PA |
| RETEVMO ORAL CAPSULE 40 MG | 5 | PA |
| RETEVMO ORAL TABLET 120 MG, 160 MG | 5 | PA |
| RETEVMO ORAL TABLET 40 MG | 5 | PA; QL (90 EA per 30 days) |
| RETEVMO ORAL TABLET 80 MG | 5 | PA; QL (60 EA per 30 days) |
| REZLIDHIA ORAL CAPSULE 150 MG | 5 | PA |
| ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG | 5 | PA |
| ROZLYTREK ORAL CAPSULE 100 MG, 200 MG | 5 | PA |
| ROZLYTREK ORAL PACKET 50 MG | 5 | PA |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG | 5 | PA |
| RYDAPT ORAL CAPSULE 25 MG | 5 | PA |
| SCEMBLIX ORAL TABLET 100 MG | 5 | PA; QL (120 EA per 30 days) |
| SCEMBLIX ORAL TABLET 20 MG | 5 | PA; QL (60 EA per 30 days) |
| SCEMBLIX ORAL TABLET 40 MG | 5 | PA |
| <i>sorafenib tosylate oral tablet 200 mg</i> | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| SPRYCEL ORAL TABLET 100 MG, 140 MG, 20 MG, 50 MG, 70 MG, 80 MG | 5 | PA |
| STIVARGA ORAL TABLET 40 MG | 5 | PA |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> | 5 | PA |
| TABRECTA ORAL TABLET 150 MG, 200 MG | 5 | PA; QL (120 EA per 30 days) |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG | 5 | PA |
| TAFINLAR ORAL TABLET SOLUBLE 10 MG | 5 | PA |
| TAGRISSO ORAL TABLET 40 MG | 5 | PA; QL (30 EA per 30 days) |
| TAGRISSO ORAL TABLET 80 MG | 5 | PA |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG | 5 | PA |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG | 5 | PA |
| TAZVERIK ORAL TABLET 200 MG | 5 | PA |
| TEPMETKO ORAL TABLET 225 MG | 5 | PA |
| TIBSOVO ORAL TABLET 250 MG | 5 | PA |
| <i>torpenz oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i> | 5 | PA; QL (30 EA per 30 days) |
| TRUQAP ORAL TABLET 160 MG, 200 MG | 5 | PA |
| TUKYSA ORAL TABLET 150 MG, 50 MG | 5 | PA |
| TURALIO ORAL CAPSULE 125 MG | 5 | PA |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG | 5 | PA |
| VENCLEXTA ORAL TABLET 10 MG | 4 | PA |
| VENCLEXTA ORAL TABLET 100 MG, 50 MG | 5 | PA |
| VENCLEXTA STARTING PACK ORAL TABLET THERAPY PACK 10 & 50 & 100 MG | 5 | PA |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG | 5 | PA |
| VITRAKVI ORAL CAPSULE 100 MG, 25 MG | 5 | PA |
| VITRAKVI ORAL SOLUTION 20 MG/ML | 5 | PA |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG | 5 | PA |
| XALKORI ORAL CAPSULE 200 MG, 250 MG | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------|
| XALKORI ORAL CAPSULE SPRINKLE 150 MG, 20 MG, 50 MG | 5 | PA |
| XOSPATA ORAL TABLET 40 MG | 5 | PA |
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG | 5 | PA |
| XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 10 MG, 40 MG | 5 | PA |
| XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | 5 | PA |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG | 5 | PA |
| XPOVIO (60 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG | 5 | PA |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | 5 | PA |
| XPOVIO (80 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 20 MG | 5 | PA |
| ZEJULA ORAL TABLET 100 MG | 5 | PA; QL (30 EA per 30 days) |
| ZEJULA ORAL TABLET 200 MG, 300 MG | 5 | PA |
| ZELBORA ORAL TABLET 240 MG | 5 | PA |
| ZYDELIG ORAL TABLET 100 MG, 150 MG | 5 | PA |
| ZYKADIA ORAL TABLET 150 MG | 5 | PA |
| Retinoids | | |
| bexarotene external gel 1 % | 5 | PA |
| bexarotene oral capsule 75 mg | 5 | PA |
| PANRETIN EXTERNAL GEL 0.1 % | 5 | |
| tretinoin oral capsule 10 mg | 5 | |
| Treatment Adjuncts | | |
| mesna oral tablet 400 mg | 5 | |
| MESNEX ORAL TABLET 400 MG | 5 | |
| VORANIGO ORAL TABLET 10 MG | 5 | PA; QL (60 EA per 30 days) |
| VORANIGO ORAL TABLET 40 MG | 5 | PA |
| Antiparasitics | | |
| Anthelmintics | | |
| albendazole oral tablet 200 mg | 5 | |
| ivermectin oral tablet 3 mg | 3 | PA |
| praziquantel oral tablet 600 mg | 4 | |
| Antiprotozoals | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| atovaquone oral suspension 750 mg/5ml | 4 | |
| atovaquone-proguanil hcl oral tablet 250-100 mg, 62.5-25 mg | 4 | |
| chloroquine phosphate oral tablet 250 mg, 500 mg | 4 | |
| COARTEM ORAL TABLET 20-120 MG | 4 | |
| hydroxychloroquine sulfate oral tablet 100 mg, 200 mg | 2 | |
| mefloquine hcl oral tablet 250 mg | 3 | |
| nitazoxanide oral tablet 500 mg | 5 | |
| pentamidine isethionate inhalation solution reconstituted 300 mg | 4 | B/D |
| pentamidine isethionate injection solution reconstituted 300 mg | 4 | |
| primaquine phosphate oral tablet 26.3 (15 base) mg | 3 | |
| pyrimethamine oral tablet 25 mg | 5 | PA |
| quinine sulfate oral capsule 324 mg | 4 | PA |

Antiparkinson Agents

Anticholinergics

| | | |
|---|---|--|
| benztropine mesylate oral tablet 0.5 mg, 1 mg, 2 mg | 2 | |
| trihexyphenidyl hcl oral tablet 2 mg, 5 mg | 4 | |

Antiparkinson Agents, Other

| | | |
|-------------------------------|---|--|
| entacapone oral tablet 200 mg | 4 | |
|-------------------------------|---|--|

Dopamine Agonists

| | | |
|--|---|--|
| bromocriptine mesylate oral capsule 5 mg | 4 | |
| bromocriptine mesylate oral tablet 2.5 mg | 4 | |
| pramipexole dihydrochloride oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg | 2 | |
| ropinirole hcl oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg | 2 | |

Dopamine Precursors and/or L-Amino Acid Decarboxylase Inhibitors

| | | |
|---|---|--|
| carbidopa oral tablet 25 mg | 4 | |
| carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg | 3 | |
| carbidopa-levodopa oral tablet 10-100 mg, 25-100 mg, 25-250 mg | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>carbidopa-levodopa oral tablet dispersible 10-100 mg, 25-100 mg, 25-250 mg</i> | 4 | |
| INBRIJA INHALATION CAPSULE 42 MG | 5 | PA |
| RYTARY ORAL CAPSULE EXTENDED RELEASE 23.75-95 MG, 36.25-145 MG, 48.75-195 MG, 61.25-245 MG | 4 | ST |
| Monoamine Oxidase B (MAO-B) Inhibitors | | |
| <i>rasagiline mesylate oral tablet 0.5 mg, 1 mg</i> | 4 | |
| <i>selegiline hcl oral capsule 5 mg</i> | 3 | |
| <i>selegiline hcl oral tablet 5 mg</i> | 3 | |
| Antipsychotics | | |
| 1st Generation/Typical | | |
| <i>chlorpromazine hcl oral concentrate 100 mg/ml, 30 mg/ml</i> | 4 | |
| <i>chlorpromazine hcl oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i> | 4 | |
| <i>fluphenazine decanoate injection solution 25 mg/ml</i> | 4 | |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i> | 4 | |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i> | 4 | |
| <i>fluphenazine hcl oral elixir 2.5 mg/5ml</i> | 4 | |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i> | 4 | |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml 1 ml, 50 mg/ml, 50 mg/ml(1ml)</i> | 3 | |
| <i>haloperidol lactate injection solution 5 mg/ml</i> | 3 | |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i> | 3 | |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i> | 3 | |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i> | 3 | |
| <i>molindone hcl oral tablet 10 mg, 25 mg, 5 mg</i> | 4 | |
| <i>perphenazine oral tablet 16 mg, 8 mg</i> | 4 | |
| <i>perphenazine oral tablet 2 mg, 4 mg</i> | 3 | |
| <i>pimozide oral tablet 1 mg, 2 mg</i> | 4 | |
| <i>thioridazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 4 | |
| <i>trifluoperazine hcl oral tablet 1 mg, 2 mg, 5 mg</i> | 3 | |
| <i>trifluoperazine hcl oral tablet 10 mg</i> | 4 | |
| 2nd Generation/Atypical | | |
| ABILIFY MAINTENA INTRAMUSCULAR PREFILLED SYRINGE 300 MG, 400 MG | 5 | |
| ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION RECONSTITUTED ER 300 MG, 400 MG | 5 | |
| <i>ariPIPRAZOLE oral solution 1 mg/ml</i> | 4 | QL (750 ML per 30 days) |
| <i>ariPIPRAZOLE oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> | 3 | QL (30 EA per 30 days) |
| <i>ariPIPRAZOLE oral tablet dispersible 10 mg</i> | 5 | QL (60 EA per 30 days) |
| <i>ariPIPRAZOLE oral tablet dispersible 15 mg</i> | 4 | QL (60 EA per 30 days) |
| ARISTADA INITIO INTRAMUSCULAR PREFILLED SYRINGE 675 MG/2.4ML | 5 | |
| ARISTADA INTRAMUSCULAR PREFILLED SYRINGE 1064 MG/3.9ML, 441 MG/1.6ML, 662 MG/2.4ML, 882 MG/3.2ML | 5 | |
| <i>asenapine maleate sublingual tablet sublingual 10 mg, 2.5 mg, 5 mg</i> | 4 | QL (60 EA per 30 days) |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG | 5 | PA; QL (30 EA per 30 days) |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG | 5 | ST; QL (60 EA per 30 days) |
| FANAPT TITRATION PACK ORAL TABLET 1 & 2 & 4 & 6 MG | 4 | ST; QL (16 EA per 365 days) |
| INVEGA HAFYERA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1092 MG/3.5ML, 1560 MG/5ML | 5 | ST |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 117 MG/0.75ML, 156 MG/ML, 234 MG/1.5ML, 78 MG/0.5ML | 5 | |
| INVEGA SUSTENNA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 39 MG/0.25ML | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| INVEGA TRINZA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 273 MG/0.88ML, 410 MG/1.32ML, 546 MG/1.75ML, 819 MG/2.63ML | 5 | |
| <i>lurasidone hcl oral tablet 120 mg, 20 mg, 40 mg, 60 mg</i> | 4 | QL (30 EA per 30 days) |
| <i>lurasidone hcl oral tablet 80 mg</i> | 4 | QL (60 EA per 30 days) |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG | 5 | ST; QL (30 EA per 30 days) |
| NUPLAZID ORAL CAPSULE 34 MG | 5 | PA |
| NUPLAZID ORAL TABLET 10 MG | 5 | PA |
| <i>olanzapine intramuscular solution reconstituted 10 mg</i> | 4 | |
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> | 2 | QL (30 EA per 30 days) |
| <i>olanzapine oral tablet dispersible 10 mg, 15 mg, 20 mg, 5 mg</i> | 4 | QL (30 EA per 30 days) |
| OPIPZA ORAL FILM 10 MG, 5 MG | 5 | PA; QL (90 EA per 30 days) |
| OPIPZA ORAL FILM 2 MG | 5 | PA; QL (30 EA per 30 days) |
| <i>paliperidone er oral tablet extended release 24 hour 1.5 mg, 3 mg, 9 mg</i> | 4 | QL (30 EA per 30 days) |
| <i>paliperidone er oral tablet extended release 24 hour 6 mg</i> | 4 | QL (60 EA per 30 days) |
| PERSERIS SUBCUTANEOUS PREFILLED SYRINGE 120 MG, 90 MG | 5 | |
| <i>quetiapine fumarate er oral tablet extended release 24 hour 150 mg, 300 mg, 400 mg, 50 mg</i> | 3 | QL (60 EA per 30 days) |
| <i>quetiapine fumarate er oral tablet extended release 24 hour 200 mg</i> | 3 | QL (90 EA per 30 days) |
| <i>quetiapine fumarate oral tablet 100 mg, 150 mg, 200 mg, 25 mg, 50 mg</i> | 2 | QL (90 EA per 30 days) |
| <i>quetiapine fumarate oral tablet 300 mg, 400 mg</i> | 2 | QL (60 EA per 30 days) |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG | 5 | QL (30 EA per 30 days) |
| <i>risperidone microspheres er intramuscular suspension reconstituted er 12.5 mg, 25 mg</i> | 4 | |
| <i>risperidone microspheres er intramuscular suspension reconstituted er 37.5 mg, 50 mg</i> | 5 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------|
| <i>risperidone oral solution 1 mg/ml</i> | 3 | QL (240 ML per 30 days) |
| <i>risperidone oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> | 2 | QL (60 EA per 30 days) |
| <i>risperidone oral tablet dispersible 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> | 4 | QL (60 EA per 30 days) |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24HR, 5.7 MG/24HR, 7.6 MG/24HR | 5 | ST; QL (30 EA per 30 days) |
| VRAYLAR ORAL CAPSULE 1.5 MG, 3 MG, 4.5 MG, 6 MG | 5 | QL (30 EA per 30 days) |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> | 3 | QL (60 EA per 30 days) |
| <i>ziprasidone mesylate intramuscular solution reconstituted 20 mg</i> | 4 | QL (60 EA per 30 days) |
| Treatment-Resistant | | |
| <i>clozapine oral tablet 100 mg</i> | 4 | QL (270 EA per 30 days) |
| <i>clozapine oral tablet 200 mg</i> | 4 | QL (120 EA per 30 days) |
| <i>clozapine oral tablet 25 mg</i> | 3 | QL (270 EA per 30 days) |
| <i>clozapine oral tablet 50 mg</i> | 3 | QL (180 EA per 30 days) |
| <i>clozapine oral tablet dispersible 100 mg, 25 mg</i> | 4 | QL (270 EA per 30 days) |
| <i>clozapine oral tablet dispersible 12.5 mg</i> | 4 | QL (90 EA per 30 days) |
| <i>clozapine oral tablet dispersible 150 mg</i> | 4 | QL (180 EA per 30 days) |
| <i>clozapine oral tablet dispersible 200 mg</i> | 4 | QL (120 EA per 30 days) |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML | 5 | QL (540 ML per 30 days) |
| Antispasticity Agents | | |
| Antispasticity Agents | | |
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i> | 3 | |
| <i>dantrolene sodium oral capsule 100 mg, 25 mg</i> | 4 | |
| <i>tizanidine hcl oral tablet 2 mg, 4 mg</i> | 2 | |
| Antivirals | | |
| Anti-cytomegalovirus (CMV) Agents | | |
| LIVTENCITY ORAL TABLET 200 MG | 5 | |
| PREVYMIS ORAL PACKET 120 MG | 5 | |
| PREVYMIS ORAL PACKET 20 MG | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| PREVYMIS ORAL TABLET 240 MG, 480 MG | 5 | |
| <i>valganciclovir hcl oral solution reconstituted 50 mg/ml</i> | 5 | |
| <i>valganciclovir hcl oral tablet 450 mg</i> | 3 | |
| Anti-hepatitis B (HBV) Agents | | |
| <i>adefovir dipivoxil oral tablet 10 mg</i> | 4 | |
| BARACLUDE ORAL SOLUTION 0.05 MG/ML | 5 | QL (600 ML per 30 days) |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> | 4 | QL (30 EA per 30 days) |
| <i>lamivudine oral tablet 100 mg</i> | 3 | |
| Anti-hepatitis C (HCV) Agents | | |
| MAVYRET ORAL PACKET 50-20 MG | 5 | PA; QL (560 EA per 365 days) |
| MAVYRET ORAL TABLET 100-40 MG | 5 | PA; QL (336 EA per 365 days) |
| <i>ribavirin oral tablet 200 mg</i> | 3 | |
| <i>sofosbuvir-velpatasvir oral tablet 400-100 mg</i> | 5 | PA; QL (84 EA per 365 days) |
| VOSEVI ORAL TABLET 400-100-100 MG | 5 | PA; QL (84 EA per 365 days) |
| Antiherpetic Agents | | |
| <i>acyclovir oral capsule 200 mg</i> | 2 | |
| <i>acyclovir oral suspension 200 mg/5ml</i> | 4 | |
| <i>acyclovir oral tablet 400 mg, 800 mg</i> | 2 | |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i> | 4 | B/D |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i> | 3 | |
| <i>valacyclovir hcl oral tablet 1 gm, 500 mg</i> | 3 | QL (120 EA per 30 days) |
| Anti-HIV Agents, Integrase Inhibitors (INSTI) | | |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG | 5 | QL (30 EA per 30 days) |
| DOVATO ORAL TABLET 50-300 MG | 5 | QL (30 EA per 30 days) |
| GENVOYA ORAL TABLET 150-150-200-10 MG | 5 | QL (30 EA per 30 days) |
| ISENTRESS HD ORAL TABLET 600 MG | 5 | QL (60 EA per 30 days) |
| ISENTRESS ORAL PACKET 100 MG | 5 | QL (60 EA per 30 days) |
| ISENTRESS ORAL TABLET 400 MG | 5 | QL (60 EA per 30 days) |
| ISENTRESS ORAL TABLET CHEWABLE 100 MG | 5 | QL (180 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| ISENTRESS ORAL TABLET CHEWABLE 25 MG | 3 | QL (180 EA per 30 days) |
| JULUCA ORAL TABLET 50-25 MG | 5 | QL (30 EA per 30 days) |
| STRIBILD ORAL TABLET 150-150-200-300 MG | 5 | QL (30 EA per 30 days) |
| TIVICAY ORAL TABLET 50 MG | 5 | QL (60 EA per 30 days) |
| TIVICAY PD ORAL TABLET SOLUBLE 5 MG | 4 | QL (180 EA per 30 days) |
| Anti-HIV Agents, Non-nucleoside Reverse Transcriptase Inhibitors (NNRTI) | | |
| COMPLERA ORAL TABLET 200-25-300 MG | 5 | QL (30 EA per 30 days) |
| DELSTRIGO ORAL TABLET 100-300-300 MG | 5 | QL (30 EA per 30 days) |
| EDURANT ORAL TABLET 25 MG | 5 | QL (30 EA per 30 days) |
| <i>efavirenz oral tablet 600 mg</i> | 4 | QL (30 EA per 30 days) |
| <i>efavirenz-emtricitab-tenofo df oral tablet 600-200-300 mg</i> | 3 | QL (30 EA per 30 days) |
| <i>efavirenz-lamivudine-tenofovir oral tablet 400-300-300 mg, 600-300-300 mg</i> | 5 | QL (30 EA per 30 days) |
| <i>etravirine oral tablet 100 mg, 200 mg</i> | 5 | QL (60 EA per 30 days) |
| INTELENCE ORAL TABLET 25 MG | 4 | QL (120 EA per 30 days) |
| <i>nevirapine er oral tablet extended release 24 hour 400 mg</i> | 4 | QL (30 EA per 30 days) |
| <i>nevirapine oral suspension 50 mg/5ml</i> | 4 | QL (1200 ML per 30 days) |
| <i>nevirapine oral tablet 200 mg</i> | 2 | QL (60 EA per 30 days) |
| PIFELTRO ORAL TABLET 100 MG | 5 | QL (30 EA per 30 days) |
| Anti-HIV Agents, Nucleoside and Nucleotide Reverse Transcriptase Inhibitors (NRTI) | | |
| <i>abacavir sulfate oral solution 20 mg/ml</i> | 4 | QL (960 ML per 30 days) |
| <i>abacavir sulfate oral tablet 300 mg</i> | 3 | QL (60 EA per 30 days) |
| <i>abacavir sulfate-lamivudine oral tablet 600-300 mg</i> | 4 | QL (30 EA per 30 days) |
| CIMDUO ORAL TABLET 300-300 MG | 5 | QL (30 EA per 30 days) |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG | 5 | QL (30 EA per 30 days) |
| <i>emtricitabine oral capsule 200 mg</i> | 4 | QL (30 EA per 30 days) |
| <i>emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200 mg, 167-250 mg</i> | 5 | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------|
| <i>emtricitabine-tenofovir df oral tablet 200-300 mg</i> | 2 | QL (30 EA per 30 days) |
| EMTRIVA ORAL SOLUTION 10 MG/ML | 4 | QL (850 ML per 30 days) |
| <i>lamivudine oral solution 10 mg/ml</i> | 3 | QL (960 ML per 30 days) |
| <i>lamivudine oral tablet 150 mg</i> | 2 | QL (60 EA per 30 days) |
| <i>lamivudine oral tablet 300 mg</i> | 3 | QL (30 EA per 30 days) |
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i> | 3 | QL (60 EA per 30 days) |
| ODEFSEY ORAL TABLET 200-25-25 MG | 5 | QL (30 EA per 30 days) |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> | 4 | QL (30 EA per 30 days) |
| TRIUMEQ ORAL TABLET 600-50-300 MG | 5 | QL (30 EA per 30 days) |
| TRIUMEQ PD ORAL TABLET SOLUBLE 60-5-30 MG | 4 | QL (180 EA per 30 days) |
| VIREAD ORAL POWDER 40 MG/GM | 5 | QL (240 GM per 30 days) |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG | 5 | QL (30 EA per 30 days) |
| <i>zidovudine oral capsule 100 mg</i> | 4 | QL (180 EA per 30 days) |
| <i>zidovudine oral syrup 50 mg/5ml</i> | 4 | QL (1920 ML per 30 days) |
| <i>zidovudine oral tablet 300 mg</i> | 3 | QL (60 EA per 30 days) |
| Anti-HIV Agents, Other | | |
| <i>maraviroc oral tablet 150 mg</i> | 5 | QL (60 EA per 30 days) |
| <i>maraviroc oral tablet 300 mg</i> | 5 | QL (120 EA per 30 days) |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HOUR 600 MG | 5 | QL (60 EA per 30 days) |
| SELZENTRY ORAL SOLUTION 20 MG/ML | 5 | |
| SUNLENCA ORAL TABLET 300 MG | 5 | QL (24 EA per 168 days) |
| SUNLENCA ORAL TABLET THERAPY PACK 4 X 300 MG | 5 | QL (8 EA per 365 days) |
| SUNLENCA ORAL TABLET THERAPY PACK 5 X 300 MG | 5 | QL (10 EA per 365 days) |
| TYBOST ORAL TABLET 150 MG | 3 | QL (30 EA per 30 days) |
| Anti-HIV Agents, Protease Inhibitors (PI) | | |
| APTIVUS ORAL CAPSULE 250 MG | 5 | QL (120 EA per 30 days) |
| <i>atazanavir sulfate oral capsule 150 mg</i> | 4 | |
| <i>atazanavir sulfate oral capsule 200 mg</i> | 4 | QL (60 EA per 30 days) |
| <i>atazanavir sulfate oral capsule 300 mg</i> | 4 | QL (30 EA per 30 days) |
| <i>darunavir oral tablet 600 mg</i> | 5 | QL (60 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------------|
| <i>darunavir oral tablet 800 mg</i> | 5 | QL (30 EA per 30 days) |
| <i>EVOTAZ ORAL TABLET 300-150 MG</i> | 5 | QL (30 EA per 30 days) |
| <i>fosamprenavir calcium oral tablet 700 mg</i> | 5 | QL (120 EA per 30 days) |
| <i>KALETRA ORAL SOLUTION 400-100 MG/5ML</i> | 4 | |
| <i>lopinavir-ritonavir oral tablet 100-25 mg, 200-50 mg</i> | 4 | |
| <i>NORVIR ORAL PACKET 100 MG</i> | 4 | QL (360 EA per 30 days) |
| <i>PREZCOBIX ORAL TABLET 800-150 MG</i> | 5 | QL (30 EA per 30 days) |
| <i>PREZISTA ORAL SUSPENSION 100 MG/ML</i> | 5 | QL (400 ML per 30 days) |
| <i>PREZISTA ORAL TABLET 150 MG</i> | 5 | QL (180 EA per 30 days) |
| <i>PREZISTA ORAL TABLET 75 MG</i> | 4 | QL (300 EA per 30 days) |
| <i>REYATAZ ORAL PACKET 50 MG</i> | 5 | QL (180 EA per 30 days) |
| <i>ritonavir oral tablet 100 mg</i> | 3 | QL (360 EA per 30 days) |
| <i>SYMTUZA ORAL TABLET 800-150-200-10 MG</i> | 5 | QL (30 EA per 30 days) |
| <i>VIRACEPT ORAL TABLET 250 MG</i> | 5 | QL (300 EA per 30 days) |
| <i>VIRACEPT ORAL TABLET 625 MG</i> | 5 | QL (120 EA per 30 days) |
| Anti-influenza Agents | | |
| <i>amantadine hcl oral capsule 100 mg</i> | 3 | |
| <i>amantadine hcl oral solution 50 mg/5ml</i> | 3 | |
| <i>oseltamivir phosphate oral capsule 30 mg</i> | 3 | QL (168 EA per 365 days) |
| <i>oseltamivir phosphate oral capsule 45 mg</i> | 3 | QL (84 EA per 365 days) |
| <i>oseltamivir phosphate oral capsule 75 mg</i> | 3 | QL (110 EA per 365 days) |
| <i>oseltamivir phosphate oral suspension reconstituted 6 mg/ml</i> | 3 | QL (1080 ML per 365 days) |
| <i>XOFLUZA (40 MG DOSE) ORAL TABLET THERAPY PACK 1 X 40 MG</i> | 3 | |
| <i>XOFLUZA (80 MG DOSE) ORAL TABLET THERAPY PACK 1 X 80 MG</i> | 3 | |
| Antiviral, Coronavirus Agents | | |
| <i>LAGEVRIO ORAL CAPSULE 200 MG</i> | 3 | QL (40 EA per 5 days) |
| <i>PAXLOVID (150/100) ORAL TABLET THERAPY PACK 10 X 150 MG & 10 X 100MG</i> | 3 | QL (20 EA per 5 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| PAXLOVID (300/100 & 150/100) ORAL TABLET THERAPY PACK 6 X 150 MG & 5 X 100MG | 3 | QL (11 EA per 5 days) |
| PAXLOVID (300/100) ORAL TABLET THERAPY PACK 20 X 150 MG & 10 X 100MG | 3 | QL (30 EA per 5 days) |
| Anxiolytics | | |
| Anxiolytics, Other | | |
| <i>buspirone hcl oral tablet 10 mg, 15 mg, 5 mg</i> | 1 | |
| <i>buspirone hcl oral tablet 30 mg</i> | 4 | |
| Benzodiazepines | | |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> | 2 | QL (120 EA per 30 days) |
| <i>alprazolam oral tablet 2 mg</i> | 2 | QL (150 EA per 30 days) |
| <i>clorazepate dipotassium oral tablet 15 mg</i> | 4 | QL (180 EA per 30 days) |
| <i>clorazepate dipotassium oral tablet 3.75 mg</i> | 4 | QL (720 EA per 30 days) |
| <i>clorazepate dipotassium oral tablet 7.5 mg</i> | 4 | QL (360 EA per 30 days) |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> | 3 | |
| <i>diazepam oral solution 5 mg/5ml</i> | 3 | |
| <i>diazepam oral tablet 10 mg</i> | 2 | QL (120 EA per 30 days) |
| <i>diazepam oral tablet 2 mg</i> | 2 | QL (300 EA per 30 days) |
| <i>diazepam oral tablet 5 mg</i> | 2 | QL (240 EA per 30 days) |
| <i>lorazepam intensol oral concentrate 2 mg/ml</i> | 3 | |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> | 2 | QL (90 EA per 30 days) |
| <i>lorazepam oral tablet 2 mg</i> | 2 | QL (150 EA per 30 days) |
| Bipolar Agents | | |
| Mood Stabilizers | | |
| <i>lithium carbonate er oral tablet extended release 300 mg, 450 mg</i> | 2 | |
| <i>lithium carbonate oral capsule 150 mg, 300 mg</i> | 1 | |
| <i>lithium carbonate oral capsule 600 mg</i> | 2 | |
| <i>lithium carbonate oral tablet 300 mg</i> | 2 | |
| <i>lithium oral solution 8 meq/5ml</i> | 4 | |
| Blood Glucose Regulators | | |
| Antidiabetic Agents | | |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> | 2 | |
| <i>glimepiride oral tablet 1 mg, 2 mg, 4 mg</i> | 6 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------|
| glipizide er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg | 6 | |
| glipizide oral tablet 10 mg, 2.5 mg, 5 mg | 6 | |
| glipizide-metformin hcl oral tablet 2.5-250 mg, 2.5-500 mg, 5-500 mg | 6 | |
| glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg | 6 | |
| glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg | 6 | |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG | 3 | |
| JANUMET ORAL TABLET 50-1000 MG, 50-500 MG | 3 | |
| JANUMET XR ORAL TABLET EXTENDED RELEASE 24 HOUR 100-1000 MG, 50-1000 MG, 50-500 MG | 3 | |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG | 3 | QL (30 EA per 30 days) |
| JENTADUETO ORAL TABLET 2.5-1000 MG, 2.5-500 MG | 3 | |
| JENTADUETO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 2.5-1000 MG, 5-1000 MG | 3 | |
| metformin hcl er oral tablet extended release 24 hour 500 mg, 750 mg | 6 | |
| metformin hcl oral tablet 1000 mg, 500 mg, 850 mg | 6 | |
| MOUNJARO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.5ML, 12.5 MG/0.5ML, 15 MG/0.5ML, 2.5 MG/0.5ML, 5 MG/0.5ML, 7.5 MG/0.5ML | 3 | PA; QL (2 ML per 28 days) |
| nateglinide oral tablet 120 mg, 60 mg | 6 | |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 2 MG/3ML | 3 | PA; QL (3 ML per 28 days) |
| OZEMPIC (1 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 4 MG/3ML | 3 | PA; QL (3 ML per 28 days) |
| OZEMPIC (2 MG/DOSE) SUBCUTANEOUS SOLUTION PEN-INJECTOR 8 MG/3ML | 3 | PA; QL (3 ML per 28 days) |
| pioglitazone hcl oral tablet 15 mg, 30 mg, 45 mg | 6 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| pioglitazone hcl-metformin hcl oral tablet 15-500 mg, 15-850 mg | 6 | |
| repaglinide oral tablet 0.5 mg, 1 mg, 2 mg | 6 | |
| RYBELSUS ORAL TABLET 14 MG, 7 MG | 3 | PA; QL (30 EA per 30 days) |
| RYBELSUS ORAL TABLET 3 MG | 3 | PA; QL (60 EA per 365 days) |
| SOLIQUA SUBCUTANEOUS SOLUTION PEN-INJECTOR 100-33 UNT-MCG/ML | 3 | |
| SYNJARDY ORAL TABLET 12.5-1000 MG, 12.5-500 MG, 5-1000 MG, 5-500 MG | 3 | |
| SYNJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 12.5-1000 MG, 25-1000 MG, 5-1000 MG | 3 | |
| TRADJENTA ORAL TABLET 5 MG | 3 | QL (30 EA per 30 days) |
| TRIJARDY XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-5-1000 MG, 12.5-2.5-1000 MG, 25-5-1000 MG, 5-2.5-1000 MG | 3 | |
| TRULICITY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.75 MG/0.5ML, 1.5 MG/0.5ML, 3 MG/0.5ML, 4.5 MG/0.5ML | 3 | PA; QL (2 ML per 28 days) |
| XIGDUO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 10-1000 MG, 10-500 MG, 2.5-1000 MG, 5-1000 MG, 5-500 MG | 3 | |
| Glycemic Agents | | |
| BAQSIMI ONE PACK NASAL POWDER 3 MG/DOSE | 3 | |
| diazoxide oral suspension 50 mg/ml | 5 | |
| GLUCAGON EMERGENCY INJECTION KIT 1 MG | 3 | |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 0.5 MG/0.1ML, 1 MG/0.2ML | 3 | |
| GVOKE KIT SUBCUTANEOUS SOLUTION 1 MG/0.2ML | 3 | |
| GVOKE PFS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 1 MG/0.2ML | 3 | |
| Insulins | | |
| HUMALOG INJECTION SOLUTION 100 UNIT/ML | 3 | |
| HUMALOG JUNIOR KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML | 3 | |
| HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (50-50) 100 UNIT/ML | 3 | |
| HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (75-25) 100 UNIT/ML | 3 | |
| HUMALOG MIX 75/25 SUBCUTANEOUS SUSPENSION (75-25) 100 UNIT/ML | 3 | |
| HUMALOG SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML | 3 | |
| HUMULIN 70/30 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | 3 | |
| HUMULIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | 3 | |
| HUMULIN N KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML | 3 | |
| HUMULIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML | 3 | |
| HUMULIN R INJECTION SOLUTION 100 UNIT/ML | 3 | |
| HUMULIN R U-500 (CONCENTRATED) SUBCUTANEOUS SOLUTION 500 UNIT/ML | 3 | |
| HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 500 UNIT/ML | 3 | |
| <i>insulin lispro injection solution 100 unit/ml</i> | 3 | |
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | 3 | |
| LANTUS SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | |
| LYUMJEV INJECTION SOLUTION 100 UNIT/ML | 3 | |
| LYUMJEV KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--------------------------|
| NOVOLIN 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | 3 | |
| NOVOLIN 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | 3 | |
| NOVOLIN N FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR 100 UNIT/ML | 3 | |
| NOVOLIN N SUBCUTANEOUS SUSPENSION 100 UNIT/ML | 3 | |
| NOVOLIN R FLEXPEN INJECTION SOLUTION PEN-INJECTOR 100 UNIT/ML | 3 | |
| NOVOLIN R INJECTION SOLUTION 100 UNIT/ML | 3 | |
| NOVOLOG FLEXPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML | 3 | |
| NOVOLOG INJECTION SOLUTION 100 UNIT/ML | 3 | |
| NOVOLOG MIX 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR (70-30) 100 UNIT/ML | 3 | |
| NOVOLOG MIX 70/30 SUBCUTANEOUS SUSPENSION (70-30) 100 UNIT/ML | 3 | |
| NOVOLOG PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE 100 UNIT/ML | 3 | |
| TOUJEO MAX SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 UNIT/ML | 3 | |
| TOUJEO SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR 300 UNIT/ML | 3 | |
| TRESIBA FLEXTOUCH SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML | 3 | |
| TRESIBA SUBCUTANEOUS SOLUTION 100 UNIT/ML | 3 | |
| Blood Products and Modifiers | | |
| Anticoagulants | | |
| dabigatran etexilate mesylate oral capsule 110 mg, 150 mg, 75 mg | 2 | QL (60 EA per 30 days) |
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK 5 MG | 3 | QL (148 EA per 365 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| ELIQUIS ORAL TABLET 2.5 MG | 3 | QL (60 EA per 30 days) |
| ELIQUIS ORAL TABLET 5 MG | 3 | QL (90 EA per 30 days) |
| <i>enoxaparin sodium injection solution prefilled syringe 100 mg/ml, 120 mg/0.8ml, 150 mg/ml, 30 mg/0.3ml, 40 mg/0.4ml, 60 mg/0.6ml, 80 mg/0.8ml</i> | 4 | |
| <i>fondaparinux sodium subcutaneous solution 10 mg/0.8ml, 5 mg/0.4ml, 7.5 mg/0.6ml</i> | 5 | |
| <i>fondaparinux sodium subcutaneous solution 2.5 mg/0.5ml</i> | 4 | |
| FRAGMIN SUBCUTANEOUS SOLUTION 95000 UNIT/3.8ML | 5 | |
| FRAGMIN SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10000 UNIT/ML, 12500 UNIT/0.5ML, 15000 UNIT/0.6ML, 18000 UNT/0.72ML, 5000 UNIT/0.2ML, 7500 UNIT/0.3ML | 5 | |
| FRAGMIN SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 2500 UNIT/0.2ML | 4 | |
| <i>heparin sodium (porcine) injection solution 5000 unit/ml</i> | 3 | |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> | 1 | |
| <i>warfarin sodium oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> | 1 | |
| XARELTO ORAL TABLET 10 MG, 20 MG | 3 | QL (30 EA per 30 days) |
| XARELTO ORAL TABLET 15 MG | 3 | QL (60 EA per 30 days) |
| XARELTO ORAL TABLET 2.5 MG | 3 | QL (360 EA per 30 days) |
| XARELTO STARTER PACK ORAL TABLET THERAPY PACK 15 & 20 MG | 3 | QL (102 EA per 365 days) |
| Blood Products and Modifiers, Other | | |
| <i>anagrelide hcl oral capsule 0.5 mg, 1 mg</i> | 3 | |
| NEULASTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | 5 | PA |
| PROCRIT INJECTION SOLUTION 10000 UNIT/ML, 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML | 4 | PA |
| PROCRIT INJECTION SOLUTION 40000 UNIT/ML | 5 | PA |
| PROMACTA ORAL PACKET 12.5 MG, 25 MG | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| PROMACTA ORAL TABLET 12.5 MG, 25 MG, 50 MG, 75 MG | 5 | PA |
| RETACRIT INJECTION SOLUTION 10000 UNIT/ML, 10000 UNIT/ML(1ML), 2000 UNIT/ML, 20000 UNIT/ML, 3000 UNIT/ML, 4000 UNIT/ML | 4 | PA |
| RETACRIT INJECTION SOLUTION 40000 UNIT/ML | 5 | PA |
| UDENYCA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 6 MG/0.6ML | 5 | PA |
| UDENYCA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6 MG/0.6ML | 5 | PA |
| XOLREMDI ORAL CAPSULE 100 MG | 5 | PA; QL (120 EA per 30 days) |
| ZARXIO INJECTION SOLUTION PREFILLED SYRINGE 300 MCG/0.5ML, 480 MCG/0.8ML | 5 | |
| Hemostasis Agents | | |
| <i>tranexamic acid oral tablet 650 mg</i> | 3 | |
| Platelet Modifying Agents | | |
| ASPIRIN-DIPYRIDAMOLE ER ORAL CAPSULE EXTENDED RELEASE 12 HOUR 25-200 MG | 4 | |
| BRILINTA ORAL TABLET 60 MG, 90 MG | 3 | |
| CABLIVI INJECTION KIT 11 MG | 5 | PA; QL (30 EA per 30 days) |
| <i>cilostazol oral tablet 100 mg, 50 mg</i> | 2 | |
| <i>clopidogrel bisulfate oral tablet 75 mg</i> | 1 | |
| DOPTELET ORAL TABLET 20 MG, 20 MG (10 PACK), 20 MG(15 PACK) | 5 | PA |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i> | 3 | |
| Cardiovascular Agents | | |
| Alpha-adrenergic Agonists | | |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> | 1 | |
| <i>clonidine transdermal patch weekly 0.1 mg/24hr, 0.2 mg/24hr, 0.3 mg/24hr</i> | 3 | |
| <i>droxidopa oral capsule 100 mg, 200 mg, 300 mg</i> | 5 | PA |
| <i>methyldopa oral tablet 500 mg</i> | 4 | |
| <i>midodrine hcl oral tablet 10 mg, 2.5 mg, 5 mg</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| Alpha-adrenergic Blocking Agents | | |
| <i>prazosin hcl oral capsule 1 mg, 2 mg, 5 mg</i> | 3 | |
| Angiotensin II Receptor Antagonists | | |
| <i>candesartan cilexetil oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> | 6 | |
| <i>irbesartan oral tablet 150 mg, 300 mg, 75 mg</i> | 6 | |
| <i>losartan potassium oral tablet 100 mg, 25 mg, 50 mg</i> | 6 | |
| <i>olmesartan medoxomil oral tablet 20 mg, 40 mg, 5 mg</i> | 6 | |
| <i>telmisartan oral tablet 20 mg, 40 mg, 80 mg</i> | 6 | |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> | 6 | |
| Angiotensin-converting Enzyme (ACE) Inhibitors | | |
| <i>benazepril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 6 | |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i> | 6 | |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> | 6 | |
| <i>fosinopril sodium oral tablet 10 mg, 20 mg, 40 mg</i> | 6 | |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> | 6 | |
| <i>moexipril hcl oral tablet 15 mg, 7.5 mg</i> | 6 | |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i> | 6 | |
| <i>quinapril hcl oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 6 | |
| <i>ramipril oral capsule 1.25 mg, 10 mg, 2.5 mg, 5 mg</i> | 6 | |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i> | 6 | |
| Antiarrhythmics | | |
| <i>amiodarone hcl oral tablet 100 mg</i> | 4 | |
| <i>amiodarone hcl oral tablet 200 mg</i> | 2 | |
| <i>digoxin oral solution 0.05 mg/ml</i> | 4 | |
| <i>digoxin oral tablet 125 mcg, 250 mcg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg | 4 | |
| flecainide acetate oral tablet 100 mg, 150 mg, 50 mg | 3 | |
| mexiletine hcl oral capsule 150 mg | 3 | |
| mexiletine hcl oral capsule 200 mg, 250 mg | 4 | |
| PACERONE ORAL TABLET 100 MG | 4 | |
| PACERONE ORAL TABLET 200 MG | 2 | |
| propafenone hcl oral tablet 150 mg, 225 mg, 300 mg | 3 | |
| quinidine sulfate oral tablet 200 mg, 300 mg | 4 | |
| sotalol hcl (af) oral tablet 120 mg, 160 mg, 80 mg | 3 | |
| sotalol hcl oral tablet 120 mg, 160 mg, 240 mg, 80 mg | 2 | |
| Beta-adrenergic Blocking Agents | | |
| acebutolol hcl oral capsule 200 mg, 400 mg | 3 | |
| atenolol oral tablet 100 mg, 25 mg, 50 mg | 1 | |
| betaxolol hcl oral tablet 10 mg, 20 mg | 4 | |
| bisoprolol fumarate oral tablet 10 mg, 5 mg | 2 | |
| carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg | 1 | |
| labetalol hcl oral tablet 100 mg, 200 mg, 300 mg | 3 | |
| metoprolol succinate er oral tablet extended release 24 hour 100 mg, 200 mg, 25 mg, 50 mg | 2 | |
| metoprolol tartrate oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg | 1 | |
| metoprolol tartrate oral tablet 75 mg | 2 | |
| nadolol oral tablet 20 mg, 40 mg, 80 mg | 3 | |
| nebivolol hcl oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg | 4 | |
| pindolol oral tablet 10 mg, 5 mg | 3 | |
| propranolol hcl er oral capsule extended release 24 hour 120 mg, 160 mg, 60 mg, 80 mg | 3 | |
| propranolol hcl oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| Calcium Channel Blocking Agents, Dihydropyridines | | |
| amlodipine besylate oral tablet 10 mg, 2.5 mg, 5 mg | 1 | |
| felodipine er oral tablet extended release 24 hour 10 mg, 2.5 mg, 5 mg | 2 | |
| nifedipine er oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg | 2 | |
| nifedipine er osmotic release oral tablet extended release 24 hour 30 mg, 60 mg, 90 mg | 2 | |
| nimodipine oral capsule 30 mg | 4 | |
| Calcium Channel Blocking Agents, Nondihydropyridines | | |
| cartia xt oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg | 2 | |
| diltiazem hcl er beads oral capsule extended release 24 hour 360 mg, 420 mg | 2 | |
| diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg | 2 | |
| diltiazem hcl er oral tablet extended release 24 hour 240 mg, 300 mg, 360 mg | 4 | |
| diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg, 90 mg | 2 | |
| dilt-xr oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg | 3 | |
| tiadylt er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg | 2 | |
| verapamil hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 360 mg | 4 | |
| verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg | 2 | |
| verapamil hcl oral tablet 120 mg, 40 mg, 80 mg | 2 | |
| Cardiovascular Agents, Other | | |
| aliskiren fumarate oral tablet 150 mg, 300 mg | 6 | |
| amiloride-hydrochlorothiazide oral tablet 5-50 mg | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| amlodipine besy-benazepril hcl oral capsule 10-20 mg, 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg | 6 | |
| amlodipine besylate-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg | 6 | |
| atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg | 2 | |
| benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg | 6 | |
| bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg | 2 | |
| candesartan cilexetil-hctz oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg | 6 | |
| enalapril-hydrochlorothiazide oral tablet 10-25 mg, 5-12.5 mg | 6 | |
| ENTRESTO ORAL CAPSULE SPRINKLE 15-16 MG, 6-6 MG | 3 | QL (240 EA per 30 days) |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG | 3 | QL (60 EA per 30 days) |
| fosinopril sodium-hctz oral tablet 10-12.5 mg, 20-12.5 mg | 6 | |
| irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg | 6 | |
| ivabradine hcl oral tablet 5 mg, 7.5 mg | 4 | QL (60 EA per 30 days) |
| lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg | 6 | |
| losartan potassium-hctz oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg | 6 | |
| metyrosine oral capsule 250 mg | 5 | PA |
| olmesartan medoxomil-hctz oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg | 6 | |
| pentoxifylline er oral tablet extended release 400 mg | 2 | |
| quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg | 6 | |
| ranolazine er oral tablet extended release 12 hour 1000 mg, 500 mg | 4 | |
| spironolactone-hctz oral tablet 25-25 mg | 2 | |
| telmisartan-hctz oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg | 6 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| <i>triamterene-hctz oral capsule 37.5-25 mg</i> | 1 | |
| <i>triamterene-hctz oral tablet 37.5-25 mg, 75-50 mg</i> | 1 | |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> | 6 | |
| VYNDAMAX ORAL CAPSULE 61 MG | 5 | PA; QL (30 EA per 30 days) |
| Diuretics, Loop | | |
| <i>bumetanide injection solution 0.25 mg/ml</i> | 3 | |
| <i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i> | 3 | |
| <i>furosemide injection solution 10 mg/ml</i> | 3 | |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> | 1 | |
| <i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i> | 2 | |
| Diuretics, Potassium-sparing | | |
| <i>amiloride hcl oral tablet 5 mg</i> | 2 | |
| <i>triamterene oral capsule 100 mg, 50 mg</i> | 4 | |
| Diuretics, Thiazide | | |
| <i>chlorthalidone oral tablet 25 mg, 50 mg</i> | 2 | |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i> | 1 | |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i> | 1 | |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i> | 2 | |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i> | 3 | |
| Dyslipidemics, Fibrin Acid Derivatives | | |
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i> | 3 | |
| <i>fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54 mg</i> | 2 | |
| <i>fenofibric acid oral capsule delayed release 135 mg, 45 mg</i> | 3 | |
| <i>gemfibrozil oral tablet 600 mg</i> | 2 | |
| Dyslipidemics, HMG CoA Reductase Inhibitors | | |
| <i>atorvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> | 6 | |
| <i>fluvastatin sodium er oral tablet extended release 24 hour 80 mg</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>fluvastatin sodium oral capsule 20 mg, 40 mg</i> | 4 | |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i> | 6 | |
| <i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> | 4 | |
| <i>pravastatin sodium oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> | 6 | |
| <i>rosuvastatin calcium oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> | 6 | |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg, 80 mg</i> | 6 | |
| Dyslipidemics, Other | | |
| <i>cholestyramine light oral packet 4 gm</i> | 4 | |
| <i>cholestyramine oral packet 4 gm</i> | 4 | |
| <i>colestipol hcl oral tablet 1 gm</i> | 3 | |
| <i>ezetimibe oral tablet 10 mg</i> | 2 | |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg</i> | 6 | |
| <i>icosapent ethyl oral capsule 0.5 gm, 1 gm</i> | 4 | |
| <i>niacin er (antihyperlipidemic) oral tablet extended release 1000 mg, 500 mg, 750 mg</i> | 4 | |
| <i>omega-3-acid ethyl esters oral capsule 1 gm</i> | 4 | |
| PRALUENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML, 75 MG/ML | 3 | PA; QL (2 ML per 28 days) |
| <i>prevalite oral packet 4 gm</i> | 4 | |
| REPATHA PUSHTRONEX SYSTEM SUBCUTANEOUS SOLUTION CARTRIDGE 420 MG/3.5ML | 3 | PA; QL (7 ML per 28 days) |
| REPATHA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 140 MG/ML | 3 | PA; QL (3 ML per 28 days) |
| REPATHA SURECLICK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 140 MG/ML | 3 | PA; QL (3 ML per 28 days) |
| TRYNGOLZA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 80 MG/0.8ML | 5 | PA; QL (0.8 ML per 28 days) |
| Mineralocorticoid Receptor Antagonists | | |
| <i>eplerenone oral tablet 25 mg, 50 mg</i> | 3 | |
| KERENDIA ORAL TABLET 10 MG, 20 MG | 4 | PA; QL (30 EA per 30 days) |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------|
| Sodium-Glucose Co-Transporter 2 Inhibitors (SGLT2i) | | |
| FARXIGA ORAL TABLET 10 MG, 5 MG | 3 | QL (30 EA per 30 days) |
| JARDIANCE ORAL TABLET 10 MG, 25 MG | 3 | QL (30 EA per 30 days) |
| Vasodilators, Direct-acting Arterial/Venous | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i> | 2 | |
| <i>isosorbide mononitrate er oral tablet extended release 24 hour 120 mg, 30 mg, 60 mg</i> | 2 | |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i> | 2 | |
| <i>nitroglycerin sublingual tablet sublingual 0.3 mg, 0.4 mg, 0.6 mg</i> | 3 | |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> | 3 | |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG | 3 | PA; QL (30 EA per 30 days) |
| Vasodilators, Direct-acting Arterial | | |
| <i>hydralazine hcl oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> | 2 | |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i> | 2 | |
| Central Nervous System Agents | | |
| Attention Deficit Hyperactivity Disorder Agents, Amphetamines | | |
| <i>amphetamine-dextroamphetamine oral capsule extended release 24 hour 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 5 mg</i> | 4 | QL (60 EA per 30 days) |
| <i>amphetamine-dextroamphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> | 3 | QL (90 EA per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 10 mg</i> | 3 | QL (180 EA per 30 days) |
| <i>dextroamphetamine sulfate oral tablet 5 mg</i> | 3 | QL (90 EA per 30 days) |
| Attention Deficit Hyperactivity Disorder Agents, Non-amphetamines | | |
| <i>atomoxetine hcl oral capsule 10 mg</i> | 4 | QL (60 EA per 30 days) |
| <i>atomoxetine hcl oral capsule 100 mg, 18 mg, 25 mg, 40 mg, 60 mg, 80 mg</i> | 4 | QL (30 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| guanfacine hcl er oral tablet extended release 24 hour 1 mg, 2 mg, 3 mg, 4 mg | 4 | |
| methylphenidate hcl oral solution 5 mg/5ml | 4 | |
| methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg | 3 | QL (90 EA per 30 days) |
| Central Nervous System, Other | | |
| AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG | 5 | PA; QL (120 EA per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 12 MG | 5 | PA; QL (90 EA per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 18 MG, 30 MG, 36 MG, 42 MG, 48 MG | 5 | PA; QL (30 EA per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 24 MG | 5 | PA; QL (60 EA per 30 days) |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HOUR 6 MG | 5 | PA; QL (210 EA per 30 days) |
| AUSTEDO XR PATIENT TITRATION ORAL TABLET EXTENDED RELEASE THERAPY PACK 12 & 18 & 24 & 30 MG | 5 | PA; QL (56 EA per 365 days) |
| butalbital-apap-caffeine oral tablet 50-325-40 mg | 3 | |
| COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG | 5 | PA; QL (60 EA per 30 days) |
| COBENFY STARTER PACK ORAL CAPSULE THERAPY PACK 50-20 & 100-20 MG | 5 | PA; QL (112 EA per 365 days) |
| INGREZZA ORAL CAPSULE 40 MG | 5 | PA; QL (60 EA per 30 days) |
| INGREZZA ORAL CAPSULE 60 MG, 80 MG | 5 | PA; QL (30 EA per 30 days) |
| INGREZZA ORAL CAPSULE SPRINKLE 40 MG | 5 | PA; QL (60 EA per 30 days) |
| INGREZZA ORAL CAPSULE SPRINKLE 60 MG, 80 MG | 5 | PA; QL (30 EA per 30 days) |
| INGREZZA ORAL CAPSULE THERAPY PACK 40 & 80 MG | 5 | PA; QL (56 EA per 365 days) |
| NUEDEXTA ORAL CAPSULE 20-10 MG | 5 | PA |
| riluzole oral tablet 50 mg | 4 | |
| tetrabenazine oral tablet 12.5 mg, 25 mg | 5 | PA |
| VEOZAH ORAL TABLET 45 MG | 4 | PA |
| Fibromyalgia Agents | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| SAVELLA ORAL TABLET 100 MG, 12.5 MG, 25 MG, 50 MG | 3 | QL (60 EA per 30 days) |
| SAVELLA TITRATION PACK ORAL 12.5 & 25 & 50 MG | 3 | QL (110 EA per 365 days) |
| Multiple Sclerosis Agents | | |
| AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT 30 MCG/0.5ML | 5 | PA; QL (4 EA per 28 days) |
| AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT 30 MCG/0.5ML | 5 | PA; QL (4 EA per 28 days) |
| BETASERON SUBCUTANEOUS KIT 0.3 MG | 5 | PA; QL (15 EA per 30 days) |
| <i>dalfampridine er oral tablet extended release 12 hour 10 mg</i> | 3 | PA; QL (60 EA per 30 days) |
| <i>dimethyl fumarate oral capsule delayed release 120 mg, 240 mg</i> | 4 | PA; QL (60 EA per 30 days) |
| <i>dimethyl fumarate starter pack oral capsule delayed release therapy pack 120 & 240 mg</i> | 4 | PA; QL (120 EA per 365 days) |
| <i>fingolimod hcl oral capsule 0.5 mg</i> | 5 | PA; QL (30 EA per 30 days) |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 20 mg/ml</i> | 5 | PA; QL (30 ML per 30 days) |
| <i>glatiramer acetate subcutaneous solution prefilled syringe 40 mg/ml</i> | 5 | PA; QL (12 ML per 28 days) |
| KESIMPTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 20 MG/0.4ML | 5 | PA; QL (0.4 ML per 28 days) |
| MAYZENT ORAL TABLET 0.25 MG | 5 | PA; QL (120 EA per 30 days) |
| MAYZENT ORAL TABLET 1 MG, 2 MG | 5 | PA; QL (30 EA per 30 days) |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 12 X 0.25 MG | 5 | PA; QL (24 EA per 365 days) |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 7 X 0.25 MG | 4 | PA; QL (14 EA per 365 days) |
| REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 22 MCG/0.5ML, 44 MCG/0.5ML | 5 | PA; QL (6 ML per 28 days) |
| REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR 6X8.8 & 6X22 MCG | 5 | PA; QL (8.4 ML per 365 days) |
| REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 22 MCG/0.5ML, 44 MCG/0.5ML | 5 | PA; QL (6 ML per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 6X8.8 & 6X22 MCG | 5 | PA; QL (8.4 ML per 365 days) |
| VUMERITY ORAL CAPSULE DELAYED RELEASE 231 MG | 5 | PA; QL (120 EA per 30 days) |
| ZEPOSIA 7-DAY STARTER PACK ORAL CAPSULE THERAPY PACK 4 X 0.23MG & 3 X 0.46MG | 5 | PA; QL (14 EA per 365 days) |
| ZEPOSIA ORAL CAPSULE 0.92 MG | 5 | PA; QL (30 EA per 30 days) |
| ZEPOSIA STARTER KIT ORAL CAPSULE THERAPY PACK 0.23MG &0.46MG 0.92MG(21) | 5 | PA; QL (56 EA per 365 days) |
| Dental and Oral Agents | | |
| Dental and Oral Agents | | |
| <i>chlorhexidine gluconate mouth/throat solution 0.12 %</i> | 1 | |
| <i>doxycycline hyclate oral tablet 20 mg</i> | 3 | |
| <i>kourzeq mouth/throat paste 0.1 %</i> | 3 | |
| <i>lidocaine viscous hcl mouth/throat solution 2 %</i> | 2 | |
| <i>pilocarpine hcl oral tablet 5 mg, 7.5 mg</i> | 4 | |
| <i>triamcinolone acetonide mouth/throat paste 0.1 %</i> | 3 | |
| Dermatological Agents | | |
| Acne and Rosacea Agents | | |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> | 4 | |
| <i>amnesteem oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 4 | |
| <i>azelaic acid external gel 15 %</i> | 4 | QL (100 GM per 30 days) |
| <i>benzoyl peroxide-erythromycin external gel 5-3 %</i> | 4 | |
| <i>claravis oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 4 | |
| <i>FINACEA EXTERNAL FOAM 15 %</i> | 4 | QL (50 GM per 30 days) |
| <i>isotretinoin oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 4 | |
| <i>metronidazole external cream 0.75 %</i> | 4 | |
| <i>metronidazole external gel 0.75 %</i> | 3 | |
| <i>metronidazole external gel 1 %</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------|
| <i>tazarotene external cream 0.1 %</i> | 4 | QL (60 GM per 30 days) |
| <i>tretinoin external cream 0.025 %, 0.05 %</i> | 4 | PA |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> | 4 | |
| Dermatitis and Pruritus Agents | | |
| <i>ADBRY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML</i> | 5 | PA; QL (6 ML per 28 days) |
| <i>ADBRY SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML</i> | 5 | PA; QL (6 ML per 28 days) |
| <i>alclometasone dipropionate external cream 0.05 %</i> | 3 | |
| <i>alclometasone dipropionate external ointment 0.05 %</i> | 3 | |
| <i>ammonium lactate external cream 12 %</i> | 2 | |
| <i>ammonium lactate external lotion 12 %</i> | 3 | |
| <i>betamethasone dipropionate aug external cream 0.05 %</i> | 2 | |
| <i>betamethasone dipropionate aug external gel 0.05 %</i> | 4 | |
| <i>betamethasone dipropionate aug external ointment 0.05 %</i> | 4 | |
| <i>betamethasone dipropionate external cream 0.05 %</i> | 3 | |
| <i>betamethasone dipropionate external lotion 0.05 %</i> | 3 | |
| <i>betamethasone dipropionate external ointment 0.05 %</i> | 4 | |
| <i>betamethasone valerate external cream 0.1 %</i> | 3 | |
| <i>betamethasone valerate external lotion 0.1 %</i> | 3 | |
| <i>betamethasone valerate external ointment 0.1 %</i> | 3 | |
| <i>clobetasol propionate e external cream 0.05 %</i> | 4 | |
| <i>clobetasol propionate external cream 0.05 %</i> | 4 | |
| <i>clobetasol propionate external gel 0.05 %</i> | 4 | |
| <i>clobetasol propionate external ointment 0.05 %</i> | 4 | |
| <i>clobetasol propionate external solution 0.05 %</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------------|
| desonide external cream 0.05 % | 3 | |
| desonide external ointment 0.05 % | 3 | QL (120 GM per 30 days) |
| desoximetasone external cream 0.25 % | 3 | QL (100 GM per 30 days) |
| desoximetasone external ointment 0.25 % | 3 | |
| EUCRISA EXTERNAL OINTMENT 2 % | 4 | PA |
| fluocinolone acetonide external cream 0.01 %, 0.025 % | 4 | |
| fluocinolone acetonide external ointment 0.025 % | 3 | |
| fluocinolone acetonide external solution 0.01 % | 4 | |
| fluocinonide external cream 0.05 % | 3 | QL (60 GM per 30 days) |
| fluocinonide external cream 0.1 % | 3 | QL (120 GM per 30 days) |
| fluocinonide external gel 0.05 % | 4 | QL (60 GM per 30 days) |
| fluocinonide external ointment 0.05 % | 4 | QL (60 GM per 30 days) |
| fluocinonide external solution 0.05 % | 3 | QL (60 ML per 30 days) |
| fluticasone propionate external cream 0.05 % | 3 | |
| fluticasone propionate external ointment 0.005 % | 3 | |
| halobetasol propionate external cream 0.05 % | 4 | |
| halobetasol propionate external ointment 0.05 % | 4 | |
| hydrocortisone external cream 1 % | 2 | QL (100 GM per 30 days) |
| hydrocortisone external lotion 2.5 % | 2 | |
| hydrocortisone external ointment 1 % | 2 | QL (100 GM per 30 days) |
| hydrocortisone external ointment 2.5 % | 2 | |
| hydrocortisone valerate external cream 0.2 % | 3 | QL (60 GM per 30 days) |
| mometasone furoate external cream 0.1 % | 3 | |
| mometasone furoate external ointment 0.1 % | 3 | |
| mometasone furoate external solution 0.1 % | 3 | |
| pimecrolimus external cream 1 % | 4 | |
| selenium sulfide external lotion 2.5 % | 2 | |
| SPEVIGO SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML | 5 | PA; QL (4 ML per 28 days) |
| tacrolimus external ointment 0.03 %, 0.1 % | 4 | |
| triamcinolone acetonide external cream 0.025 %, 0.1 %, 0.5 % | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>triamcinolone acetonide external lotion 0.025 %, 0.1 %</i> | 3 | |
| <i>triamcinolone acetonide external ointment 0.025 %, 0.1 %, 0.5 %</i> | 2 | |
| <i>triderm external cream 0.5 %</i> | 2 | |
| Dermatological Agents, Other | | |
| <i>calcipotriene external cream 0.005 %</i> | 4 | QL (120 GM per 30 days) |
| <i>calcipotriene external ointment 0.005 %</i> | 4 | QL (120 GM per 30 days) |
| <i>calcipotriene external solution 0.005 %</i> | 3 | QL (60 ML per 30 days) |
| <i>clotrimazole-betamethasone external cream 1-0.05 %</i> | 3 | QL (90 GM per 30 days) |
| <i>diclofenac sodium external gel 3 %</i> | 4 | ST; QL (300 GM per 30 days) |
| <i>fluorouracil external cream 5 %</i> | 4 | QL (40 GM per 30 days) |
| <i>fluorouracil external solution 2 %, 5 %</i> | 3 | |
| <i>imiquimod external cream 5 %</i> | 3 | QL (48 EA per 30 days) |
| <i>nystatin-triamcinolone external cream 100000-0.1 unit/gm-%</i> | 3 | |
| <i>nystatin-triamcinolone external ointment 100000-0.1 unit/gm-%</i> | 3 | |
| <i>OTEZLA ORAL TABLET 20 MG, 30 MG</i> | 5 | PA; QL (60 EA per 30 days) |
| <i>podofilox external solution 0.5 %</i> | 3 | |
| <i>SANTYL EXTERNAL OINTMENT 250 UNIT/GM</i> | 4 | |
| <i>silver sulfadiazine external cream 1 %</i> | 2 | |
| <i>SOTYKTU ORAL TABLET 6 MG</i> | 5 | PA; QL (30 EA per 30 days) |
| <i>ssd external cream 1 %</i> | 2 | |
| Pediculicides/Scabicides | | |
| <i>malathion external lotion 0.5 %</i> | 4 | |
| <i>permethrin external cream 5 %</i> | 3 | |
| Topical Anti-infectives | | |
| <i>acyclovir external ointment 5 %</i> | 4 | QL (60 GM per 30 days) |
| <i>ciclopirox external gel 0.77 %</i> | 2 | |
| <i>ciclopirox external shampoo 1 %</i> | 3 | |
| <i>ciclopirox external solution 8 %</i> | 2 | PA |
| <i>ciclopirox olamine external cream 0.77 %</i> | 3 | |
| <i>ciclopirox olamine external suspension 0.77 %</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| <i>clindamycin phosphate external solution 1 %</i> | 3 | QL (60 ML per 30 days) |
| <i>ery external pad 2 %</i> | 3 | |
| <i>erythromycin external gel 2 %</i> | 3 | |
| <i>erythromycin external solution 2 %</i> | 3 | |
| <i>mupirocin calcium external cream 2 %</i> | 3 | |
| <i>mupirocin external ointment 2 %</i> | 2 | QL (110 GM per 30 days) |
| Electrolytes/Minerals/Metals/Vitamin S | | |
| Electrolyte/Mineral Replacement | | |
| <i>carglumic acid oral tablet soluble 200 mg</i> | 5 | |
| <i>dextrose intravenous solution 5 %</i> | 2 | |
| <i>dextrose-sodium chloride intravenous solution 5-0.45 %, 5-0.9 %</i> | 4 | |
| <i>klor-con 10 oral tablet extended release 10 meq</i> | 2 | |
| <i>klor-con m10 oral tablet extended release 10 meq</i> | 2 | |
| <i>klor-con m15 oral tablet extended release 15 meq</i> | 3 | |
| <i>klor-con m20 oral tablet extended release 20 meq</i> | 2 | |
| <i>klor-con oral tablet extended release 8 meq</i> | 2 | |
| <i>magnesium sulfate injection solution 50 %, 50 % (10ml syringe)</i> | 3 | |
| <i>PLENAMINE INTRAVENOUS SOLUTION 15 %</i> | 4 | B/D |
| <i>potassium chloride crys er oral tablet extended release 10 meq, 20 meq</i> | 2 | |
| <i>potassium chloride crys er oral tablet extended release 15 meq</i> | 3 | |
| <i>potassium chloride er oral capsule extended release 10 meq, 8 meq</i> | 3 | |
| <i>potassium chloride er oral tablet extended release 10 meq, 15 meq, 20 meq, 8 meq</i> | 2 | |
| <i>potassium chloride oral solution 20 meq/15ml (10%)</i> | 4 | |
| <i>potassium citrate er oral tablet extended release 10 meq (1080 mg), 15 meq (1620 mg), 5 meq (540 mg)</i> | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| sodium chloride intravenous solution 0.45 %, 0.9 % | 3 | |
| Electrolyte/Mineral/Metal Modifiers | | |
| CHEMET ORAL CAPSULE 100 MG | 5 | |
| deferasirox granules oral packet 180 mg, 360 mg, 90 mg | 5 | PA |
| deferasirox oral tablet 180 mg, 360 mg | 4 | PA |
| deferasirox oral tablet 90 mg | 3 | PA |
| deferasirox oral tablet soluble 125 mg | 4 | PA |
| deferasirox oral tablet soluble 250 mg, 500 mg | 5 | PA |
| penicillamine oral tablet 250 mg | 5 | |
| trientine hcl oral capsule 250 mg | 5 | PA |
| Potassium Binders | | |
| KIONEX COMBINATION SUSPENSION 15 GM/60ML | 3 | |
| LOKELMA ORAL PACKET 10 GM, 5 GM | 4 | QL (90 EA per 30 days) |
| sodium polystyrene sulfonate oral powder | 3 | |
| sps (sodium polystyrene sulf) combination suspension 15 gm/60ml | 3 | |
| VELTASSA ORAL PACKET 1 GM, 16.8 GM, 25.2 GM, 8.4 GM | 4 | |
| Vitamins | | |
| prenatal oral tablet 27-1 mg | 2 | |
| Gastrointestinal Agents | | |
| Anti-Constipation Agents | | |
| constulose oral solution 10 gm/15ml | 3 | |
| enulose oral solution 10 gm/15ml | 3 | |
| generlac oral solution 10 gm/15ml | 3 | |
| lactulose oral solution 10 gm/15ml | 3 | |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG | 3 | QL (30 EA per 30 days) |
| lubiprostone oral capsule 24 mcg, 8 mcg | 4 | QL (60 EA per 30 days) |
| MOTEGRITY ORAL TABLET 1 MG, 2 MG | 3 | QL (30 EA per 30 days) |
| prucalopride succinate oral tablet 1 mg, 2 mg | 3 | QL (30 EA per 30 days) |
| RELISTOR ORAL TABLET 150 MG | 5 | ST; QL (90 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML, 12 MG/0.6ML (0.6ML SYRINGE) | 5 | ST; QL (18 ML per 30 days) |
| RELISTOR SUBCUTANEOUS SOLUTION 8 MG/0.4ML | 5 | ST; QL (12 ML per 30 days) |
| Anti-Diarrheal Agents | | |
| <i>alosetron hcl oral tablet 0.5 mg</i> | 4 | PA |
| <i>alosetron hcl oral tablet 1 mg</i> | 5 | PA |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> | 3 | |
| <i>loperamide hcl oral capsule 2 mg</i> | 3 | |
| XERMELO ORAL TABLET 250 MG | 5 | PA; QL (90 EA per 30 days) |
| Antispasmodics, Gastrointestinal | | |
| <i>dicyclomine hcl oral capsule 10 mg</i> | 3 | |
| <i>dicyclomine hcl oral tablet 20 mg</i> | 3 | |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | 3 | PA |
| Gastrointestinal Agents, Other | | |
| CLENPIQ ORAL SOLUTION 10-3.5-12 MG- GM -GM/175ML | 3 | |
| <i>gavilyte-c oral solution reconstituted 240 gm</i> | 2 | |
| <i>gavilyte-g oral solution reconstituted 236 gm</i> | 2 | |
| LIVMARLI ORAL SOLUTION 19 MG/ML | 5 | PA; QL (60 ML per 30 days) |
| LIVMARLI ORAL SOLUTION 9.5 MG/ML | 5 | PA; QL (90 ML per 30 days) |
| LIVMARLI ORAL TABLET 10 MG, 15 MG, 20 MG | 5 | PA; QL (60 EA per 30 days) |
| LIVMARLI ORAL TABLET 30 MG | 5 | PA; QL (30 EA per 30 days) |
| <i>metoclopramide hcl oral solution 5 mg/5ml</i> | 3 | |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> | 1 | |
| <i>na sulfate-k sulfate-mg sulf oral solution 17.5-3.13-1.6 gm/177ml, 17.5-3.13-1.6 gm/177ml 2 pack (480ml)</i> | 3 | |
| NITROGLYCERIN RECTAL OINTMENT 0.4 % | 4 | |
| <i>peg 3350-kcl-na bicarb-nacl oral solution reconstituted 420 gm</i> | 2 | |
| <i>peg-3350/electrolytes oral solution reconstituted 236 gm</i> | 2 | |
| SUTAB ORAL TABLET 1479-225-188 MG | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------|
| <i>ursodiol oral tablet 250 mg, 500 mg</i> | 3 | |
| VOWST ORAL CAPSULE | 5 | PA |
| XIFAXAN ORAL TABLET 200 MG | 4 | PA |
| XIFAXAN ORAL TABLET 550 MG | 5 | PA |
| Histamine2 (H2) Receptor Antagonists | | |
| <i>famotidine oral tablet 20 mg, 40 mg</i> | 2 | |
| <i>nizatidine oral capsule 150 mg, 300 mg</i> | 4 | |
| Protectants | | |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> | 3 | |
| <i>sucralfate oral tablet 1 gm</i> | 3 | |
| Proton Pump Inhibitors | | |
| <i>esomeprazole magnesium oral capsule delayed release 20 mg, 40 mg</i> | 4 | QL (60 EA per 30 days) |
| <i>lansoprazole oral capsule delayed release 15 mg, 30 mg</i> | 3 | QL (60 EA per 30 days) |
| <i>omeprazole oral capsule delayed release 10 mg, 20 mg, 40 mg</i> | 2 | QL (60 EA per 30 days) |
| <i>pantoprazole sodium oral tablet delayed release 20 mg, 40 mg</i> | 2 | QL (60 EA per 30 days) |
| <i>rabeprazole sodium oral tablet delayed release 20 mg</i> | 3 | QL (60 EA per 30 days) |
| Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment | | |
| Genetic or Enzyme or Protein Disorder: Replacement, Modifiers, Treatment | | |
| <i>betaine oral powder</i> | 5 | |
| CERDELGA ORAL CAPSULE 84 MG | 5 | PA |
| CHOLBAM ORAL CAPSULE 250 MG, 50 MG | 5 | PA |
| CREON ORAL CAPSULE DELAYED RELEASE PARTICLES 12000-38000 UNIT, 24000-76000 UNIT, 3000-9500 UNIT, 36000-114000 UNIT, 6000-19000 UNIT | 3 | |
| <i>cromolyn sodium oral concentrate 100 mg/5ml</i> | 4 | |
| CYSTAGON ORAL CAPSULE 150 MG, 50 MG | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| EVRYSDI ORAL SOLUTION RECONSTITUTED 0.75 MG/ML | 5 | PA; QL (240 ML per 30 days) |
| <i>l</i> -glutamine oral packet 5 gm | 5 | PA |
| miglustat oral capsule 100 mg | 5 | PA |
| nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg | 5 | |
| PROLASTIN-C INTRAVENOUS SOLUTION 1000 MG/20ML | 5 | PA |
| PYRUKYND ORAL TABLET 20 MG, 5 MG | 5 | PA; QL (60 EA per 30 days) |
| PYRUKYND ORAL TABLET 50 MG | 5 | PA; QL (120 EA per 30 days) |
| PYRUKYND TAPER PACK ORAL TABLET THERAPY PACK 5 MG, 7 X 20 MG & 7 X 5 MG, 7 X 50 MG & 7 X 20 MG | 5 | PA; QL (30 EA per 30 days) |
| REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5ML | 5 | PA |
| sapropterin dihydrochloride oral packet 100 mg, 500 mg | 5 | PA |
| sapropterin dihydrochloride oral tablet 100 mg | 5 | PA |
| sodium phenylbutyrate oral powder 3 gm/tsp | 5 | |
| SUCRAID ORAL SOLUTION 8500 UNIT/ML | 5 | PA |
| WELIREG ORAL TABLET 40 MG | 5 | PA |
| YARGESA ORAL CAPSULE 100 MG | 5 | PA |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-10000 UNIT, 40000-126000 UNIT, 5000-24000 UNIT, 60000-189600 UNIT | 3 | |
| Genitourinary Agents | | |
| Antispasmodics, Urinary | | |
| GEMTESA ORAL TABLET 75 MG | 4 | |
| MYRBETRIQ ORAL SUSPENSION RECONSTITUTED ER 8 MG/ML | 3 | |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR 25 MG, 50 MG | 3 | |
| <i>oxybutynin chloride er oral tablet extended release 24 hour 10 mg, 15 mg, 5 mg</i> | 2 | |
| <i>oxybutynin chloride oral solution 5 mg/5ml</i> | 2 | |
| <i>oxybutynin chloride oral tablet 5 mg</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|----------------------------|
| <i>solifenacain succinate oral tablet 10 mg, 5 mg</i> | 3 | |
| Benign Prostatic Hypertrophy Agents | | |
| <i>alfuzosin hcl er oral tablet extended release 24 hour 10 mg</i> | 2 | |
| <i>doxazosin mesylate oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> | 2 | |
| <i>dutasteride oral capsule 0.5 mg</i> | 3 | |
| <i>finasteride oral tablet 5 mg</i> | 2 | |
| <i>tadalafil oral tablet 2.5 mg, 5 mg</i> | 3 | PA; QL (30 EA per 30 days) |
| <i>tamsulosin hcl oral capsule 0.4 mg</i> | 2 | |
| <i>terazosin hcl oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> | 2 | |
| Genitourinary Agents, Other | | |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i> | 3 | |
| <i>ELMIRON ORAL CAPSULE 100 MG</i> | 5 | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal) | | |
| <i>dexamethasone oral solution 0.5 mg/5ml</i> | 3 | |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i> | 3 | |
| <i>fludrocortisone acetate oral tablet 0.1 mg</i> | 2 | |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> | 3 | |
| <i>methylprednisolone oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> | 3 | |
| <i>methylprednisolone oral tablet therapy pack 4 mg</i> | 2 | |
| <i>prednisolone oral solution 15 mg/5ml</i> | 2 | |
| <i>prednisolone sodium phosphate oral solution 25 mg/5ml, 5 mg/5ml</i> | 4 | |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i> | 2 | |
| <i>prednisone oral tablet therapy pack 10 mg (21), 10 mg (48), 5 mg (21), 5 mg (48)</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary) | | |
| <i>desmopressin ace spray refrig nasal solution 0.01 %</i> | 4 | |
| <i>desmopressin acetate oral tablet 0.1 mg, 0.2 mg</i> | 3 | |
| GENOTROPIN MINIQUICK SUBCUTANEOUS PREFILLED SYRINGE 0.2 MG | 4 | PA |
| GENOTROPIN MINIQUICK SUBCUTANEOUS PREFILLED SYRINGE 0.4 MG, 0.6 MG, 0.8 MG, 1 MG, 1.2 MG, 1.4 MG, 1.6 MG, 1.8 MG, 2 MG | 5 | PA |
| GENOTROPIN SUBCUTANEOUS CARTRIDGE 12 MG, 5 MG | 5 | PA |
| INCRELEX SUBCUTANEOUS SOLUTION 40 MG/4ML | 5 | PA |
| ISTURISA ORAL TABLET 1 MG | 5 | PA; QL (240 EA per 30 days) |
| ISTURISA ORAL TABLET 5 MG | 5 | PA; QL (360 EA per 30 days) |
| Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers) | | |
| Androgens | | |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i> | 4 | |
| <i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml, 200 mg/ml (1 ml)</i> | 3 | PA |
| <i>testosterone enanthate intramuscular solution 200 mg/ml</i> | 3 | PA |
| <i>testosterone transdermal gel 12.5 mg/act (1%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 50 mg/5gm (1%)</i> | 4 | PA |
| Estrogens | | |
| <i>altavera oral tablet 0.15-30 mg-mcg</i> | 3 | |
| <i>alyacen 1/35 oral tablet 1-35 mg-mcg</i> | 3 | |
| <i>ashlyna oral tablet 0.15-0.03 & 0.01 mg</i> | 4 | QL (91 EA per 91 days) |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------|
| aviane oral tablet 0.1-20 mg-mcg | 3 | |
| azurette oral tablet 0.15-0.02/0.01 mg (21/5) | 3 | |
| balziva oral tablet 0.4-35 mg-mcg | 3 | |
| blisovi fe 1.5/30 oral tablet 1.5-30 mg-mcg | 3 | |
| briellyn oral tablet 0.4-35 mg-mcg | 3 | |
| camrese lo oral tablet 0.1-0.02 & 0.01 mg | 4 | QL (91 EA per 91 days) |
| CLIMARA PRO TRANSDERMAL PATCH WEEKLY 0.045-0.015 MG/DAY | 4 | |
| cryselle-28 oral tablet 0.3-30 mg-mcg | 3 | |
| dolishale oral tablet 90-20 mcg | 3 | |
| dotti transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr | 4 | |
| DOTTI TRANSDERMAL PATCH TWICE WEEKLY 0.075 MG/24HR, 0.1 MG/24HR | 4 | |
| eluryng vaginal ring 0.12-0.015 mg/24hr | 4 | |
| enilloring vaginal ring 0.12-0.015 mg/24hr | 4 | |
| enpresse-28 oral tablet 50-30/75-40/ 125-30 mcg | 3 | |
| estarrylla oral tablet 0.25-35 mg-mcg | 3 | |
| estradiol oral tablet 0.5 mg, 1 mg, 2 mg | 2 | |
| estradiol transdermal gel 0.25 mg/0.25gm, 0.5 mg/0.5gm, 0.75 mg/0.75gm, 1 mg/gm, 1.25 mg/1.25gm | 4 | |
| estradiol transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr | 4 | |
| estradiol transdermal patch weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.06 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr | 3 | |
| estradiol vaginal cream 0.1 mg/gm | 3 | |
| estradiol vaginal tablet 10 mcg | 4 | |
| estradiol-norethindrone acet oral tablet 0.5-0.1 mg, 1-0.5 mg | 4 | |
| ESTRING VAGINAL RING 7.5 MCG/24HR | 4 | QL (1 EA per 90 days) |
| ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg, 1-50 mg-mcg | 3 | |
| etonogestrel-ethynodiol estradiol vaginal ring 0.12-0.015 mg/24hr | 3 | |
| falmina oral tablet 0.1-20 mg-mcg | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------|
| feirza 1.5/30 oral tablet 1.5-30 mg-mcg | 3 | |
| feirza 1/20 oral tablet 1-20 mg-mcg | 3 | |
| fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg | 4 | |
| haloette vaginal ring 0.12-0.015 mg/24hr | 4 | |
| iclevia oral tablet 0.15-0.03 mg | 4 | QL (91 EA per 91 days) |
| introvale oral tablet 0.15-0.03 mg | 4 | QL (91 EA per 91 days) |
| jaimiess oral tablet 0.15-0.03 &0.01 mg | 4 | QL (91 EA per 91 days) |
| jinteli oral tablet 1-5 mg-mcg | 4 | |
| junel 1.5/30 oral tablet 1.5-30 mg-mcg | 3 | |
| junel 1/20 oral tablet 1-20 mg-mcg | 3 | |
| junel fe 1.5/30 oral tablet 1.5-30 mg-mcg | 3 | |
| junel fe 1/20 oral tablet 1-20 mg-mcg | 3 | |
| kariva oral tablet 0.15-0.02/0.01 mg (21/5) | 3 | |
| kelnor 1/35 oral tablet 1-35 mg-mcg | 3 | |
| kelnor 1/50 oral tablet 1-50 mg-mcg | 3 | |
| kurvelo oral tablet 0.15-30 mg-mcg | 3 | |
| larin 1.5/30 oral tablet 1.5-30 mg-mcg | 3 | |
| larin 1/20 oral tablet 1-20 mg-mcg | 3 | |
| larin fe 1.5/30 oral tablet 1.5-30 mg-mcg | 3 | |
| larin fe 1/20 oral tablet 1-20 mg-mcg | 3 | |
| lessina oral tablet 0.1-20 mg-mcg | 3 | |
| levonest oral tablet 50-30/75-40/ 125-30 mcg | 3 | |
| levonorgest-eth est & eth est oral tablet 42-21-21-7 days | 4 | QL (91 EA per 91 days) |
| levonorgest-eth estrad 91-day oral tablet 0.1-0.02 & 0.01 mg, 0.15-0.03 &0.01 mg, 0.15-0.03 mg | 4 | QL (91 EA per 91 days) |
| levonorgestrel-ethynodiol dihydrogen phosphate oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg, 90-20 mcg | 3 | |
| levonorg-eth estrad triphasic oral tablet 50-30/75-40/ 125-30 mcg | 3 | |
| levora 0.15/30 (28) oral tablet 0.15-30 mg-mcg | 3 | |
| lojaimiess oral tablet 0.1-0.02 & 0.01 mg | 4 | QL (91 EA per 91 days) |
| low-ogestrel oral tablet 0.3-30 mg-mcg | 3 | |
| lutera oral tablet 0.1-20 mg-mcg | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| lyllana transdermal patch twice weekly 0.025 mg/24hr, 0.0375 mg/24hr, 0.05 mg/24hr, 0.075 mg/24hr, 0.1 mg/24hr | 4 | |
| marlissa oral tablet 0.15-30 mg-mcg | 3 | |
| microgestin 1.5/30 oral tablet 1.5-30 mg-mcg | 3 | |
| microgestin 1/20 oral tablet 1-20 mg-mcg | 3 | |
| microgestin fe 1.5/30 oral tablet 1.5-30 mg-mcg | 3 | |
| microgestin fe 1/20 oral tablet 1-20 mg-mcg | 3 | |
| mili oral tablet 0.25-35 mg-mcg | 3 | |
| mimvey oral tablet 1-0.5 mg | 4 | |
| necon 0.5/35 (28) oral tablet 0.5-35 mg-mcg | 3 | |
| norelgestromin-eth estradiol transdermal patch weekly 150-35 mcg/24hr | 4 | |
| norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg | 3 | |
| norethindrone acet-ethinyl est oral tablet 1-20 mg-mcg | 3 | |
| norethindrone-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg | 4 | |
| norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg | 3 | |
| norgestim-eth estrad triphasic oral tablet 0.18/0.215/0.25 mg-35 mcg | 3 | |
| nortrel 0.5/35 (28) oral tablet 0.5-35 mg-mcg | 3 | |
| nortrel 1/35 (21) oral tablet 1-35 mg-mcg | 3 | |
| nortrel 1/35 (28) oral tablet 1-35 mg-mcg | 3 | |
| nortrel 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg | 3 | |
| nylia 1/35 oral tablet 1-35 mg-mcg | 3 | |
| nylia 7/7/7 oral tablet 0.5/0.75/1-35 mg-mcg | 3 | |
| pimtrea oral tablet 0.15-0.02/0.01 mg (21/5) | 3 | |
| portia-28 oral tablet 0.15-30 mg-mcg | 3 | |
| PREMARIN ORAL TABLET 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG | 4 | |
| PREMARIN VAGINAL CREAM 0.625 MG/GM | 4 | |
| PREMPHASE ORAL TABLET 0.625-5 MG | 4 | |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| rivelsa oral tablet 42-21-21-7 days | 4 | QL (91 EA per 91 days) |
| rosyrah oral tablet 42-21-21-7 days | 4 | QL (91 EA per 91 days) |
| setlakin oral tablet 0.15-0.03 mg | 4 | QL (91 EA per 91 days) |
| sprintec 28 oral tablet 0.25-35 mg-mcg | 3 | |
| sronyx oral tablet 0.1-20 mg-mcg | 3 | |
| tarina fe 1/20 eq oral tablet 1-20 mg-mcg | 3 | |
| tri-estarrylla oral tablet 0.18/0.215/0.25 mg-35 mcg | 3 | |
| tri-mili oral tablet 0.18/0.215/0.25 mg-35 mcg | 3 | |
| tri-sprintec oral tablet 0.18/0.215/0.25 mg-35 mcg | 3 | |
| trivora (28) oral tablet 50-30/75-40/ 125-30 mcg | 3 | |
| tri-vylibra oral tablet 0.18/0.215/0.25 mg-35 mcg | 3 | |
| turqoz oral tablet 0.3-30 mg-mcg | 3 | |
| valtya 1/50 oral tablet 1-50 mg-mcg | 3 | |
| vienna oral tablet 0.1-20 mg-mcg | 3 | |
| vyfemla oral tablet 0.4-35 mg-mcg | 3 | |
| vylibra oral tablet 0.25-35 mg-mcg | 3 | |
| xulane transdermal patch weekly 150-35 mcg/24hr | 3 | |
| yuvafem vaginal tablet 10 mcg | 4 | |
| zafemy transdermal patch weekly 150-35 mcg/24hr | 4 | |
| zovia 1/35 (28) oral tablet 1-35 mg-mcg | 3 | |
| Progestins | | |
| camila oral tablet 0.35 mg | 3 | |
| deblitane oral tablet 0.35 mg | 3 | |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SUSPENSION PREFILLED SYRINGE 104 MG/0.65ML | 3 | QL (0.65 ML per 90 days) |
| errin oral tablet 0.35 mg | 3 | |
| gallifrey oral tablet 5 mg | 3 | |
| heather oral tablet 0.35 mg | 3 | |
| incassia oral tablet 0.35 mg | 3 | |
| LILETTA (52 MG) INTRAUTERINE INTRAUTERINE DEVICE 20.1 MCG/DAY | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|----------------------------|
| <i>lyeq oral tablet 0.35 mg</i> | 3 | |
| <i>lyza oral tablet 0.35 mg</i> | 3 | |
| <i>medroxyprogesterone acetate intramuscular suspension 150 mg/ml</i> | 3 | QL (1 ML per 90 days) |
| <i>medroxyprogesterone acetate intramuscular suspension prefilled syringe 150 mg/ml</i> | 2 | QL (1 ML per 90 days) |
| <i>medroxyprogesterone acetate oral tablet 10 mg, 2.5 mg, 5 mg</i> | 1 | |
| <i>megestrol acetate oral suspension 40 mg/ml</i> | 3 | |
| <i>megestrol acetate oral tablet 20 mg, 40 mg</i> | 3 | |
| NEXPLANON SUBCUTANEOUS IMPLANT 68 MG | 3 | |
| <i>nora-be oral tablet 0.35 mg</i> | 3 | |
| <i>norethindrone acetate oral tablet 5 mg</i> | 3 | |
| <i>norethindrone oral tablet 0.35 mg</i> | 3 | |
| <i>progesterone oral capsule 100 mg, 200 mg</i> | 3 | |
| <i>sharobel oral tablet 0.35 mg</i> | 3 | |
| Selective Estrogen Receptor Modifying Agents | | |
| <i>OSPHENA ORAL TABLET 60 MG</i> | 3 | PA; QL (30 EA per 30 days) |
| <i>raloxifene hcl oral tablet 60 mg</i> | 3 | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid) | | |
| Hormonal Agents, Stimulant/Replacement/Modifying (Thyroid) | | |
| <i>euthyrox oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 2 | |
| <i>levothyroxine sodium oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 1 | |
| <i>levoxyl oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 2 | |
| <i>liothyronine sodium oral tablet 25 mcg, 5 mcg, 50 mcg</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| <i>unithroid oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> | 2 | |
| Hormonal Agents, Suppressant (Adrenal or Pituitary) | | |
| Hormonal Agents, Suppressant (Adrenal or Pituitary) | | |
| <i>cabergoline oral tablet 0.5 mg</i> | 3 | |
| FIRMAGON (240 MG DOSE) SUBCUTANEOUS SOLUTION RECONSTITUTED 120 MG/VIAL | 5 | PA; QL (4 EA per 365 days) |
| FIRMAGON SUBCUTANEOUS SOLUTION RECONSTITUTED 80 MG | 4 | PA; QL (1 EA per 28 days) |
| <i>leuprolide acetate injection kit 1 mg/0.2ml</i> | 4 | PA |
| LUPRON DEPOT (1-MONTH) INTRAMUSCULAR KIT 3.75 MG, 7.5 MG | 5 | PA; QL (1 EA per 28 days) |
| LUPRON DEPOT (3-MONTH) INTRAMUSCULAR KIT 11.25 MG, 22.5 MG | 5 | PA; QL (1 EA per 84 days) |
| LUPRON DEPOT (4-MONTH) INTRAMUSCULAR KIT 30 MG | 5 | PA; QL (1 EA per 112 days) |
| LUPRON DEPOT (6-MONTH) INTRAMUSCULAR KIT 45 MG | 5 | PA; QL (1 EA per 168 days) |
| LUPRON DEPOT-PED (1-MONTH) INTRAMUSCULAR KIT 7.5 MG | 5 | PA; QL (1 EA per 28 days) |
| LUPRON DEPOT-PED (3-MONTH) INTRAMUSCULAR KIT 11.25 MG | 5 | PA; QL (1 EA per 84 days) |
| <i>mifepristone oral tablet 300 mg</i> | 5 | PA; QL (120 EA per 30 days) |
| <i>octreotide acetate injection solution 100 mcg/ml, 200 mcg/ml, 50 mcg/ml</i> | 4 | PA |
| <i>octreotide acetate injection solution 1000 mcg/ml, 500 mcg/ml</i> | 5 | PA |
| ORGOVYX ORAL TABLET 120 MG | 5 | PA |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML, 0.6 MG/ML, 0.9 MG/ML | 5 | PA; QL (60 ML per 30 days) |
| SOMAVERT SUBCUTANEOUS SOLUTION RECONSTITUTED 10 MG, 15 MG, 20 MG, 25 MG, 30 MG | 5 | PA |
| TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 11.25 MG | 4 | PA; QL (1 EA per 84 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| TRELSTAR MIXJECT INTRAMUSCULAR SUSPENSION RECONSTITUTED 22.5 MG | 4 | PA; QL (1 EA per 168 days) |
| Hormonal Agents, Suppressant (Thyroid) | | |
| Antithyroid Agents | | |
| <i>methimazole oral tablet 10 mg, 5 mg</i> | 2 | |
| <i>propylthiouracil oral tablet 50 mg</i> | 3 | |
| Immunological Agents | | |
| Angioedema Agents | | |
| CINRYZE INTRAVENOUS SOLUTION RECONSTITUTED 500 UNIT | 5 | PA |
| <i>icatibant acetate subcutaneous solution prefilled syringe 30 mg/3ml</i> | 5 | PA |
| <i>sajazir subcutaneous solution prefilled syringe 30 mg/3ml</i> | 5 | PA |
| Immunoglobulins | | |
| BIVIGAM INTRAVENOUS SOLUTION 5 GM/50ML | 5 | PA |
| PRIVIGEN INTRAVENOUS SOLUTION 20 GM/200ML | 5 | PA |
| Immunological Agents, Other | | |
| BENLYSTA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/ML | 5 | PA |
| BENLYSTA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/ML | 5 | PA |
| COSENTYX (300 MG DOSE) SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML | 5 | PA; QL (10 ML per 28 days) |
| COSENTYX SENSOREADY (300 MG) SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML | 5 | PA; QL (10 ML per 28 days) |
| COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML | 5 | PA; QL (10 ML per 28 days) |
| COSENTYX UNOREADY SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML | 5 | PA; QL (10 ML per 28 days) |
| DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 200 MG/1.14ML | 5 | PA; QL (4.56 ML per 28 days) |
| DUPIXENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 300 MG/2ML | 5 | PA; QL (8 ML per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 200 MG/1.14ML | 5 | PA; QL (4.56 ML per 28 days) |
| DUPIXENT SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 300 MG/2ML | 5 | PA; QL (8 ML per 28 days) |
| EMPAVELI SUBCUTANEOUS SOLUTION 1080 MG/20ML | 5 | PA |
| KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/0.67ML | 5 | PA |
| ORENCIA CLICKJECT SUBCUTANEOUS SOLUTION AUTO-INJECTOR 125 MG/ML | 5 | PA; QL (4 ML per 28 days) |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 125 MG/ML | 5 | PA; QL (4 ML per 28 days) |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/0.4ML | 5 | PA; QL (1.6 ML per 28 days) |
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 87.5 MG/0.7ML | 5 | PA; QL (2.8 ML per 28 days) |
| OTEZLA ORAL TABLET THERAPY PACK 10 & 20 & 30 MG, 4 X 10 & 51 X20 MG | 5 | PA; QL (110 EA per 365 days) |
| RINVOQ LQ ORAL SOLUTION 1 MG/ML | 5 | PA; QL (360 ML per 30 days) |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HOUR 15 MG, 30 MG, 45 MG | 5 | PA; QL (30 EA per 30 days) |
| SKYRIZI PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML | 5 | PA; QL (1 ML per 28 days) |
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 180 MG/1.2ML | 5 | PA; QL (1.2 ML per 56 days) |
| SKYRIZI SUBCUTANEOUS SOLUTION CARTRIDGE 360 MG/2.4ML | 5 | PA; QL (2.4 ML per 56 days) |
| SKYRIZI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML | 5 | PA; QL (1 ML per 28 days) |
| STEQEYMA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 45 MG/0.5ML | 4 | PA; QL (3 ML per 84 days) |
| STEQEYMA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 90 MG/ML | 5 | PA; QL (3 ML per 84 days) |
| TAVNEOS ORAL CAPSULE 10 MG | 5 | PA; QL (180 EA per 30 days) |
| TYENNE SUBCUTANEOUS SOLUTION AUTO-INJECTOR 162 MG/0.9ML | 5 | PA; QL (4 ML per 28 days) |
| TYENNE SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 162 MG/0.9ML | 5 | PA; QL (4 ML per 28 days) |
| <i>wezlana subcutaneous solution 45 mg/0.5ml</i> | 5 | PA; QL (3 ML per 84 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| wezlana subcutaneous solution prefilled syringe 45 mg/0.5ml, 90 mg/ml | 5 | PA; QL (3 ML per 84 days) |
| XELJANZ ORAL SOLUTION 1 MG/ML | 5 | PA; QL (300 ML per 30 days) |
| XELJANZ ORAL TABLET 10 MG, 5 MG | 5 | PA; QL (60 EA per 30 days) |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HOUR 11 MG, 22 MG | 5 | PA; QL (30 EA per 30 days) |
| XOLAIR SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML, 300 MG/2ML, 75 MG/0.5ML | 5 | PA |
| XOLAIR SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML, 300 MG/2ML, 75 MG/0.5ML | 5 | PA |
| XOLAIR SUBCUTANEOUS SOLUTION RECONSTITUTED 150 MG | 5 | PA |
| Immunostimulants | | |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5ML | 5 | PA |
| BESREMI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 500 MCG/ML | 5 | PA |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML | 5 | PA |
| Immunosuppressants | | |
| adalimumab-aaty (1 pen) subcutaneous auto-injector kit 80 mg/0.8ml | 5 | PA; QL (6 EA per 28 days) |
| adalimumab-aaty (2 pen) subcutaneous auto-injector kit 40 mg/0.4ml | 5 | PA; QL (6 EA per 28 days) |
| adalimumab-aaty (2 syringe) subcutaneous prefilled syringe kit 20 mg/0.2ml | 5 | PA; QL (1 EA per 28 days) |
| adalimumab-aaty (2 syringe) subcutaneous prefilled syringe kit 40 mg/0.4ml | 5 | PA; QL (3 EA per 28 days) |
| ADALIMUMAB-AATY CD/UC/HS START SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML | 5 | PA; QL (3 EA per 28 days) |
| ADALIMUMAB-ADBM (2 PEN) SUBCUTANEOUS AUTO-INJECTOR KIT 40 MG/0.4ML, 40 MG/0.8ML | 5 | PA; QL (6 EA per 28 days) |
| ADALIMUMAB-ADBM (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.2ML, 20 MG/0.4ML | 5 | PA; QL (2 EA per 28 days) |
| adalimumab-adbm (2 syringe) subcutaneous prefilled syringe kit 40 mg/0.4ml | 5 | PA; QL (6 EA per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--|
| ADALIMUMAB-ADBM (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML | 5 | PA; QL (6 EA per 28 days) |
| ADALIMUMAB-ADBM(CD/UC/HS STRT) SUBCUTANEOUS AUTO-Injector KIT 40 MG/0.4ML, 40 MG/0.8ML | 5 | PA; QL (6 EA per 28 days) |
| ADALIMUMAB-ADBM(PS/UV STARTER) SUBCUTANEOUS AUTO-Injector KIT 40 MG/0.4ML, 40 MG/0.8ML | 5 | PA; QL (6 EA per 28 days) |
| <i>azathioprine oral tablet 50 mg</i> | 3 | B/D |
| <i>cyclosporine modified oral capsule 100 mg, 25 mg, 50 mg</i> | 4 | B/D |
| <i>cyclosporine modified oral solution 100 mg/ml</i> | 4 | B/D |
| <i>cyclosporine oral capsule 100 mg, 25 mg</i> | 4 | B/D |
| ENBREL MINI SUBCUTANEOUS SOLUTION CARTRIDGE 50 MG/ML | 5 | PA; QL (8 ML per 28 days) |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML | 5 | PA; QL (4 ML per 28 days) |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 25 MG/0.5ML | 5 | PA; QL (4 ML per 28 days) |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 50 MG/ML | 5 | PA; QL (8 ML per 28 days) |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-Injector 50 MG/ML | 5 | PA; QL (8 ML per 28 days) |
| ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR 0.75 MG, 1 MG | 4 | B/D |
| ENVARSUS XR ORAL TABLET EXTENDED RELEASE 24 HOUR 4 MG | 5 | B/D |
| <i>everolimus oral tablet 0.25 mg, 0.5 mg, 0.75 mg, 1 mg</i> | 5 | B/D |
| <i>gengraf oral capsule 100 mg, 25 mg</i> | 4 | B/D |
| HUMIRA (2 PEN) SUBCUTANEOUS AUTO- INJECTOR KIT 40 MG/0.4ML | 5 | PA; Abbvie labeled products only; QL (6 EA per 28 days) |
| HUMIRA (2 PEN) SUBCUTANEOUS AUTO- INJECTOR KIT 40 MG/0.8ML | 5 | PA; QL (6 EA per 28 days) |
| HUMIRA (2 PEN) SUBCUTANEOUS AUTO- INJECTOR KIT 80 MG/0.8ML | 5 | PA; Abbvie labeled products only; QL (4 EA per 28 days) |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML | 5 | PA; Abbvie labeled products only; QL (2 EA per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---|
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.4ML | 5 | PA; Abbvie labeled products only; QL (6 EA per 28 days) |
| HUMIRA (2 SYRINGE) SUBCUTANEOUS PREFILLED SYRINGE KIT 40 MG/0.8ML | 5 | PA; QL (6 EA per 28 days) |
| HUMIRA-CD/UC/HS STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML | 5 | PA; QL (4 EA per 28 days) |
| HUMIRA-PSORIASIS/UVEIT STARTER SUBCUTANEOUS AUTO-INJECTOR KIT 80 MG/0.8ML & 40MG/0.4ML | 5 | PA; QL (6 EA per 365 days) |
| JYLAMVO ORAL SOLUTION 2 MG/ML | 5 | PA |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> | 3 | |
| <i>methotrexate sodium (pf) injection solution 50 mg/2ml</i> | 2 | |
| <i>methotrexate sodium injection solution 50 mg/2ml</i> | 2 | |
| <i>methotrexate sodium oral tablet 2.5 mg</i> | 2 | |
| <i>mycophenolate mofetil oral capsule 250 mg</i> | 4 | B/D |
| <i>mycophenolate mofetil oral suspension reconstituted 200 mg/ml</i> | 5 | B/D |
| <i>mycophenolate mofetil oral tablet 500 mg</i> | 4 | B/D |
| <i>mycophenolate sodium oral tablet delayed release 180 mg, 360 mg</i> | 4 | B/D |
| PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 180 MCG/0.5ML | 5 | PA |
| PROGRAF ORAL PACKET 0.2 MG, 1 MG | 4 | B/D |
| REZUROCK ORAL TABLET 200 MG | 5 | PA; QL (60 EA per 30 days) |
| <i>sirolimus oral solution 1 mg/ml</i> | 5 | B/D |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> | 4 | B/D |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> | 4 | B/D |
| XATMEP ORAL SOLUTION 2.5 MG/ML | 4 | PA |
| Vaccines | | |
| ABRYSVO INTRAMUSCULAR SOLUTION RECONSTITUTED 120 MCG/0.5ML | 1 | QL (1 EA per 252 days) |
| ACTHIB INTRAMUSCULAR SOLUTION RECONSTITUTED | 1 | |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 (PREFILLED SYRINGE), 5-2-15.5 LF-MCG/0.5 | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------|
| AREXVY INTRAMUSCULAR SUSPENSION RECONSTITUTED 120 MCG/0.5ML | 1 | QL (1 EA per 999 days) |
| <i>bcg vaccine injection solution reconstituted 50 mg</i> | 1 | |
| BEXSERO INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | 1 | |
| BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 LF-MCG/0.5 | 1 | |
| BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 5-2.5-18.5 LF-MCG/0.5 | 1 | |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5 | 3 | |
| ENGERIX-B INJECTION SUSPENSION 20 MCG/ML | 1 | B/D |
| ENGERIX-B INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/0.5ML, 20 MCG/ML | 1 | B/D |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION 0.5 ML | 1 | |
| GARDASIL 9 INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | 1 | |
| HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML | 1 | |
| HAVRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720 EL U/0.5ML | 3 | |
| HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 20 MCG/0.5ML | 1 | B/D |
| HIBERIX INJECTION SOLUTION RECONSTITUTED 10 MCG | 1 | |
| IMOVAX RABIES INTRAMUSCULAR SUSPENSION RECONSTITUTED 2.5 UNIT/ML | 1 | B/D |
| INFANRIX INTRAMUSCULAR SUSPENSION 25-58-10 | 3 | |
| IPOL INJECTION INJECTABLE | 1 | |
| IXCHIQ INTRAMUSCULAR SOLUTION RECONSTITUTED | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|--------------------------|
| IXIARO INTRAMUSCULAR SUSPENSION | 1 | |
| JYNNEOS SUBCUTANEOUS SUSPENSION 0.5 ML | 1 | |
| KINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | 3 | |
| <i>menquadfi intramuscular solution 0.5 ml</i> | 1 | |
| MENVEO INTRAMUSCULAR SOLUTION RECONSTITUTED | 1 | |
| M-M-R II INJECTION SOLUTION RECONSTITUTED | 1 | |
| MRESVIA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 50 MCG/0.5ML | 1 | QL (0.5 ML per 999 days) |
| PEDIARIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | 3 | |
| PEDVAX HIB INTRAMUSCULAR SUSPENSION 7.5 MCG/0.5ML | 3 | |
| PENBRAYA INTRAMUSCULAR SUSPENSION RECONSTITUTED | 1 | |
| PENTACEL INTRAMUSCULAR SUSPENSION RECONSTITUTED | 3 | |
| PRIORIX SUBCUTANEOUS SUSPENSION RECONSTITUTED | 1 | |
| PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED | 3 | |
| QUADRACEL INTRAMUSCULAR SUSPENSION | 3 | |
| QUADRACEL INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | 3 | |
| RABAVERT INTRAMUSCULAR SUSPENSION RECONSTITUTED | 1 | B/D |
| RECOMBIVAX HB INJECTION SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5ML | 1 | B/D |
| RECOMBIVAX HB INJECTION SUSPENSION PREFILLED SYRINGE 10 MCG/ML, 5 MCG/0.5ML | 1 | B/D |
| ROTARIX ORAL SUSPENSION | 3 | |
| ROTATEQ ORAL SOLUTION | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML | 1 | |
| TENIVAC INTRAMUSCULAR INJECTABLE 5-2 LFU, 5-2 LFU (INJECTION) | 1 | |
| TICOVAC INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 1.2 MCG/0.25ML | 3 | |
| TICOVAC INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 2.4 MCG/0.5ML | 1 | |
| TRUMENBA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | 1 | |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 720-20 ELU-MCG/ML | 1 | |
| TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5ML | 1 | |
| TYPHIM VI INTRAMUSCULAR SOLUTION PREFILLED SYRINGE 25 MCG/0.5ML | 1 | |
| VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 25 UNIT/0.5ML 0.5 ML | 3 | |
| VAQTA INTRAMUSCULAR SUSPENSION 50 UNIT/ML, 50 UNIT/ML 1 ML | 1 | |
| VARIVAX INJECTION SUSPENSION RECONSTITUTED 1350 PFU/0.5ML | 1 | |
| VAXCHORA ORAL SUSPENSION RECONSTITUTED | 1 | |
| VIMKUNYA INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 40 MCG/0.8ML | 1 | |
| VIVOTIF ORAL CAPSULE DELAYED RELEASE | 1 | |
| YF-VAX SUBCUTANEOUS INJECTABLE , (2.5 ML IN 1 VIAL, MULTI-DOSE) | 1 | |
| Inflammatory Bowel Disease Agents | | |
| Aminosalicylates | | |
| balsalazide disodium oral capsule 750 mg | 4 | |
| mesalamine er oral capsule extended release 500 mg | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| <i>mesalamine rectal enema 4 gm</i> | 4 | |
| <i>mesalamine rectal suppository 1000 mg</i> | 4 | |
| <i>sulfasalazine oral tablet 500 mg</i> | 2 | |
| <i>sulfasalazine oral tablet delayed release 500 mg</i> | 2 | |
| Glucocorticoids | | |
| <i>budesonide er oral tablet extended release 24 hour 9 mg</i> | 5 | |
| <i>budesonide oral capsule delayed release particles 3 mg</i> | 4 | |
| <i>hydrocortisone (perianal) external cream 2.5 %</i> | 2 | |
| <i>hydrocortisone rectal enema 100 mg/60ml</i> | 4 | |
| <i>procto-med hc external cream 2.5 %</i> | 2 | |
| <i>proctosol hc external cream 2.5 %</i> | 2 | |
| <i>proctozone-hc external cream 2.5 %</i> | 2 | |
| Metabolic Bone Disease Agents | | |
| Metabolic Bone Disease Agents | | |
| <i>alendronate sodium oral tablet 10 mg, 35 mg</i> | 6 | |
| <i>alendronate sodium oral tablet 70 mg</i> | 6 | QL (4 EA per 28 days) |
| <i>calcitonin (salmon) nasal solution 200 unit/act</i> | 3 | QL (3.7 ML per 30 days) |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> | 2 | |
| <i>cinacalcet hcl oral tablet 30 mg, 60 mg</i> | 4 | |
| <i>cinacalcet hcl oral tablet 90 mg</i> | 5 | |
| <i>FORTEO SUBCUTANEOUS SOLUTION PEN-INJECTOR 560 MCG/2.24ML</i> | 5 | PA |
| <i>ibandronate sodium oral tablet 150 mg</i> | 2 | QL (1 EA per 28 days) |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg, 4 mcg</i> | 4 | |
| <i>PROLIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 60 MG/ML</i> | 4 | QL (2 ML per 365 days) |
| <i>RAYALDEE ORAL CAPSULE EXTENDED RELEASE 30 MCG</i> | 5 | |
| <i>risedronate sodium oral tablet 35 mg, 35 mg (12 pack), 35 mg (4 pack)</i> | 4 | QL (4 EA per 28 days) |
| <i>teriparatide subcutaneous solution pen-injector 620 mcg/2.48ml</i> | 5 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| TYMLOS SUBCUTANEOUS SOLUTION PEN-INJECTOR 3120 MCG/1.56ML | 5 | PA |
| XGEVA SUBCUTANEOUS SOLUTION 120 MG/1.7ML | 5 | PA |
| Miscellaneous Therapeutic Agents | | |
| Miscellaneous Therapeutic Agents | | |
| ASSURE ID INSULIN SAFETY SYR 29G X 1/2" 1 ML | 1 | QL (200 EA per 30 days) |
| COMFORT ASSIST INSULIN SYRINGE 29G X 1/2" 1 ML | 1 | QL (200 EA per 30 days) |
| CVS GAUZE STERILE PAD 2"X2" | 1 | |
| EXEL COMFORT POINT PEN NEEDLE 29G X 12MM | 1 | QL (200 EA per 30 days) |
| GLOBAL ALCOHOL PREP EASE PAD 70 % | 1 | |
| NUTRILIPID INTRAVENOUS EMULSION 20 % | 4 | B/D |
| PREFERRED PLUS INSULIN SYRINGE 28G X 1/2" 0.5 ML | 1 | QL (200 EA per 30 days) |
| RELI-ON INSULIN SYRINGE 29G 0.3 ML | 1 | QL (200 EA per 30 days) |
| RIVFLOZA SUBCUTANEOUS SOLUTION 80 MG/0.5ML | 5 | PA; QL (1 ML per 28 days) |
| RIVFLOZA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 128 MG/0.8ML | 5 | PA; QL (0.8 ML per 28 days) |
| RIVFLOZA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 160 MG/ML | 5 | PA; QL (1 ML per 28 days) |
| SKYCLARYS ORAL CAPSULE 50 MG | 5 | PA; QL (90 EA per 30 days) |
| sodium chloride irrigation solution 0.9 % | 2 | |
| Ophthalmic Agents | | |
| Ophthalmic Agents, Other | | |
| atropine sulfate ophthalmic solution 1 % | 3 | |
| bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm | 2 | |
| bacitra-neomycin-polymyxin-hc ophthalmic ointment 1 % | 3 | |
| brimonidine tartrate-timolol ophthalmic solution 0.2-0.5 % | 3 | |
| COMBIGAN OPHTHALMIC SOLUTION 0.2-0.5 % | 3 | |
| cyclosporine ophthalmic emulsion 0.05 % | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| CYSTARAN OPHTHALMIC SOLUTION 0.44 % | 5 | QL (60 ML per 28 days) |
| dorzolamide hcl-timolol mal ophthalmic solution 2-0.5 % | 2 | |
| neomycin-bacitracin zn-polymyx ophthalmic ointment 5-400-10000 | 3 | |
| neomycin-polymyxin-dexameth ophthalmic ointment 3.5-10000-0.1 | 2 | |
| neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1 | 2 | |
| neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025 | 3 | |
| neo-polycin hc ophthalmic ointment 1 % | 3 | |
| neo-polycin ophthalmic ointment 3.5-400-10000 | 3 | |
| polycin ophthalmic ointment 500-10000 unit/gm | 2 | |
| polymyxin b-trimethoprim ophthalmic solution 10000-0.1 unit/ml-% | 2 | |
| RESTASIS MULTIDOSE OPHTHALMIC EMULSION 0.05 % | 3 | |
| RESTASIS OPHTHALMIC EMULSION 0.05 % | 3 | |
| ROCKLATAN OPHTHALMIC SOLUTION 0.02-0.005 % | 3 | QL (2.5 ML per 25 days) |
| SIMBRINZA OPHTHALMIC SUSPENSION 1-0.2 % | 3 | |
| sulfacetamide-prednisolone ophthalmic solution 10-0.23 % | 2 | |
| tobramycin-dexamethasone ophthalmic suspension 0.3-0.1 % | 4 | |
| XIIDRA OPHTHALMIC SOLUTION 5 % | 4 | QL (60 EA per 30 days) |
| ZYLET OPHTHALMIC SUSPENSION 0.5-0.3 % | 4 | |
| Ophthalmic Anti-allergy Agents | | |
| azelastine hcl ophthalmic solution 0.05 % | 3 | |
| cromolyn sodium ophthalmic solution 4 % | 2 | |
| Ophthalmic Anti-Infectives | | |
| bacitracin ophthalmic ointment 500 unit/gm | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-------------------------|
| BESIVANCE OPHTHALMIC SUSPENSION 0.6 % | 4 | |
| <i>ciprofloxacin hcl ophthalmic solution 0.3 %</i> | 2 | |
| <i>erythromycin ophthalmic ointment 5 mg/gm</i> | 2 | |
| <i>gatifloxacin ophthalmic solution 0.5 %</i> | 4 | |
| <i>gentamicin sulfate ophthalmic solution 0.3 %</i> | 2 | |
| <i>moxifloxacin hcl ophthalmic solution 0.5 %</i> | 3 | |
| NATACYN OPHTHALMIC SUSPENSION 5 % | 4 | |
| <i>ofloxacin ophthalmic solution 0.3 %</i> | 2 | |
| <i>sulfacetamide sodium ophthalmic ointment 10 %</i> | 3 | |
| <i>sulfacetamide sodium ophthalmic solution 10 %</i> | 3 | |
| <i>tobramycin ophthalmic solution 0.3 %</i> | 2 | |
| <i>trifluridine ophthalmic solution 1 %</i> | 4 | |
| XDEMVY OPHTHALMIC SOLUTION 0.25 % | 5 | QL (10 ML per 42 days) |
| ZIRGAN OPHTHALMIC GEL 0.15 % | 4 | |
| Ophthalmic Anti-inflammatories | | |
| <i>bromfenac sodium ophthalmic solution 0.07 %</i> | 4 | QL (12 ML per 365 days) |
| <i>dexamethasone sodium phosphate ophthalmic solution 0.1 %</i> | 3 | |
| <i>diclofenac sodium ophthalmic solution 0.1 %</i> | 2 | |
| FLAREX OPHTHALMIC SUSPENSION 0.1 % | 3 | |
| <i>flurbiprofen sodium ophthalmic solution 0.03 %</i> | 3 | |
| <i>ketorolac tromethamine ophthalmic solution 0.5 %</i> | 2 | |
| LOTEMAX SM OPHTHALMIC GEL 0.38 % | 4 | QL (20 GM per 365 days) |
| <i>prednisolone acetate ophthalmic suspension 1 %</i> | 3 | |
| Ophthalmic Beta-Adrenergic Blocking Agents | | |
| <i>betaxolol hcl ophthalmic solution 0.5 %</i> | 4 | |
| <i>carteolol hcl ophthalmic solution 1 %</i> | 2 | |
| <i>levobunolol hcl ophthalmic solution 0.5 %</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-------------------------|
| <i>timolol maleate ophthalmic solution 0.25 %, 0.5 %</i> | 1 | |
| Ophthalmic Intraocular Pressure Lowering Agents, Other | | |
| <i>acetazolamide er oral capsule extended release 12 hour 500 mg</i> | 4 | |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i> | 3 | |
| <i>BRIMONIDINE TARTRATE OPHTHALMIC SOLUTION 0.1 %</i> | 3 | |
| <i>brimonidine tartrate ophthalmic solution 0.2 %</i> | 2 | |
| <i>dorzolamide hcl ophthalmic solution 2 %</i> | 2 | |
| <i>pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 %</i> | 3 | |
| <i>RHOPRESSA OPHTHALMIC SOLUTION 0.02 %</i> | 3 | QL (2.5 ML per 25 days) |
| Ophthalmic Prostaglandin and Prostamide Analogs | | |
| <i>latanoprost ophthalmic solution 0.005 %</i> | 1 | |
| <i>LUMIGAN OPHTHALMIC SOLUTION 0.01 %</i> | 3 | QL (2.5 ML per 25 days) |
| <i>VYZULTA OPHTHALMIC SOLUTION 0.024 %</i> | 4 | QL (5 ML per 25 days) |
| Otic Agents | | |
| Otic Agents | | |
| <i>acetic acid otic solution 2 %</i> | 3 | |
| <i>neomycin-polymyxin-hc otic solution 1 %</i> | 3 | |
| <i>neomycin-polymyxin-hc otic suspension 3.5-10000-1</i> | 3 | |
| <i>ofloxacin otic solution 0.3 %</i> | 4 | |
| Respiratory Tract/Pulmonary Agents | | |
| Antihistamines | | |
| <i>azelastine hcl nasal solution 0.1 %</i> | 3 | QL (60 ML per 30 days) |
| <i>ciproheptadine hcl oral tablet 4 mg</i> | 4 | |
| <i>hydroxyzine hcl oral syrup 10 mg/5ml</i> | 4 | |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i> | 3 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| hydroxyzine pamoate oral capsule 100 mg, 25 mg, 50 mg | 4 | |
| levocetirizine dihydrochloride oral tablet 5 mg | 3 | |
| Anti-inflammatories, Inhaled Corticosteroids | | |
| ARNUITY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT | 3 | QL (30 EA per 30 days) |
| ASMANEX (120 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT | 4 | QL (1 EA per 30 days) |
| ASMANEX (30 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 110 MCG/ACT, 220 MCG/ACT | 4 | QL (1 EA per 30 days) |
| ASMANEX (60 METERED DOSES) INHALATION AEROSOL POWDER BREATH ACTIVATED 220 MCG/ACT | 4 | QL (1 EA per 30 days) |
| ASMANEX HFA INHALATION AEROSOL 100 MCG/ACT, 200 MCG/ACT, 50 MCG/ACT | 4 | QL (13 GM per 30 days) |
| budesonide inhalation suspension 0.25 mg/2ml, 0.5 mg/2ml, 1 mg/2ml | 4 | B/D; QL (120 ML per 30 days) |
| fluticasone propionate nasal suspension 50 mcg/act | 2 | |
| mometasone furoate nasal suspension 50 mcg/act | 4 | QL (34 GM per 30 days) |
| QVAR REDIHALER INHALATION AEROSOL BREATH ACTIVATED 40 MCG/ACT, 80 MCG/ACT | 3 | QL (21.2 GM per 30 days) |
| Antileukotrienes | | |
| montelukast sodium oral packet 4 mg | 4 | |
| montelukast sodium oral tablet 10 mg | 2 | |
| montelukast sodium oral tablet chewable 4 mg, 5 mg | 2 | |
| zafirlukast oral tablet 10 mg, 20 mg | 4 | |
| Bronchodilators, Anticholinergic | | |
| ATROVENT HFA INHALATION AEROSOL SOLUTION 17 MCG/ACT | 4 | QL (25.8 GM per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|--|
| INCRUSE ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5 MCG/ACT | 3 | QL (30 EA per 30 days) |
| <i>ipratropium bromide inhalation solution 0.02 %</i> | 2 | B/D; QL (312.5 ML per 30 days) |
| <i>ipratropium bromide nasal solution 0.03 %, 0.06 %</i> | 3 | |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT | 3 | QL (8 GM per 30 days) |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 2.5 MCG/ACT | 3 | |
| <i>tiotropium bromide monohydrate inhalation capsule 18 mcg</i> | 4 | QL (30 EA per 30 days) |
| YUPELRI INHALATION SOLUTION 175 MCG/3ML | 5 | B/D; QL (90 ML per 30 days) |
| Bronchodilators, Sympathomimetic | | |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act</i> | 2 | QL (17 GM per 30 days) |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act (nda020503)</i> | 2 | QL (13.4 GM per 30 days) |
| <i>albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act (nda020983)</i> | 2 | QL (48 GM per 30 days) |
| <i>albuterol sulfate inhalation nebulization solution (2.5 mg/3ml) 0.083%</i> | 2 | B/D; QL (525 ML per 30 days) |
| <i>albuterol sulfate inhalation nebulization solution 0.63 mg/3ml, 1.25 mg/3ml</i> | 4 | B/D; QL (375 ML per 30 days) |
| <i>albuterol sulfate inhalation nebulization solution 2.5 mg/0.5ml</i> | 2 | B/D; QL (100 EA per 30 days) |
| <i>arformoterol tartrate inhalation nebulization solution 15 mcg/2ml</i> | 4 | PA; QL (120 ML per 30 days) |
| <i>epinephrine injection solution 0.3 mg/0.3ml</i> | 3 | Applies to products manufactured by Impax or Linea |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.15ml, 0.15 mg/0.3ml</i> | 3 | |
| <i>epinephrine injection solution auto-injector 0.3 mg/0.3ml</i> | 3 | Applies to product manufactured by Mylan Specialty |
| <i>levalbuterol hcl inhalation nebulization solution 0.63 mg/3ml</i> | 4 | B/D; QL (540 ML per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|-----------------------------|
| <i>levalbuterol tartrate inhalation aerosol 45 mcg/act</i> | 3 | QL (30 GM per 30 days) |
| PROAIR RESPICLICK INHALATION AEROSOL POWDER BREATH ACTIVATED 108 (90 BASE) MCG/ACT | 3 | QL (2 EA per 30 days) |
| SEREVENT DISKUS INHALATION AEROSOL POWDER BREATH ACTIVATED 50 MCG/ACT | 3 | QL (60 EA per 30 days) |
| Cystic Fibrosis Agents | | |
| CAYSTON INHALATION SOLUTION RECONSTITUTED 75 MG | 5 | PA |
| KALYDECO ORAL PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG | 5 | PA; QL (56 EA per 28 days) |
| KALYDECO ORAL TABLET 150 MG | 5 | PA; QL (60 EA per 30 days) |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG | 5 | PA; QL (112 EA per 28 days) |
| PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML | 5 | PA |
| TOBI PODHALER INHALATION CAPSULE 28 MG | 5 | QL (224 EA per 56 days) |
| <i>tobramycin inhalation nebulization solution 300 mg/5ml</i> | 5 | B/D |
| TRIKAFTA ORAL TABLET THERAPY PACK 100-50-75 & 150 MG | 5 | PA; QL (84 EA per 28 days) |
| Mast Cell Stabilizers | | |
| <i>cromolyn sodium inhalation nebulization solution 20 mg/2ml</i> | 3 | B/D |
| Phosphodiesterase Inhibitors, Airways Disease | | |
| <i>roflumilast oral tablet 250 mcg, 500 mcg</i> | 4 | PA |
| THEOPHYLLINE ER ORAL TABLET EXTENDED RELEASE 12 HOUR 100 MG, 200 MG | 4 | |
| <i>theophylline er oral tablet extended release 12 hour 300 mg, 450 mg</i> | 4 | |
| <i>theophylline er oral tablet extended release 24 hour 400 mg, 600 mg</i> | 3 | |
| Pulmonary Antihypertensives | | |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG | 5 | PA; QL (90 EA per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|------------------------------|
| <i>alyq oral tablet 20 mg</i> | 4 | PA; QL (60 EA per 30 days) |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> | 5 | PA; QL (30 EA per 30 days) |
| OPSUMIT ORAL TABLET 10 MG | 5 | PA; QL (30 EA per 30 days) |
| ORENITRAM MONTH 1 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 MG | 5 | PA; QL (336 EA per 365 days) |
| ORENITRAM MONTH 2 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 MG | 5 | PA; QL (672 EA per 365 days) |
| ORENITRAM MONTH 3 ORAL TABLET EXTENDED RELEASE THERAPY PACK 0.125 & 0.25 &1 MG | 5 | PA; QL (504 EA per 365 days) |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.125 MG | 4 | PA |
| ORENITRAM ORAL TABLET EXTENDED RELEASE 0.25 MG, 1 MG, 2.5 MG, 5 MG | 5 | PA |
| <i>sildenafil citrate oral tablet 20 mg</i> | 3 | PA; QL (90 EA per 30 days) |
| <i>tadalafil (pah) oral tablet 20 mg</i> | 4 | PA; QL (60 EA per 30 days) |
| Pulmonary Fibrosis Agents | | |
| OFEV ORAL CAPSULE 100 MG, 150 MG | 5 | PA |
| <i>pifrenidone oral capsule 267 mg</i> | 5 | PA |
| <i>pifrenidone oral tablet 267 mg, 801 mg</i> | 5 | PA |
| PIRFENIDONE ORAL TABLET 534 MG | 5 | PA |
| Respiratory Tract Agents, Other | | |
| ADVAIR HFA INHALATION AEROSOL 115- 21 MCG/ACT, 230-21 MCG/ACT, 45-21 MCG/ACT | 3 | QL (24 GM per 30 days) |
| AIRSUPRA INHALATION AEROSOL 90-80 MCG/ACT | 3 | QL (32.1 GM per 30 days) |
| ANORO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 62.5-25 MCG/ACT | 3 | QL (60 EA per 30 days) |
| BREO ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-25 MCG/ACT, 200-25 MCG/ACT, 50-25 MCG/INH | 3 | QL (60 EA per 30 days) |
| <i>breyna inhalation aerosol 160-4.5 mcg/act, 80-4.5 mcg/act</i> | 4 | QL (10.3 GM per 30 days) |
| BREZTRI AEROSPHERE INHALATION AEROSOL 160-9-4.8 MCG/ACT | 3 | QL (23.6 GM per 28 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|------------------------------|
| BRONCHITOL INHALATION CAPSULE 40 MG | 5 | PA; QL (560 EA per 28 days) |
| COMBIVENT RESPIMAT INHALATION AEROSOL SOLUTION 20-100 MCG/ACT | 3 | QL (8 GM per 30 days) |
| DULERA INHALATION AEROSOL 100-5 MCG/ACT, 200-5 MCG/ACT | 4 | PA; QL (17.6 GM per 30 days) |
| DULERA INHALATION AEROSOL 50-5 MCG/ACT | 4 | PA; QL (13 GM per 30 days) |
| FASENRA PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 30 MG/ML | 5 | PA |
| FASENRA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 10 MG/0.5ML, 30 MG/ML | 5 | PA |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i> | 3 | QL (60 EA per 30 days) |
| <i>ipratropium-albuterol inhalation solution 0.5-2.5 (3) mg/3ml</i> | 3 | B/D; QL (540 ML per 30 days) |
| NUCALA SUBCUTANEOUS SOLUTION AUTO-INJECTOR 100 MG/ML | 5 | PA; QL (3 ML per 28 days) |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 100 MG/ML | 5 | PA; QL (3 ML per 28 days) |
| NUCALA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 40 MG/0.4ML | 5 | PA; QL (0.4 ML per 28 days) |
| NUCALA SUBCUTANEOUS SOLUTION RECONSTITUTED 100 MG | 5 | PA; QL (3 EA per 28 days) |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT | 3 | QL (24 GM per 30 days) |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/ACT, 200-62.5-25 MCG/ACT | 3 | QL (60 EA per 30 days) |
| <i>wixela inhale inhalation aerosol powder breath activated 100-50 mcg/act, 250-50 mcg/act, 500-50 mcg/act</i> | 2 | QL (60 EA per 30 days) |
| Skeletal Muscle Relaxants | | |
| Skeletal Muscle Relaxants | | |
| cyclobenzaprine hcl oral tablet 10 mg, 5 mg | 3 | PA |
| methocarbamol oral tablet 500 mg, 750 mg | 2 | |
| orphenadrine citrate er oral tablet extended release 12 hour 100 mg | 4 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|-----------------------------|
| Sleep Disorder Agents | | |
| Sleep Promoting Agents | | |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG | 3 | QL (30 EA per 30 days) |
| <i>doxepin hcl oral tablet 3 mg, 6 mg</i> | 3 | QL (30 EA per 30 days) |
| ESZOPICLONE ORAL TABLET 1 MG, 2 MG, 3 MG | 4 | QL (30 EA per 30 days) |
| <i>temazepam oral capsule 15 mg, 30 mg</i> | 4 | QL (30 EA per 30 days) |
| <i>zaleplon oral capsule 10 mg</i> | 4 | QL (60 EA per 30 days) |
| <i>zaleplon oral capsule 5 mg</i> | 4 | QL (30 EA per 30 days) |
| <i>zolpidem tartrate er oral tablet extended release 12.5 mg, 6.25 mg</i> | 4 | QL (30 EA per 30 days) |
| <i>zolpidem tartrate oral tablet 10 mg, 5 mg</i> | 2 | QL (30 EA per 30 days) |
| Wakefulness Promoting Agents | | |
| ARMODAFINIL ORAL TABLET 150 MG, 200 MG, 250 MG | 4 | PA; QL (30 EA per 30 days) |
| ARMODAFINIL ORAL TABLET 50 MG | 4 | PA; QL (60 EA per 30 days) |
| <i>modafinil oral tablet 100 mg, 200 mg</i> | 3 | PA; QL (30 EA per 30 days) |
| <i>sodium oxybate oral solution 500 mg/ml</i> | 5 | PA; QL (540 ML per 30 days) |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this table.

Index of Drugs

A

abacavir sulfate 34
abacavir sulfate-lamivudine 34
ABELCET 17
ABILIFY MAINTENA 30
abiraterone acetate 20
abirtega 20
ABRYSVO 74
acamprosate calcium 3
acarbose 37
acebutolol hcl 45
acetaminophen-codeine 2
acetazolamide 82
acetazolamide er 82
acetic acid 82
acitretin 53
ACTHIB 74
ACTIMMUNE 72
acyclovir 33, 56
acyclovir sodium 33
ADACEL 74
adalimumab-aaty (1 pen) 72
adalimumab-aaty (2 pen) 72
adalimumab-aaty (2 syringe) 72
ADALIMUMAB-AATY
 CD/UC/HS START 72
ADALIMUMAB-ADBM (2
 PEN) 72
adalimumab-adbm (2
 syringe) 72
ADALIMUMAB-ADBM (2
 SYRINGE) 72, 73
ADALIMUMAB-
 ADBM(CD/UC/HS STRT)
..... 73
ADALIMUMAB-ADBM(PS/UV
 STARTER) 73
ADBRY 54
adefovir dipivoxil 33
ADEMPAS 85
ADVAIR HFA 86
AIMOVIG 18
AIRSUPRA 86
AKEEGA 21
albendazole 27
albuterol sulfate 84

albuterol sulfate hfa 84
alclometasone dipropionate
..... 54
ALECENSA 22
alendronate sodium 78
alfuzosin hcl er 62
aliskiren fumarate 46
allopurinol 18
alosetron hcl 59
alprazolam 37
altavera 63
ALUNBRIG 22
alyacen 1/35 63
alyq 86
amantadine hcl 36
ambrisentan 86
amikacin sulfate 3
amiloride hcl 48
amiloride-hydrochlorothiazide
..... 46
amiodarone hcl 44
amitriptyline hcl 15
amlodipine besy-benazepril
 hcl 47
amlodipine besylate 46
amlodipine besylate-
 valsartan 47
ammonium lactate 54
amnesteem 53
amoxapine 15
amoxicillin 6
amoxicillin-pot clavulanate 6
amoxicillin-pot clavulanate er
..... 6
amphetamine-dextroamphet
 er 50
amphetamine-
 dextroamphetamine 50
amphotericin b 17
amphotericin b liposome 17
ampicillin 7
ampicillin sodium 7
ampicillin-sulbactam sodium 7
anagrelide hcl 42
anastrozole 22
ANORO ELLIPTA 86
aprepitant 16
APTIOM 12

APTIVUS 35
AREXVY 75
arformoterol tartrate 84
ARIKAYCE 3
ariPIPRAZOLE 30
ARISTADA 30
ARISTADA INITIO 30
ARMODAFINIL 88
ARNUITY ELLIPTA 83
asenapine maleate 30
ashlyna 63
ASMANEX (120 METERED
 DOSES) 83
ASMANEX (30 METERED
 DOSES) 83
ASMANEX (60 METERED
 DOSES) 83
ASMANEX HFA 83
ASPIRIN-DIPYRIDAMOLE
 ER 43
ASSURE ID INSULIN
 SAFETY SYR 79
atazanavir sulfate 35
atenolol 45
atenolol-chlorthalidone 47
atomoxetine hcl 50
atorvastatin calcium 48
atovaquone 28
atovaquone-proguanil hcl 28
atropine sulfate 79
ATROVENT HFA 83
aubra eq 63
AUGMENTIN 7
AUTTYRO 22
AUSTEDO 51
AUSTEDO XR 51
AUSTEDO XR PATIENT
 TITRATION 51
AUVELITY 13
aviane 64
AVONEX PEN 52
AVONEX PREFILLED 52
AYVAKIT 22
azathioprine 73
azelaic acid 53
azelastine hcl 80, 82
azithromycin 8
aztreonam 4

| | | | | | |
|--|--------|---|--------|-------------------------------|-------|
| azurette | 64 | brimonidine tartrate | 82 | CAYSTON | 85 |
| B | | BRIMONIDINE TARTRATE | 82 | cefaclor | 5 |
| bacitracin | 80 | brimonidine tartrate-timolol | 79 | cefadroxil | 5 |
| bacitracin-polymyxin b | 79 | BRIVIACT | 9 | cefazolin sodium | 5 |
| bacitra-neomycin-polymyxin- hc | 79 | bromfenac sodium | 81 | cefdinir | 5 |
| baclofen | 32 | bromocriptine mesylate | 28 | cefepime hcl | 5 |
| balsalazide disodium | 77 | BRONCHITOL | 87 | cefixime | 5 |
| BALVERSA | 22 | BRUKINSA | 22 | cefotetan disodium | 5 |
| balziva | 64 | budesonide | 78, 83 | cefoxitin sodium | 5 |
| BAQSIMI ONE PACK..... | 39 | budesonide er | 78 | cefpodoxime proxetil | 5 |
| BARACLUDE | 33 | bumetanide | 48 | cefprozil | 5 |
| bcg vaccine | 75 | buprenorphine | 1 | ceftazidime | 5, 6 |
| BELSOMRA | 88 | buprenorphine hcl | 3 | ceftriaxone sodium | 6 |
| benazepril hcl | 44 | buprenorphine hcl-naloxone hcl | 3 | cefuroxime axetil | 6 |
| benazepril- hydrochlorothiazide | 47 | bupropion hcl | 14 | cefuroxime sodium | 6 |
| BENLYSTA | 70 | bupropion hcl er (smoking det) | 3 | celecoxib | 1 |
| benzoyl peroxide- erythromycin | 53 | bupropion hcl er (sr) | 13, 14 | cephalexin | 6 |
| benztropine mesylate | 28 | bupropion hcl er (xl) | 14 | CERDELGA | 60 |
| BESIVANCE..... | 81 | buspirone hcl | 37 | CHEMET | 58 |
| BESREMI | 72 | butalbital-apap-caffeine | 51 | chlorhexidine gluconate | 53 |
| betaine | 60 | C | | chloroquine phosphate | 28 |
| betamethasone dipropionate | 54 | cabergoline | 69 | chlorpromazine hcl | 29 |
| betamethasone dipropionate aug | 54 | CABLIVI | 43 | chlorthalidone | 48 |
| betamethasone valerate.... | 54 | CABOMETYX | 22 | CHOLBAM | 60 |
| BETASERON | 52 | calcipotriene | 56 | cholestyramine | 49 |
| betaxolol hcl | 45, 81 | calcitonin (salmon) | 78 | cholestyramine light | 49 |
| bethanechol chloride | 62 | calcitriol | 78 | ciclopirox | 56 |
| bexarotene | 27 | CALQUENCE | 22 | ciclopirox olamine | 56 |
| BEXZERO..... | 75 | camila | 67 | cilostazol | 43 |
| bicalutamide | 20 | camrese lo | 64 | CIMDUO | 34 |
| BICILLIN L-A | 7 | candesartan cilexetil | 44 | cinacalcet hcl | 78 |
| BIKTARVY | 33 | candesartan cilexetil-hctz .. | 47 | CINRYZE | 70 |
| bisoprolol fumarate..... | 45 | CAPLYTA | 30 | ciprofloxacin hcl | 8, 81 |
| bisoprolol- hydrochlorothiazide | 47 | CAPRELSA | 22 | ciprofloxacin in d5w | 8 |
| BIVIGAM | 70 | captopril | 44 | citalopram hydrobromide .. | 14 |
| blisovi fe 1.5/30 | 64 | carbamazepine | 12 | claravis | 53 |
| BOOSTRIX..... | 75 | carbamazepine er | 12 | clarithromycin | 8 |
| BOSULIF | 22 | carbidopa | 28 | clarithromycin er | 8 |
| BRAUTOVI | 22 | carbidopa-levodopa | 28, 29 | CLENPIQ | 59 |
| BREO ELLIPTA..... | 86 | carbidopa-levodopa er | 28 | CLIMARA PRO | 64 |
| breyna | 86 | carglumic acid | 57 | clindacin etz | 4 |
| BREZTRI AEROSPHERE .. | 86 | carteolol hcl | 81 | clindamycin hcl | 4 |
| briellyn..... | 64 | cartia xt | 46 | clindamycin palmitate hcl .. | 4 |
| BRILINTA | 43 | carvedilol | 45 | clindamycin phosphate .. | 4, 57 |
| | | caspofungin acetate | 17 | clobazam | 10 |
| | | CASPOFUNGIN ACETATE | 17 | clobetasol propionate | 54 |
| | | | | clobetasol propionate e .. | 54 |
| | | | | clomipramine hcl | 16 |
| | | | | clonazepam | 10 |
| | | | | clonidine | 43 |

| | |
|--------------------------------|------------|
| clonidine hcl | 43 |
| clopidogrel bisulfate | 43 |
| clorazepate dipotassium | 37 |
| clotrimazole | 17 |
| clotrimazole-betamethasone | 56 |
| clozapine | 32 |
| COARTEM | 28 |
| COBENFY | 51 |
| COBENFY STARTER PACK | 51 |
| colchicine | 18 |
| colchicine-probenecid | 18 |
| colestipol hcl | 49 |
| colistimethate sodium (cba) | 4 |
| COMBIGAN | 79 |
| COMBIVENT RESPIMAT | 87 |
| COMETRIQ (100 MG DAILY DOSE) | 22 |
| COMETRIQ (140 MG DAILY DOSE) | 22 |
| COMETRIQ (60 MG DAILY DOSE) | 22 |
| COMFORT ASSIST INSULIN SYRINGE | 79 |
| COMPLERA | 34 |
| compro | 16 |
| constulose | 58 |
| COPIKTRA | 22 |
| COSENTYX | 70 |
| COSENTYX (300 MG DOSE) | 70 |
| COSENTYX SENSOREADY (300 MG) | 70 |
| COSENTYX UNOREADY | 70 |
| COTELLIC | 22 |
| CREON | 60 |
| cromolyn sodium | 60, 80, 85 |
| cryselle-28 | 64 |
| CVS GAUZE STERILE | 79 |
| cyclobenzaprine hcl | 87 |
| cyclophosphamide | 20 |
| cycloserine | 19 |
| cyclosporine | 73, 79 |
| cyclosporine modified | 73 |
| cyproheptadine hcl | 82 |
| CYSTAGON | 60 |
| CYSTARAN | 80 |

| | |
|--|-----------|
| D | |
| dabigatran etexilate mesylate | 41 |
| dalfampridine er | 52 |
| danazol | 63 |
| dantrolene sodium | 32 |
| DANZITEN | 22 |
| dapsone | 19 |
| DAPTACEL | 75 |
| daptomycin | 4 |
| darunavir | 35, 36 |
| dasatinib | 23 |
| DAURISMO | 23 |
| deblitane | 67 |
| deferasirox | 58 |
| deferasirox granules | 58 |
| DELSTRIGO | 34 |
| demeocycline hcl | 8 |
| DEPO-SUBQ PROVERA | 104 |
| | 67 |
| DESCOVY | 34 |
| desipramine hcl | 16 |
| desmopressin ace spray | |
| refrig | 63 |
| desmopressin acetate | 63 |
| desonide | 55 |
| desoximetasone | 55 |
| desvenlafaxine succinate er | |
| 14 | |
| dexamethasone | 62 |
| dexamethasone sodium phosphate | 81 |
| dextroamphetamine sulfate | 50 |
| dextrose | 57 |
| dextrose-sodium chloride | 57 |
| DIACOMIT | 10 |
| diazepam | 10, 37 |
| diazepam intensol | 37 |
| diazoxide | 39 |
| diclofenac sodium | 1, 56, 81 |
| dicloxacillin sodium | 7 |
| dicyclomine hcl | 59 |
| DIFICID | 8 |
| digoxin | 44 |
| dihydroergotamine mesylate | |
| 19 | |
| DILANTIN | 12 |
| diltiazem hcl | 46 |
| diltiazem hcl er | 46 |
| diltiazem hcl er beads | 46 |
| diltiazem hcl er coated beads | |
| | 46 |
| dilt-xr | 46 |
| dimethyl fumarate | 52 |
| dimethyl fumarate starter pack | 52 |
| diphenoxylate-atropine | 59 |
| disulfiram | 3 |
| divalproex sodium | 11 |
| divalproex sodium er | 11 |
| dofetilide | 45 |
| dolishale | 64 |
| donepezil hcl | 13 |
| DOPTELET | 43 |
| dorzolamide hcl | 82 |
| dorzolamide hcl-timolol mal dotti | |
| | 80 |
| DOTTI | 64 |
| DOVATO | 33 |
| doxazosin mesylate | 62 |
| doxepin hcl | 16, 88 |
| doxy 100 | 8 |
| doxycycline hyclate | 9, 53 |
| doxycycline monohydrate | 9 |
| DRIZALMA SPRINKLE | 14 |
| dronabinol | 16 |
| droxidopa | 43 |
| DULERA | 87 |
| duloxetine hcl | 14, 15 |
| DUPIXENT | 70, 71 |
| dutasteride | 62 |
| E | |
| econazole nitrate | 17 |
| EDURANT | 34 |
| efavirenz | 34 |
| efavirenz-emtricitab-tenofo df | |
| | 34 |
| efavirenz-lamivudine-tenofovir | |
| | 34 |
| ELIQUIS | 42 |
| ELIQUIS DVT/PE STARTER PACK | |
| | 41 |
| ELMIRON | 62 |
| eluryng | 64 |
| EMGALITY | 18 |
| EMGALITY (300 MG DOSE) | |
| | 18 |
| EMPAVELI | 71 |
| EMSAM | 14 |

| | | | | | |
|--|-----------|----------------------------------|--------|------------------------------------|--------|
| <i>emtricitabine</i> | 34 | EULEXIN | 20 | <i>flurbiprofen</i> | 1 |
| <i>emtricitabine-tenofovir df.</i> | 34, | euthyrox | 68 | <i>flurbiprofen sodium</i> | 81 |
| 35 | | everolimus | 23, 73 | <i>fluticasone propionate</i> | 55, 83 |
| EMTRIVA | 35 | EVOTAZ | 36 | <i>fluticasone-salmeterol</i> | 87 |
| <i>enalapril maleate</i> | 44 | EVRYSDI | 61 | <i>fluvastatin sodium</i> | 49 |
| <i>enalapril-hydrochlorothiazide</i> | | EXEL COMFORT POINT PEN NEEDLE | 79 | <i>fluvastatin sodium er</i> | 48 |
| | 47 | exemestane | 22 | <i>fluvoxamine maleate</i> | 15 |
| ENBREL | 73 | ezetimibe | 49 | <i>fondaparinux sodium</i> | 42 |
| ENBREL MINI | 73 | ezetimibe-simvastatin | 49 | FORTEO | 78 |
| ENBREL SURECLICK | 73 | F | | <i>fosamprenavir calcium</i> | 36 |
| <i>endocet</i> | 2 | falmina | 64 | <i>fosinopril sodium</i> | 44 |
| ENGERIX-B | 75 | famciclovir | 33 | <i>fosinopril sodium-hctz</i> | 47 |
| <i>enilloring</i> | 64 | famotidine | 60 | FOTIVDA | 23 |
| <i>enoxaparin sodium</i> | 42 | FANAPT | 30 | FRAGMIN | 42 |
| <i>empresse-28</i> | 64 | FANAPT TITRATION PACK | 30 | FRUZAQLA | 23 |
| <i>entacapone</i> | 28 | FARXIGA | 50 | <i>furosemide</i> | 48 |
| <i>entecavir</i> | 33 | FASENRA | 87 | <i>fyavolv</i> | 65 |
| ENTRESTO | 47 | FASENRA PEN | 87 | FYCOMPAA | 9 |
| <i>enulose</i> | 58 | feirza 1.5/30 | 65 | G | |
| ENVARSUS XR | 73 | feirza 1/20 | 65 | <i>gabapentin</i> | 11 |
| EPIDIOLEX | 9 | felbamate | 9 | <i>galantamine hydrobromide</i> | 13 |
| <i>epinephrine</i> | 84 | felodipine er | 46 | <i>galantamine hydrobromide er</i> | |
| <i>epitol</i> | 12 | fenofibrate | 48 | <i>gallifrey</i> | 67 |
| <i>eplerenone</i> | 49 | fenofibrate micronized | 48 | GARDASIL 9 | 75 |
| EPRONTIA | 9 | fenofibric acid | 48 | <i>gatifloxacin</i> | 81 |
| <i>ergotamine-caffeine</i> | 19 | fentanyl | 1 | <i>gavilyte-c</i> | 59 |
| ERIVEDGE | 23 | FETZIMA | 15 | <i>gavilyte-g</i> | 59 |
| ERLEADA | 20 | FETZIMA TITRATION | 15 | GAVRETO | 23 |
| <i>erlotinib hcl</i> | 23 | FINACEA | 53 | <i>gefitinib</i> | 23 |
| <i>errin</i> | 67 | finasteride | 62 | <i>gemfibrozil</i> | 48 |
| <i>ertapenem sodium</i> | 7 | fingolimod hcl | 52 | GEMTESA | 61 |
| <i>ery</i> | 57 | FINTEPLA | 9 | <i>generlac</i> | 58 |
| <i>erythromycin</i> | 8, 57, 81 | FIRMAGON | 69 | <i>gengraf</i> | 73 |
| <i>escitalopram oxalate</i> | 15 | FIRMAGON (240 MG DOSE) | 69 | GENOTROPIN | 63 |
| <i>eslicarbazepine acetate</i> | 12 | FLAREX | 81 | GENOTROPIN MINIQUICK | |
| <i>esomeprazole magnesium</i> | 60 | flecainide acetate | 45 | | 63 |
| <i>estarrylla</i> | 64 | fluconazole | 17 | <i>gentamicin sulfate</i> | 4, 81 |
| <i>estradiol</i> | 64 | fluconazole in sodium | | GENVOYA | 33 |
| <i>estradiol-norethindrone acet</i> | | chloride | 17 | GILOTrif | 23 |
| | 64 | flucytosine | 17 | <i>glatiramer acetate</i> | 52 |
| ESTRING | 64 | fludrocortisone acetate | 62 | GLEOSTINE | 20 |
| ESZOPICLONE | 88 | fluocinolone acetonide | 55 | <i>glimepiride</i> | 37 |
| <i>ethambutol hcl</i> | 19 | fluocinonide | 55 | <i>glipizide</i> | 38 |
| <i>ethosuximide</i> | 10 | fluorouracil | 56 | <i>glipizide er</i> | 38 |
| <i>ethynodiol diac-eth estradiol</i> | | fluoxetine hcl | 15 | <i>glipizide-metformin hcl</i> | 38 |
| | 64 | fluphenazine decanoate | 29 | GLOBAL ALCOHOL PREP | |
| <i>etonogestrel-ethynodiol estradiol</i> | | fluphenazine hcl | 29 | EASE | 79 |
| | 64 | | | GLUCAGON EMERGENCY | |
| <i>etravirine</i> | 34 | | | | 39 |
| EUCRISA | 55 | | | | |

| | |
|-----------------------------------|------------|
| glyburide | 38 |
| glyburide-metformin | 38 |
| glycopyrrolate | 59 |
| GLYXAMBI | 38 |
| GOMEKLI | 23 |
| griseofulvin microsize | 17 |
| griseofulvin ultramicrosize | 17 |
| guanfacine hcl er | 51 |
| GVOKE HYOPEN 2-PACK | 39 |
| GVOKE KIT | 39 |
| GVOKE PFS | 39 |
| H | |
| halobetasol propionate | 55 |
| haloette | 65 |
| haloperidol | 29 |
| haloperidol decanoate | 29 |
| haloperidol lactate | 29 |
| HAVRIX | 75 |
| heather | 67 |
| heparin sodium (porcine) .. | 42 |
| HEPLISAV-B | 75 |
| HIBERIX | 75 |
| HUMALOG | 39, 40 |
| HUMALOG JUNIOR | |
| KWIKPEN | 39 |
| HUMALOG KWIKPEN | 40 |
| HUMALOG MIX 50/50 | |
| KWIKPEN | 40 |
| HUMALOG MIX 75/25..... | 40 |
| HUMALOG MIX 75/25 | |
| KWIKPEN | 40 |
| HUMATIN | 4 |
| HUMIRA (2 PEN) | 73 |
| HUMIRA (2 SYRINGE) .. | 73, 74 |
| HUMIRA-CD/UC/HS | |
| STARTER | 74 |
| HUMIRA-PSORIASIS/UVEIT | |
| STARTER | 74 |
| HUMULIN 70/30 | 40 |
| HUMULIN 70/30 KWIKPEN | 40 |
| HUMULIN N | 40 |
| HUMULIN N KWIKPEN | 40 |
| HUMULIN R | 40 |
| HUMULIN R U-500 | |
| (CONCENTRATED) | 40 |
| HUMULIN R U-500 | |
| KWIKPEN | 40 |
| hydralazine hcl | 50 |
| hydrochlorothiazide | 48 |
| hydrocodone-acetaminophen | 2 |
| hydrocortisone | 55, 62, 78 |
| hydrocortisone (perianal) ... | 78 |
| hydrocortisone valerate | 55 |
| hydromorphone hcl | 2 |
| hydromorphone hcl pf | 2 |
| hydroxychloroquine sulfate | 28 |
| hydroxyurea | 21 |
| hydroxyzine hcl | 82 |
| hydroxyzine pamoate | 83 |
| I | |
| ibandronate sodium | 78 |
| IBRANCE | 21, 23 |
| ibu | 1 |
| ibuprofen | 1 |
| icatibant acetate | 70 |
| iclevia | 65 |
| ICLUSIG | 23 |
| icosapent ethyl | 49 |
| IDHIFA | 23 |
| imatinib mesylate | 23 |
| IMBRUVICA | 23 |
| imipenem-cilastatin | 7 |
| imipramine hcl | 16 |
| imiquimod | 56 |
| IMKELDI | 23 |
| IMOVAZ RABIES | 75 |
| IMPAVIDO | 4 |
| INBRIJA | 29 |
| incassia | 67 |
| INCRELEX | 63 |
| INCRUSE ELLIPTA | 84 |
| indapamide | 48 |
| indomethacin | 1 |
| indomethacin er | 1 |
| INFANRIX | 75 |
| INGREZZA | 51 |
| INLYTA | 23 |
| INQOVI | 23 |
| INREBIC | 21 |
| insulin lispro | 40 |
| INTELENCE | 34 |
| introvale | 65 |
| INVEGA HAFYERA | 30 |
| INVEGA SUSTENNA | 30 |
| INVEGA TRINZA | 31 |
| IPOL | 75 |
| ipratropium bromide | 84 |
| ipratropium-albuterol | 87 |
| irbesartan | 44 |
| irbesartan- | |
| hydrochlorothiazide | 47 |
| ISENTRESS | 33, 34 |
| ISENTRESS HD | 33 |
| isoniazid | 19 |
| isosorbide dinitrate | 50 |
| isosorbide mononitrate | 50 |
| isosorbide mononitrate er .. | 50 |
| isotretinoin | 53 |
| ISTURISA | 63 |
| ITOVEBI | 21 |
| itraconazole | 17 |
| ivabradine hcl | 47 |
| ivermectin | 27 |
| IWILFIN | 21 |
| IXCHIQ | 75 |
| IXIARO | 76 |
| J | |
| jaimiess | 65 |
| JAKAFI | 23 |
| jantoven | 42 |
| JANUMET | 38 |
| JANUMET XR | 38 |
| JANUVIA | 38 |
| JARDIANC | 50 |
| JAYPIRCA | 23, 24 |
| JENTADUETO | 38 |
| JENTADUETO XR | 38 |
| jinteli | 65 |
| JUBLIA | 17 |
| JULUCA | 34 |
| junel 1.5/30 | 65 |
| junel 1/20 | 65 |
| junel fe 1.5/30 | 65 |
| junel fe 1/20 | 65 |
| JYLAMVO | 74 |
| JYNNEOS | 76 |
| K | |
| KALETRA | 36 |
| KALYDECO | 85 |
| kariva | 65 |
| kelnor 1/35 | 65 |
| kelnor 1/50 | 65 |
| KERENDIA | 49 |
| KESIMPTA | 52 |
| ketoconazole | 17 |
| ketorolac tromethamine .. | 1, 81 |
| KINERET | 71 |

| | |
|--|--------|
| KINRIX | 76 |
| KIONEX | 58 |
| KISQALI (200 MG DOSE) | 24 |
| KISQALI (400 MG DOSE) | 24 |
| KISQALI (600 MG DOSE) | 24 |
| KISQALI FEMARA (400 MG DOSE) | 21 |
| KISQALI FEMARA (600 MG DOSE) | 21 |
| <i>klor-con</i> | 57 |
| <i>klor-con 10</i> | 57 |
| <i>klor-con m10</i> | 57 |
| <i>klor-con m15</i> | 57 |
| <i>klor-con m20</i> | 57 |
| KOSELUGO | 24 |
| <i>kourzeq</i> | 53 |
| KRAZATI | 24 |
| <i>kurvelo</i> | 65 |
| L | |
| <i>labetalol hcl</i> | 45 |
| <i>lacosamide</i> | 12 |
| <i>lactulose</i> | 58 |
| LAGEVRIO | 36 |
| <i>lamivudine</i> | 33, 35 |
| <i>lamivudine-zidovudine</i> | 35 |
| <i>lamotrigine</i> | 9 |
| <i>lamotrigine starter kit-blue</i> | 9 |
| <i>lamotrigine starter kit-green</i> | 9 |
| <i>lamotrigine starter kit-orange</i> | 9 |
| <i>lansoprazole</i> | 60 |
| LANTUS | 40 |
| LANTUS SOLOSTAR | 40 |
| <i>lapatinib ditosylate</i> | 24 |
| <i>larin 1.5/30</i> | 65 |
| <i>larin 1/20</i> | 65 |
| <i>larin fe 1.5/30</i> | 65 |
| <i>larin fe 1/20</i> | 65 |
| <i>latanoprost</i> | 82 |
| LAZCLUZE | 21 |
| <i>leflunomide</i> | 74 |
| <i>lenalidomide</i> | 20 |
| LENVIMA (10 MG DAILY DOSE) | 24 |
| LENVIMA (12 MG DAILY DOSE) | 24 |
| LENVIMA (14 MG DAILY DOSE) | 24 |
| LENVIMA (18 MG DAILY DOSE) | 24 |
| LENVIMA (20 MG DAILY DOSE) | 24 |
| LENVIMA (24 MG DAILY DOSE) | 24 |
| LENVIMA (4 MG DAILY DOSE) | 24 |
| LENVIMA (8 MG DAILY DOSE) | 24 |
| <i>lessina</i> | 65 |
| <i>letrozole</i> | 22 |
| <i>leucovorin calcium</i> | 21 |
| LEUKERAN | 20 |
| <i>leuprolide acetate</i> | 69 |
| <i>levalbuterol hcl</i> | 84 |
| <i>levalbuterol tartrate</i> | 85 |
| <i>levetiracetam</i> | 9, 10 |
| <i>levetiracetam er</i> | 9 |
| <i>levobunolol hcl</i> | 81 |
| <i>levocetirizine dihydrochloride</i> | 83 |
| <i>levofloxacin</i> | 8 |
| <i>levofloxacin in d5w</i> | 8 |
| <i>levonest</i> | 65 |
| <i>levonorgest-eth est & eth est</i> | 65 |
| <i>levonorgest-eth estrad 91-day</i> | 65 |
| <i>levonorgestrel-ethynodiol estrad</i> | 65 |
| <i>levonorg-eth estrad triphasic</i> | 65 |
| <i>levora 0.15/30 (28)</i> | 65 |
| <i>levothyroxine sodium</i> | 68 |
| <i>levoxyl</i> | 68 |
| <i>l-glutamine</i> | 61 |
| <i>lidocaine</i> | 2 |
| <i>lidocaine viscous hcl</i> | 53 |
| <i>lidocaine-prilocaine</i> | 2 |
| LILETTA (52 MG) | 67 |
| <i>linezolid</i> | 4 |
| LINZESS | 58 |
| <i>liothyronine sodium</i> | 68 |
| <i>lisinopril</i> | 44 |
| <i>lisinopril-hydrochlorothiazide</i> | 47 |
| <i>lithium</i> | 37 |
| <i>lithium carbonate</i> | 37 |
| <i>lithium carbonate er</i> | 37 |
| LIVMARLI | 59 |
| LIVTENCITY | 32 |
| <i>lojaimiess</i> | 65 |
| LOKELMA | 58 |
| LONSURF | 21 |
| <i>loperamide hcl</i> | 59 |
| <i>lopinavir-ritonavir</i> | 36 |
| <i>lorazepam</i> | 37 |
| <i>lorazepam intensol</i> | 37 |
| LORBRENA | 24 |
| <i>losartan potassium</i> | 44 |
| <i>losartan potassium-hctz</i> | 47 |
| LOTEMAX SM | 81 |
| <i>lovastatin</i> | 49 |
| <i>low-ogestrel</i> | 65 |
| <i>loxapine succinate</i> | 29 |
| <i>lubiprostone</i> | 58 |
| LUMAKRAS | 24 |
| LUMIGAN | 82 |
| LUPRON DEPOT (1-MONTH) | 69 |
| LUPRON DEPOT (3-MONTH) | 69 |
| LUPRON DEPOT (4-MONTH) | 69 |
| LUPRON DEPOT (6-MONTH) | 69 |
| LUPRON DEPOT-PED (1-MONTH) | 69 |
| LUPRON DEPOT-PED (3-MONTH) | 69 |
| <i>lurasidone hcl</i> | 31 |
| <i>lutera</i> | 65 |
| LYBALVI | 31 |
| <i>lyleq</i> | 68 |
| <i>lyllana</i> | 66 |
| LYNPARZA | 24 |
| LYSODREN | 21 |
| LYTGOBI (12 MG DAILY DOSE) | 24 |
| LYTGOBI (16 MG DAILY DOSE) | 24 |
| LYTGOBI (20 MG DAILY DOSE) | 24 |
| LYUMJEV | 40 |
| LYUMJEV KWIKPEN | 40 |
| <i>lyza</i> | 68 |
| M | |
| <i>magnesium sulfate</i> | 57 |
| <i>malathion</i> | 56 |
| <i>maraviroc</i> | 35 |
| <i>marlissa</i> | 66 |

| | | | | | |
|------------------------------------|-------|-------------------------------------|--------|---------------------------------------|----|
| MARPLAN | 14 | <i>mili</i> | 66 | <i>neo-polycin</i> | 80 |
| MATULANE | 20 | <i>mimvey</i> | 66 | <i>neo-polycin hc</i> | 80 |
| MAVYRET | 33 | <i>minocycline hcl</i> | 9 | NERLYNX | 25 |
| MAYZENT | 52 | <i>minoxidil</i> | 50 | NEULASTA | 42 |
| MAYZENT STARTER PACK | 52 | <i>mirtazapine</i> | 14 | <i>nevirapine</i> | 34 |
| <i>meclizine hcl</i> | 16 | <i>misoprostol</i> | 60 | <i>nevirapine er</i> | 34 |
| <i>medroxyprogesterone acetate</i> | 68 | <i>M-M-R II</i> | 76 | NEXPLANON | 68 |
| <i>mefloquine hcl</i> | 28 | <i>modafinil</i> | 88 | <i>niacin er (antihyperlipidemic)</i> | 49 |
| <i>megestrol acetate</i> | 68 | <i>moexipril hcl</i> | 44 | NICOTROL NS | 3 |
| MEKINIST | 25 | <i>molindone hcl</i> | 29 | <i>nifedipine er</i> | 46 |
| MEKTOVI | 25 | <i>mometasone furoate</i> | 55, 83 | <i>nifedipine er osmotic release</i> | 46 |
| meloxicam | 1 | <i>montelukast sodium</i> | 83 | <i>nilutamide</i> | 20 |
| <i>memantine hcl</i> | 13 | <i>morphine sulfate</i> | 2 | <i>nimodipine</i> | 46 |
| <i>memantine hcl-donepezil hcl</i> | 13 | <i>(concentrate)</i> | 2 | NINLARO | 25 |
| <i>menquadfi</i> | 76 | <i>morphine sulfate er</i> | 2 | <i>nitazoxanide</i> | 28 |
| MENVEO | 76 | <i>MOTEGRITY</i> | 58 | <i>nitisinone</i> | 61 |
| <i>mercaptopurine</i> | 21 | <i>MOUNJARO</i> | 38 | <i>nitrofurantoin macrocrystal</i> | 4 |
| <i>meropenem</i> | 7 | <i>moxifloxacin hcl</i> | 8, 81 | <i>nitrofurantoin monohyd</i> | |
| <i>mesalamine</i> | 78 | <i>moxifloxacin hcl in nacl</i> | 8 | <i>macro</i> | 5 |
| <i>mesalamine er</i> | 77 | <i>MRESVIA</i> | 76 | <i>nitroglycerin</i> | 50 |
| <i>mesna</i> | 27 | <i>mupirocin</i> | 57 | <i>NITROGLYCERIN</i> | 59 |
| MESNEX | 27 | <i>mupirocin calcium</i> | 57 | <i>nizatidine</i> | 60 |
| <i>metformin hcl</i> | 38 | <i>mycophenolate mofetil</i> | 74 | <i>nora-be</i> | 68 |
| <i>metformin hcl er</i> | 38 | <i>mycophenolate sodium</i> | 74 | <i>norelgestromin-eth estradiol</i> | 66 |
| <i>methadone hcl</i> | 1 | <i>MYRBETRIQ</i> | 61 | <i>norethin ace-eth estrad-fe</i> | 66 |
| <i>methimazole</i> | 70 | N | | <i>norethindrone</i> | 68 |
| <i>methocarbamol</i> | 87 | <i>na sulfate-k sulfate-mg sulf</i> | 59 | <i>norethindrone acetate</i> | 68 |
| <i>methotrexate sodium</i> | 74 | <i>nabumetone</i> | 1 | <i>norethindrone acet-ethinyl est</i> | 66 |
| <i>methotrexate sodium (pf)</i> | 74 | <i>nadolol</i> | 45 | <i>norethindrone-eth estradiol</i> | 66 |
| <i>methsuximide</i> | 10 | <i>nafcillin sodium</i> | 7 | <i>norgestimate-eth estradiol</i> | 66 |
| <i>methyldopa</i> | 43 | <i>naloxone hcl</i> | 3 | <i>norgestim-eth estrad triphasic</i> | 66 |
| <i>methylphenidate hcl</i> | 51 | <i>naltrexone hcl</i> | 3 | <i>nortrel 0.5/35 (28)</i> | 66 |
| <i>methylprednisolone</i> | 62 | <i>NAMZARIC</i> | 13 | <i>nortrel 1/35 (21)</i> | 66 |
| <i>metoclopramide hcl</i> | 59 | <i>naproxen</i> | 1 | <i>nortrel 1/35 (28)</i> | 66 |
| <i>metolazone</i> | 48 | <i>naproxen dr</i> | 1 | <i>nortrel 7/7/7</i> | 66 |
| <i>metoprolol succinate er</i> | 45 | <i>NATACYN</i> | 81 | <i>nortriptyline hcl</i> | 16 |
| <i>metoprolol tartrate</i> | 45 | <i>nateglinide</i> | 38 | <i>NORVIR</i> | 36 |
| <i>metronidazole</i> | 4, 53 | <i>NAYZILAM</i> | 10 | <i>NOVOLIN 70/30</i> | 41 |
| <i>metyrosine</i> | 47 | <i>nebivolol hcl</i> | 45 | <i>NOVOLIN 70/30 FLEXPEN</i> | 41 |
| <i>mexiletine hcl</i> | 45 | <i>necon 0.5/35 (28)</i> | 66 | <i>NOVOLIN N</i> | 41 |
| <i>microgestin 1.5/30</i> | 66 | <i>nefazodone hcl</i> | 15 | <i>NOVOLIN N FLEXPEN</i> | 41 |
| <i>microgestin 1/20</i> | 66 | <i>neomycin sulfate</i> | 4 | <i>NOVOLIN R</i> | 41 |
| <i>microgestin fe 1.5/30</i> | 66 | <i>neomycin-bacitracin zn-</i> | | <i>NOVOLIN R FLEXPEN</i> | 41 |
| <i>microgestin fe 1/20</i> | 66 | <i>polymyx</i> | 80 | <i>NOVOLOG</i> | 41 |
| <i>midodrine hcl</i> | 43 | <i>neomycin-polymyxin-</i> | | | |
| <i>mifepristone</i> | 69 | <i>dexameth</i> | 80 | | |
| <i> miglustat</i> | 61 | <i>neomycin-polymyxin-</i> | | | |
| | | <i> gramicidin</i> | 80 | | |
| | | <i>hc</i> | 82 | | |

| | |
|---|--------|
| NOVOLOG FLEXPEN..... | 41 |
| NOVOLOG MIX 70/30..... | 41 |
| NOVOLOG MIX 70/30 FLEXPEN | 41 |
| NOVOLOG PENFILL | 41 |
| NUBEQA..... | 20 |
| NUCALA..... | 87 |
| NUEDEXTA..... | 51 |
| NUPLAZID | 31 |
| NUTRILIPID | 79 |
| nyamyc..... | 17 |
| nylia 1/35..... | 66 |
| nylia 7/7/7..... | 66 |
| nystatin..... | 17, 18 |
| nystatin-triamcinolone | 56 |
| nystop | 18 |
| O | |
| octreotide acetate..... | 69 |
| ODEFSEY | 35 |
| ODOMZO | 25 |
| OFEV | 86 |
| ofloxacin..... | 81, 82 |
| OGSIVEO..... | 21 |
| OJEMDA..... | 21 |
| OJJAARA..... | 25 |
| olanzapine..... | 31 |
| olmesartan medoxomil..... | 44 |
| olmesartan medoxomil-hctz | 47 |
| omega-3-acid ethyl esters. | 49 |
| omeprazole | 60 |
| ondansetron | 17 |
| ondansetron hcl..... | 16 |
| ONUREG | 21 |
| OPIPZA..... | 31 |
| OPSUMIT..... | 86 |
| OPVEE..... | 3 |
| ORENCIA..... | 71 |
| ORENCIA CLICKJECT | 71 |
| ORENITRAM..... | 86 |
| ORENITRAM MONTH 1.... | 86 |
| ORENITRAM MONTH 2.... | 86 |
| ORENITRAM MONTH 3.... | 86 |
| ORGOVYX | 69 |
| ORKAMBI..... | 85 |
| orphenadrine citrate er..... | 87 |
| ORSERDU | 20 |
| oseltamivir phosphate | 36 |
| OSPHENA..... | 68 |
| OTEZLA | 56, 71 |
| oxaprozin..... | 1 |
| oxcarbazepine | 12 |
| oxybutynin chloride | 61 |
| oxybutynin chloride er | 61 |
| oxycodone hcl | 2 |
| oxycodone-acetaminophen .2 | |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) | 38 |
| OZEMPIC (1 MG/DOSE)... | 38 |
| OZEMPIC (2 MG/DOSE)... | 38 |
| P | |
| PACERONE | 45 |
| paliperidone er | 31 |
| PANRETIN | 27 |
| pantoprazole sodium..... | 60 |
| paricalcitol | 78 |
| paroxetine hcl..... | 15 |
| PAXLOVID (150/100)..... | 36 |
| PAXLOVID (300/100 & 150/100) | 37 |
| PAXLOVID (300/100) | 37 |
| pazopanib hcl | 25 |
| PEDIARIX | 76 |
| PEDVAX HIB..... | 76 |
| peg 3350-kcl-na bicarb-nacl | 59 |
| peg-3350/electrolytes | 59 |
| PEGASYS | 72, 74 |
| PEMAZYRE | 25 |
| PENBRAYA..... | 76 |
| penicillamine | 58 |
| penicillin g sodium | 7 |
| penicillin v potassium | 7 |
| PENTACEL | 76 |
| pentamidine isethionate | 28 |
| pentoxifylline er | 47 |
| perindopril erbumine | 44 |
| permethrin | 56 |
| perphenazine | 29 |
| PERSERIS | 31 |
| phenelzine sulfate | 14 |
| phenobarbital | 11 |
| PHENYTEK..... | 12 |
| phenytoin..... | 12 |
| phenytoin sodium extended | 12 |
| PIFELTRO..... | 34 |
| pilocarpine hcl | 53, 82 |
| pimecrolimus | 55 |
| pimozide | 29 |
| pimtrea | 66 |
| pindolol | 45 |
| pioglitazone hcl..... | 38 |
| pioglitazone hcl-metformin hcl | 39 |
| piperacillin sod-tazobactam so | 7 |
| PIQRAY (200 MG DAILY DOSE) | 25 |
| PIQRAY (250 MG DAILY DOSE) | 25 |
| PIQRAY (300 MG DAILY DOSE) | 25 |
| pirfenidone | 86 |
| PIRFENIDONE | 86 |
| piroxicam | 1 |
| pitavastatin calcium | 49 |
| PLENAMINE | 57 |
| podofilox..... | 56 |
| polycin | 80 |
| polymyxin b-trimethoprim .. | 80 |
| POMALYST | 20 |
| portia-28 | 66 |
| posaconazole | 18 |
| potassium chloride | 57 |
| potassium chloride crys er. | 57 |
| potassium chloride er | 57 |
| potassium citrate er | 57 |
| PRALUENT | 49 |
| pramipexole dihydrochloride | 28 |
| prasugrel hcl..... | 43 |
| pravastatin sodium | 49 |
| praziquantel..... | 27 |
| prazosin hcl | 44 |
| prednisolone | 62 |
| prednisolone acetate | 81 |
| prednisolone sodium phosphate | 62 |
| prednisone | 62 |
| PREFERRED PLUS | |
| INSULIN SYRINGE | 79 |
| pregabalin | 11 |
| PREMARIN | 66 |
| PREMPHASE..... | 66 |
| PREMPPRO | 66 |
| prenatal | 58 |
| prevalite..... | 49 |
| PREVYMIS..... | 32, 33 |
| PREZCOBIX | 36 |

| | | | | | |
|--------------------------------------|--------|------------------------------------|--------|-------------------------------------|--------|
| PREZISTA | 36 | rabeprazole sodium | 60 | roflumilast | 85 |
| PRIFTIN | 19 | RALDESY | 15 | ROMVIMZA | 25 |
| <i>primaquine phosphate</i> | 28 | raloxifene hcl | 68 | <i>ropinirole hcl</i> | 28 |
| <i>primidone</i> | 11 | ramipril | 44 | <i>rosuvastatin calcium</i> | 49 |
| PRIORIX | 76 | ranolazine er | 47 | <i>rosyrah</i> | 67 |
| PRIVIGEN | 70 | rasagiline mesylate | 29 | ROTARIX | 76 |
| PROAIR RESPICLICK | 85 | RAYALDEE | 78 | ROTATEQ | 76 |
| <i>probenecid</i> | 18 | REBIF | 52 | <i>roweepra</i> | 10 |
| <i>prochlorperazine</i> | 16 | REBIF REBIDOSE | 52 | ROZLYTREK | 25 |
| <i>prochlorperazine maleate</i> | 16 | REBIF REBIDOSE | | RUBRACA | 25 |
| PROCITRIT | 42 | TITRATION PACK | 52 | <i>rufinamide</i> | 12 |
| <i>proto-med hc</i> | 78 | REBIF TITRATION PACK | 53 | RUKOBIA | 35 |
| <i>proctosol hc</i> | 78 | RECOMBIVAX HB | 76 | RYBELSUS | 39 |
| <i>protozone-hc</i> | 78 | RELI-ON INSULIN SYRINGE | | RYDAPT | 25 |
| <i>progesterone</i> | 68 | | 79 | RYTARY | 29 |
| PROGRAF | 74 | RELISTOR | 58, 59 | S | |
| PROLASTIN-C | 61 | <i>repaglinide</i> | 39 | <i>sajazir</i> | 70 |
| PROLIA | 78 | REPATHA | 49 | SANTYL | 56 |
| PROMACTA | 42, 43 | REPATHA PUSHTRONEX | | <i>sapropterin dihydrochloride</i> | 61 |
| <i>promethazine hcl</i> | 16 | SYSTEM | 49 | SAVELLA | 52 |
| <i>promethegan</i> | 16 | REPATHA SURECLICK | 49 | SAVELLA TITRATION PACK | |
| <i>propafenone hcl</i> | 45 | RESTASIS | 80 | | 52 |
| <i>propranolol hcl</i> | 45 | RESTASIS MULTIDOSE | 80 | SCEMBLIX | 25 |
| <i>propranolol hcl er</i> | 45 | RETACRIT | 43 | <i>scopolamine</i> | 16 |
| <i>propylthiouracil</i> | 70 | RETEVMO | 25 | SECUADO | 32 |
| PROQUAD | 76 | REVCORI | 61 | <i>selegiline hcl</i> | 29 |
| <i>protriptyline hcl</i> | 16 | REVLIMID | 20 | <i>selenium sulfide</i> | 55 |
| <i>prucalopride succinate</i> | 58 | REVUFORJ | 21 | SELZENTRY | 35 |
| PULMOZYME | 85 | REXULTI | 31 | SEREVENT DISKUS | 85 |
| PURIXAN | 21 | REYATAZ | 36 | <i>sertraline hcl</i> | 15 |
| <i>pyrazinamide</i> | 19 | REZLIDHIA | 25 | setlakin | 67 |
| <i>pyridostigmine bromide</i> | 19 | REZUROCK | 74 | <i>sharobel</i> | 68 |
| <i>pyrimethamine</i> | 28 | RHOPRESSA | 82 | SHINGRIX | 77 |
| PYRUKYND | 61 | <i>ribavirin</i> | 33 | SIGNIFOR | 69 |
| PYRUKYND TAPER PACK | | <i>rifabutin</i> | 19 | <i>sildenafil citrate</i> | 86 |
| | 61 | <i>rifampin</i> | 19 | <i>silver sulfadiazine</i> | 56 |
| Q | | <i>riluzole</i> | 51 | SIMBRINZA | 80 |
| QINLOCK | 25 | <i>RINVOQ</i> | 71 | <i>simvastatin</i> | 49 |
| QUADRACEL | 76 | <i>RINVOQ LQ</i> | 71 | <i>sirolimus</i> | 74 |
| <i>quetiapine fumarate</i> | 31 | <i>risedronate sodium</i> | 78 | SIRTURO | 20 |
| <i>quetiapine fumarate er</i> | 31 | <i>risperidone</i> | 32 | SKYCLARYS | 79 |
| <i>quinapril hcl</i> | 44 | <i>risperidone microspheres er</i> | | SKYRIZI | 71 |
| <i>quinapril-hydrochlorothiazide</i> | | | 31 | SKYRIZI PEN | 71 |
| | 47 | <i>ritonavir</i> | 36 | <i>sodium chloride</i> | 58, 79 |
| <i>quinidine sulfate</i> | 45 | <i>rivastigmine</i> | 13 | <i>sodium oxybate</i> | 88 |
| <i>quinine sulfate</i> | 28 | <i>rivastigmine tartrate</i> | 13 | <i>sodium phenylbutyrate</i> | 61 |
| QULIPTA | 18 | <i>rivelsa</i> | 67 | <i>sodium polystyrene sulfonate</i> | |
| QVAR REDIHALER | 83 | <i>RIVFLOZA</i> | 79 | | 58 |
| R | | <i>rizatriptan benzoate</i> | 19 | <i>sofosbuvir-velpatasvir</i> | 33 |
| RABAVERT | 76 | <i>ROCKLATAN</i> | 80 | <i>solifenacin succinate</i> | 62 |

| | | | | | |
|-------------------------------|----|-------------------------------|--------|--------------------------|------------|
| SOLIQUA | 39 | TABRECTA | 26 | TOBI PODHALER | 85 |
| SOLTAMOX | 20 | tacrolimus | 55, 74 | tobramycin | 81, 85 |
| SOMAVERT | 69 | tadalafil | 62 | tobramycin sulfate | 4 |
| sorafenib tosylate | 25 | tadalafil (pah) | 86 | tobramycin-dexamethasone | |
| sotalol hcl | 45 | TAFINLAR | 26 | | 80 |
| sotalol hcl (af) | 45 | TAGRISSO | 26 | topiramate | 10 |
| SOTYKTU | 56 | TALZENNA | 26 | toremifene citrate | 20 |
| SPEVIGO | 55 | tamoxifen citrate | 20 | torpenz | 26 |
| SPIRIVA RESPIMAT | 84 | tamsulosin hcl | 62 | torsemide | 48 |
| spironolactone | 49 | tarina fe 1/20 eq | 67 | TOUJEO MAX SOLOSTAR | |
| spironolactone-hctz | 47 | TASIGNA | 26 | | 41 |
| sprintec 28 | 67 | TAVNEOS | 71 | TOUJEO SOLOSTAR | 41 |
| SPRITAM | 10 | tazarotene | 54 | TRADJENTA | 39 |
| SPRYCEL | 26 | tazicef | 6 | tramadol hcl | 2 |
| sps (sodium polystyrene sulf) | 58 | TAZICEF | 6 | tramadol-acetaminophen | 2 |
| | | TAZVERIK | 26 | trandolapril | 44 |
| sronyx | 67 | TEFLARO | 6 | tranexamic acid | 43 |
| ssd | 56 | telmisartan | 44 | tranylcypromine sulfate | 14 |
| STEQEYMA | 71 | telmisartan-hctz | 47 | trazodone hcl | 15 |
| STIOLTO RESPIMAT | 87 | temazepam | 88 | TRECATOR | 20 |
| STIVARGA | 26 | TENIVAC | 77 | TRELEGY ELLIPTA | 87 |
| streptomycin sulfate | 4 | tenofovir disoproxil fumarate | 35 | TRELSTAR MIXJECT | 69, 70 |
| STRIBILD | 34 | TEPMETKO | 26 | TRESIBA | 41 |
| subvenite | 10 | terazosin hcl | 62 | TRESIBA FLEXTOUCH | 41 |
| subvenite starter kit-blue | 10 | terbinafine hcl | 18 | tretinoin | 27, 54 |
| subvenite starter kit-green | 10 | terconazole | 18 | triamcinolone acetonide | 53, 55, 56 |
| subvenite starter kit-orange | 10 | teriparatide | 78 | triamterene | 48 |
| SUCRAID | 61 | testosterone | 63 | triamterene-hctz | 48 |
| sucralfate | 60 | testosterone cypionate | 63 | triderm | 56 |
| sulfacetamide sodium | 81 | testosterone enanthate | 63 | trientine hcl | 58 |
| sulfacetamide-prednisolone | 80 | tetrabenazine | 51 | tri-estarylla | 67 |
| sulfadiazine | 8 | tetracycline hcl | 9 | trifluoperazine hcl | 30 |
| sulfamethoxazole- | | THALOMID | 20 | trifluridine | 81 |
| trimethoprim | 8 | theophylline er | 85 | trihexyphenidyl hcl | 28 |
| sulfasalazine | 78 | THEOPHYLLINE ER | 85 | TRIJARDY XR | 39 |
| sulindac | 1 | thioridazine hcl | 29 | TRIKAFTA | 85 |
| sumatriptan | 19 | thiothixene | 30 | trimethoprim | 5 |
| sumatriptan succinate | 19 | tiadylt er | 46 | tri-mili | 67 |
| sumatriptan succinate refill | 19 | tiagabine hcl | 11 | trimipramine maleate | 16 |
| sunitinib malate | 26 | TIBSOVO | 26 | TRINTELLIX | 15 |
| SUNLENCA | 35 | TICOVAC | 77 | tri-sprintec | 67 |
| SUTAB | 59 | tigecycline | 5 | TRIUMEQ | 35 |
| SYMPAZAN | 11 | timolol maleate | 19, 82 | TRIUMEQ PD | 35 |
| SYMTUZA | 36 | tinidazole | 5 | trivora (28) | 67 |
| SYNJARDY | 39 | tiotropium bromide | | tri-vylibra | 67 |
| SYNJARDY XR | 39 | monohydrate | 84 | TRULICITY | 39 |
| T | | TIVICAY | 34 | TRUMENBA | 77 |
| TABLOID | 21 | TIVICAY PD | 34 | TRUQAP | 26 |
| | | tizanidine hcl | 32 | TRYNGOLZA | 49 |

| | | | | | |
|-------------------------------------|----|-------------------------------------|--------|--------------------------------------|----|
| TUKYSA..... | 26 | vigpoder | 11 | XPOVIO (100 MG ONCE WEEKLY) | 27 |
| TURALIO..... | 26 | vilazodone hcl | 15 | XPOVIO (40 MG ONCE WEEKLY) | 27 |
| turqoz | 67 | VIMKUNYA | 77 | XPOVIO (40 MG TWICE WEEKLY) | 27 |
| TWINRIX..... | 77 | VIRACEPT | 36 | XPOVIO (60 MG ONCE WEEKLY) | 27 |
| TYBOST..... | 35 | VIREAD | 35 | XPOVIO (60 MG TWICE WEEKLY) | 27 |
| TYENNE..... | 71 | VITRAKVI | 26 | XPOVIO (80 MG ONCE WEEKLY) | 27 |
| TYMLOS..... | 79 | VIVITROL | 3 | XPOVIO (80 MG TWICE WEEKLY) | 27 |
| TYPHIM VI | 77 | VIVOTIF | 77 | XTAMPZA ER | 2 |
| TYRVAYA | 3 | VIZIMPRO | 26 | XTANDI | 20 |
| U | | VONJO | 21 | xulane..... | 67 |
| UBRELVY | 18 | VORANIGO | 27 | Y | |
| UDENYCA..... | 43 | voriconazole | 18 | YARGESA | 61 |
| unithroid | 69 | VOSEVI | 33 | YF-VAX | 77 |
| ursodiol | 60 | VOWST | 60 | YUPELRI | 84 |
| V | | VRAYLAR | 32 | yuvafem | 67 |
| valacyclovir hcl | 33 | VUMERITY | 53 | Z | |
| VALCHLOR..... | 20 | vyfemla | 67 | zafemy | 67 |
| valganciclovir hcl | 33 | vylibra | 67 | zafirlukast | 83 |
| valproic acid | 10 | VYNDAMAX | 48 | zaleplon | 88 |
| valsartan..... | 44 | VYZULTA | 82 | ZARXIO | 43 |
| valsartan-hydrochlorothiazide | 48 | W | | ZEJULA | 27 |
| VALTOCO 10 MG DOSE .. | 11 | warfarin sodium | 42 | ZELBORAF | 27 |
| VALTOCO 15 MG DOSE .. | 11 | WELIREG | 61 | zenatane | 54 |
| VALTOCO 20 MG DOSE .. | 11 | wezlana | 71, 72 | ZENPEP | 61 |
| VALTOCO 5 MG DOSE ... | 11 | wixela inhub | 87 | ZEPOSIA | 53 |
| valtya 1/50..... | 67 | X | | ZEPOSIA 7-DAY STARTER PACK | 53 |
| vancomycin hcl..... | 5 | XALKORI | 26, 27 | ZEPOSIA STARTER KIT .. | 53 |
| VANFLYTA..... | 26 | XARELTO | 42 | zidovudine | 35 |
| VAQTA..... | 77 | XARELTO STARTER PACK | 42 | ziprasidone hcl | 32 |
| varenicline tartrate..... | 3 | XATMEP | 74 | ziprasidone mesylate..... | 32 |
| varenicline tartrate (starter) . | 3 | XCOPRI | 12, 13 | ZIRGAN | 81 |
| VARIVAX..... | 77 | XCOPRI (250 MG DAILY DOSE) | 12 | ZOLINZA | 21 |
| VAXCHORA..... | 77 | XCOPRI (350 MG DAILY DOSE) | 12 | zolmitriptan | 19 |
| VELTASSA..... | 58 | XDEMVF | 81 | zolpidem tartrate | 88 |
| VENCLEXTA..... | 26 | XELJANZ | 72 | zolpidem tartrate er | 88 |
| VENCLEXTA STARTING PACK..... | 26 | XELJANZ XR | 72 | ZONISADE | 13 |
| venlafaxine hcl | 15 | XERMELO | 59 | zonisamide | 13 |
| venlafaxine hcl er | 15 | XGEVA | 79 | zovia 1/35 (28) | 67 |
| VEOZAH | 51 | XIFAXAN | 60 | ZTALMY | 12 |
| verapamil hcl | 46 | XIGDUO XR | 39 | ZURZUVAE | 14 |
| verapamil hcl er | 46 | XXIDRA | 80 | ZYDELIG | 27 |
| VERQUVO | 50 | XOFLUZA (40 MG DOSE) .. | 36 | ZYKADIA | 27 |
| VERSACLOZ | 32 | XOFLUZA (80 MG DOSE) .. | 36 | | |
| VERZENIO..... | 26 | XOLAIR | 72 | | |
| vienna..... | 67 | XOLREMDI | 43 | | |
| vigabatrin..... | 11 | XOSPATA | 27 | | |
| vigadrone | 11 | | | | |
| VIGAFYDE | 11 | | | | |

ZYLET 80

| METHOD | KelseyCare Advantage Member Services - Contact Information |
|----------------|---|
| CALL | 1-866-535-8343 Calls to this number are free. Hours are 8:00 a.m. to 8:00 p.m. local time, seven days a week, from October 1 – March 31. From April 1 – September 30, Monday through Friday, hours are 8:00 a.m. to 8:00 p.m. local time. Messaging service used weekends, after hours and on federal holidays. Member Services also has free language interpreter services available for non-English speakers. |
| TTY | 711 Calls to this number are free. Hours are 8:00 a.m. to 8:00 p.m. local time, seven days a week, from October 1 – March 31. From April 1 – September 30, Monday through Friday, hours are 8:00 a.m. to 8:00 p.m. local time. Messaging service used weekends, after hours and on federal holidays. |
| FAX | 713-442-5450 |
| WRITE | KelseyCare Advantage ATTN: Member Services P.O. Box 841569 Pearland, TX 77584-9832 |
| WEBSITE | www.KelseyCareAdvantage.com |

Health Information Counseling and Advocacy Program (HICAP)

Health Information Counseling and Advocacy Program (HICAP) is a state program that gets money from the Federal Government to give free local health insurance counseling to people with Medicare.

| METHOD | Health Information Counseling and Advocacy Program (HICAP) (Texas' SHIP) - Contact Information |
|----------------|---|
| CALL | 1-800-252-9240 |
| TTY | 1-800-735-2989 This number requires special telephone equipment and is only for people who have difficulties with hearing or speaking. |
| WRITE | 701 West 51st Street MC: W275 Austin, TX 78751 |
| WEBSITE | https://hhs.texas.gov/services/health/medicare |

This formulary was updated on 07/01/2025. For more recent information or other questions, please contact Optum Rx at 1-800-707-8194 (TTY: 711), 24 hours a day, 7 days per week or visit www.KelseyCareAdvantage.com.

PRA Disclosure Statement: According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0938-1051. If you have comments or suggestions for improving this form, please write to: CMS, 7500 Security Boulevard, Attn: PRA Reports Clearance Officer, Mail Stop C4-26-05, Baltimore, Maryland 21244-1850.